



2024

FIVICS
PRODUCT
GUIDE

2024 FIVICS PRODUCT CATALOGUE

FIVICS



FIVICS KOREA

Address | 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566

Tel | +82-31-245-6388 Fax | +82-31-245-6386 E-mail | info@fivics.com www.fivics.com

2024

FIVICS
PRODUCT
GUIDE



LEAD TO
VICTORY!!



CONTENT

FIVICS BOWS

SKADI-TX	16
TITAN-NXT	20
ARGON-X	22
VELLATOR-V3	24
VELLATOR-V2	26
SIRASONI	27

FIVICS ARROWS

FIVE-X	30
TENPRO	31
GOLDRO	32
ZEILO	33
TUNGSTEN POINT	36
ARROW ACCESSORIES	38

FIVICS BOW ACCESSORIES

SKADI-BX STABILIZER	40
FORNIX 14 STABILIZER	42
VELLATOR STABILIZER	43
STABILIZER ACCESSORIES	44
AIREX CUSHION PLUNGER	45
FV-300S SIGHT	46
CLICKER · REST	47
SM540 CUSHION PLUNGER	47
UPSTABILIZER	48
OTHER	49

FIVICS PROTECTORS 59

FIVICS SHOOTING GEAR

UNICO QUIVER SERIES	61
ACCENDO QUIVER SERIES	62
TENTRON-M BACKPACK	63
AEGIS HARD BOW CASE SERIES	64
SHOOTING GEAR / ETC	66

OTHER 68

PERFECT TARGET FACE 71

KROSSEN

XENIA BOW	76
XENIA STABILIZER	77
SIGHTS	78
BOW ACCESSORIES	79
FINGER TABS	80
PROTECTORS / ETC	81
HYPER QUIVERS SERIES	82
HYPER BACKPACK	83

we are
TEAM FIVICS!!

SKADI SERIES




SKADI-TX RISER


Tungsten weights are inserted into the riser to add a subtle balance shift, optimizing the weight distribution. The SKADI-TX is designed with soft curves which minimizes unwanted movement of the bow at release.

The SKADI-TX debuts the new "VACP" plate system, which allows for the fine tuning to optimize arrow flight by a slight forwards and backwards adjustment.

* MATERIAL : SUS



FIVICS SUPER LOCK SYSTEM



LENGTH **25/27**

VACP SYSTEM

74% Tungsten TX BALANCE

FULL CNC

FSL

SS GEOMETRY

TSC

SKADI LIMBS

A new material, SUPER GRAPHITE, is integrated into the SKADI limbs to improve the limbs' accuracy, stability, and strength.

Super graphite maintains the high elasticity of carbon with reduced torsion to decrease excess vibration and offers a satisfying shooting sensation.



SKADI-BX STABILIZER

Super graphite is a carbon prepreg material that has evolved further from graphene, a next-generation new material. It features a greatly improved vibration absorption rate compared to previous carbon stabilizer technology.

TITAN-NXT NEW

LENGTH
25



Superfine full CNC milling / Adjustable limb alignment with a 4mm and 5mm wrench without removing the limbs / Stable & Steady Geometry / TSG grip / VACP System for fine arrow tuning / Deep anodized and fresh painted finish

* MATERIAL
: AL 6061

UPGRADED 2024

	BEFORE	UPGRADED
SYSTEM	ESA System	ESA Plus System
Clicker Plate	Not Customized	VACP System

PROCESSING CNC

WEIGHT 1,238g

MATERIAL AL 6061

TYPE RH / LH

GRIP TSG Grip

COLOR

RH - Anodized and painted

LH - Anodized only

LENGTHS 25"

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"



ANODIZED

PAINTED

Red

Blue

Black

Green

White

RISERS & LIMBS



VACP SYSTEM *Additional Fine Tuning Aid*



Variable Arrow Cushion Point / Position

The VACP plate can be adjusted forwards and backwards, which allows for the fine tuning to optimize arrow flight.



Front Position
(To stiffen a weak arrow)



Normal Position



Back Position
(To weaken a stiff arrow)



TX BALANCE SYSTEM

TX BALANCE SYSTEM

Tungsten weights are inserted into the riser to add a subtle balance shift, optimizing the weight distribution.

The SKADI-TX is designed with soft curves which minimizes unwanted movement of the bow at release.



1 in 1000 mm precision FULL CNC


ALL FIVICS LINE RISERS FEATURE FULL CNC

Full CNC is made by cutting a solid block aluminum with a CNC machine tool, so production is limited and the cost of the process is high.

Some manufacturers do not produce FULL CNC products due to reduced profitability.

However, a fully CNC riser has a precision variation of 1/1000mm, making the product vastly superior to that of casting and forging.

Each product is perfectly centered at the vertical and there are no deviations between products.



Product Deviation	Casting	CNC After Forging	Full CNC
Vertical Center Deviation	High	Medium	None
Precision	Low	Medium	Very High
Durability	Low	Medium	Very High
Production Unit Price	Low	Medium	Premium




Lock in your limb alignment FIVICS SUPER LOCK SYSTEM

FSL SYSTEM (FIVICS Super Lock System)

The FSL System makes it easy to adjust the limb's alignment and secured it with a single strong bolt.

* Featured on the **Skadi-TX** Riser



The Limb Alignment Adjustment SYSTEM IN 0.05mm

Normally, limb alignment adjustment with the washer system is able to adjust in 0.1mm increments. FIVICS' ultra-precise limb alignment system can adjust 0.05mm to 0.15mm, offering double the amount of precision.


* Featured on the **Argon-X** Riser




EASY & STABLE CENTER ADJUSTMENT ESA SYSTEM

Adjusting the limb alignment without removing the limbs

Perform limb center adjustments without removing the limbs from the riser.



* Featured on the **Vellator V3** Riser





* Featured on the **Titan-NXT** Riser

* MATERIAL : 6061 Aluminum



FIVICS Risers are designed with a stable low center of gravity, creating significantly less vibration than normal risers during shooting.



This allows for the bow to fall faster after the shot, which increases the arrow speed and reduces accidental influences that may be caused by minute hand movement.



6061 Aluminum Vs 7075 Aluminum

FIVICS' Risers are designed with 6061 aluminum to allow for the best vibration absorption possible.

Using a hydraulic press machine, we have scientifically proven that our 6061 aluminum risers can tolerate higher pressure than risers made from more rigid materials such as 7075 aluminum.






3 important points in grip system

TIGHT AND SECURE GRIP

FIVICS' TSG (Tight and Secure Grip) is designed to maximize the contact between the archer's bow hand and the grip. This grip was produced in an optimal shape specializing in close contact by analyzing the positioning of the hand and the grip in three dimensions, as well as analyzing the direction of the force received by the bow hand at anchor.

The FIVICS TSG is combined with FIVICS' STABLE & STEADY GEOMETRY to exert a synergistic effect, promoting bow movement to the target at faster speeds and allowing for stable control of the arrow even at high speeds.




All FIVICS line Limbs

CWP CARBON PREPREG MATERIAL


FIVICS has developed a unique Carbon "Prepreg material" specifically designed for the highest performance in archery.

This material allows for efficient pull kinetics and quick restoration.

- The most important part of an archery limb is the carbon's raw material.
- In the production process of good carbon materials, prepreg technology quality of the epoxy and carbon fiber is proportional to the tension and torsion of the limbs.



FIVICS has designed limbs with high stability and uniform elasticity with an increased stiffness.



Plane Weave


- Low Drapeability
- High Crimp
- Excellent Finish






Advanced Limb Technology - Proven effect of 45° CARBON TECHNOLOGY

Glass fiber is paired with the carbon within the limb to increase its strength and durability.
The 45° carbon system increases shooting stability, protecting the carbon as well as preventing twisting.




CWP CARBON INNOVATIVE LIMB CNC PROCESSING


AR technology utilizes CNC processing to increase the consistency and uniformity of limbs while maintaining similar successful performances made with previous materials.
Additionally, this production method eliminates all air in the adhesion process, minimizing the chance of limb fracture and torsion.
The new SUPER GRAPHENE carbon improves the elasticity of the limb and optimizes speed and stability.



Advanced Limb Technology - Proven effect of POWER ZONE BALANCE




The location and angle of the Power Zone has been improved (area that creates the most acceleration)





The integrity test through 3D-CT non-destructive read

Increased limb strength while maintaining the same stability and uniform elasticity.



26" FULL DRAW DRY FIRE TEST



26" PARTIAL DRY FIRE TEST



SKADI-TX BEST

EXCEPTIONAL RISER WITH SOPHISTICATED SHOOTING BALANCE CUSTOMIZATION



LENGTH **25/27**

VACP SYSTEM

74 W Tungsten TX BALANCE

FULL CNC

FSL

SS GEOMETRY

TSG

SKADI-TX 25" RISER BEST

Superfine Full CNC milling / VACP System for fine arrow tuning / TX balance System / FSL system precisely locks in the limb alignment / Stable and Steady Geometry / TSG Grip / Deep anodized and fresh painted finish

- PROCESSING CNC
- WEIGHT 1,282g(25") / 1,340g(27")
- MATERIAL AL 6061, Tungsten
- TYPE RH / LH
- GRIP TSG Grip
- COLOR
RH - 25" Anodized and painted 27" and LH - Anodized only
- LENGTHS 25", 27"
- Stabilizer Mount Thread 5/16"-24
- Upstabilizer Mount Thread 5/16"-24
- Cushion Plunger Mount Thread 5/16"-24
- Clicker Mount Thread 6/32"



TECHNOLOGY OF SKADI RISER

VACP SYSTEM - Additional Fine Tuning Aid Variable Arrow Cushion Point / Position

The VACP plate can be adjusted forwards and backwards, which allows for the fine tuning to optimize arrow flight.



Front Position
(To stiffen a weak arrow)

Normal Position

Back Position
(To weaken a stiff arrow)




TX BALANCE SYSTEM

Tungsten weights are inserted into the riser to add a subtle balance shift, optimizing the weight distribution. The SKADI-TX is designed with soft curves which minimizes unwanted movement of the bow at release.



Lock in your limb alignment FIVICS SUPER LOCK SYSTEM

Tungsten weights are inserted into the riser to add a subtle balance shift, optimizing the weight distribution. The SKADI-TX is designed with soft curves which minimizes unwanted movement of the bow at release.



SKADI LIMBS **BEST**

SUPERB STABILITY AND ACCURACY
ACHIEVED WITH SUPER GRAPHENE





SKADI WOOD CORE LIMBS **LSWC01 BEST**

SKADI FOAM CORE LIMBS **LSFC01 BEST**

SUPER GRAPHENE carbon prepreg material / 45° carbon technology / AR tech CNC processing / The location and angle of the Power Zone has been improved

MATERIAL Super graphene **CORE** Wood core / Foam core
BOW LENGTH 66", 68", 70" **DRAW WEIGHT(lbs.)** 32#-50# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and other ILF risers.




SUPER GRAPHENE TECHNOLOGY

SUPER GRAPHENE has improved stability and accuracy compared to other carbon fiber limbs. To improve the stability and accuracy of the SKADI limb, a new material, SUPER GRAPHENE, was integrated. SUPER GRAPHENE maintains the high elasticity of carbon with reduced torsion to decrease excess vibration and offers a satisfying shooting sensation.

WHAT IS SUPER GRAPHENE?

SUPER GRAPHENE is a micrometer-sized carbon material developed as the core technology of standard graphene.



DREAM MATERIAL

Graphene is a new material with a two-dimensional planar structure made of carbon atoms. Each carbon atom forms a hexagonal lattice in the shape of a honeycomb.

- Hardness** 50 times stronger than steel
- Flexibility** Excellent elasticity with a tensile strength of 20 GPa
- Light Weight** 3.2g of SUPER GRAPHENE can cover an area of a soccer field

28" FULL DRAW DRY FIRE TEST



TITAN-NXT

NEW

LIGHT WEIGHT & LOW VIBRATION



LENGTH
25



TITAN-NXT 25" RISER **HX0725** NEW

Superfine full CNC milling / Adjustable limb alignment with a 4mm and 5mm wrench without removing the limbs / Stable & Steady Geometry / TSG grip / VACP System for fine arrow tuning / Deep anodized and fresh painted finish

PROCESSING CNC

WEIGHT 1,238g

MATERIAL AL 6061

TYPE RH / LH

GRIP TSG Grip

COLOR

RH - Anodized and painted

LH - Anodized only

LENGTHS 25"

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"

ANODIZED



Red Blue Black

PAINTED



Green White

TITAN-NX LIMBS



TITAN-NX WOOD CORE LIMBS **LNW01**

TITAN-NX FOAM CORE LIMBS **LNF01**

CWP240 carbon material / 45° carbon technology / AR tech CNC processing

MATERIAL CWP240 3K Full Carbon CORE Wood core / Foam core


BOW LENGTH 66", 68", 70" DRAW WEIGHT (lbs.) 32#-50# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed in all FIVICS risers and other ILF risers.

CWP240




3K FULL CARBON WOOD CORE



CWP240



3K FULL CARBON FOAM CORE



WOOD CORE

FOAM CORE

ARGON-X

FAST ARROW SPEED WITH UNIQUE HIGH-REPULSION DESIGN



ARGON-X 25" RISER HA0725

ARGON-X 27" RISER HA0727

Lower center of gravity / Fast drop from the bow hand / Superfine full CNC milling / The most precise and stable washer limb alignment system in the world with increments as low as 0.05mm / Stable & steady geometry / Tight & secure grip / Deep anodized color and fresh painted color

PROCESSING CNC

WEIGHT 1,330g(25") / 1,380g(27")

MATERIAL AL 6061

TYPE RH / LH

GRIP TSG Grip

COLOR

ANODIZED / PAINTED(RH 25" ONLY)

LENGTH 25", 27"

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"



ARGON-X LIMBS

FAST ARROW SPEED WITH UNIQUE HIGH-REPULSION DESIGN



ARGON-X WOOD CORE LIMBS LAWC01

ARGON-X FOAM CORE LIMBS LAFC01


CWP3024 carbon material / 45° carbon technology / AR tech CNC processing / The location and angle of the Power Zone has been improved

MATERIAL CWP3024 1K Full Carbon CORE Wood core / Foam core
BOW LENGTH 66", 68", 70" DRAW WEIGHT (lbs.) 32#-50# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and other ILF risers.


CWP3024

1K FULL CARBON WOOD CORE



CWP3024

1K FULL CARBON FOAM CORE



WOOD CORE

FOAM CORE

VELLATOR-V3

UNIQUELY DESIGNED RISER WITH LOW VIBRATION



VELLATOR-V3 25" RISER HV0325

VELLATOR-V3 23" RISER HV0323

High quality mid tier riser / Superfine full CNC milling / Adjustable limb alignment with an 4mm and 5mm wrench without removing limbs / Stable & steady geometry / Deep color from anodizing

PROCESSING CNC

WEIGHT 1,100g(23") / 1,210g(25")

MATERIAL AL 6061

TYPE RH / LH

GRIP Plastic

COLOR Anodized

LENGTH 23", 25"

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"



VELLATOR-V3 LIMBS



VELLATOR-V3 WOOD CORE LIMBS LVWC03

VELLATOR-V3 FOAM CORE LIMBS LVFC03


CUP240 carbon material / 45° carbon technology / AR tech CNC processing

MATERIAL CUP240 Carbon CORE Wood core / Foam core


BOW LENGTH 66", 68", 70" DRAW WEIGHT (lbs.) 22#-38# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed in all FIVICS risers and other ILF risers.

CUP240



CUP240



WOOD CORE

FOAM CORE

VELLATOR-V2

LIGHTWEIGHT RISER FOR COMPETITION



VELLATOR-V2 25" RISER HV0225

VELLATOR-V2 23" RISER HV0223

Only 1,100grams / Superfine full CNC milling / Stable & steady geometry / Deep color from anodizing

PROCESSING CNC

WEIGHT 1,050g(23")/1,100g(25")

MATERIAL AL 6061

TYPE RH / LH

GRIP Plastic

COLOR Anodized

LENGTH 23", 25"

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"



Blue Green Orange Red Black Silver

SIRASONI

SPECIAL COMPACT DESIGN



SIRASONI HUNTING LIMBS LSW01

CWP240 carbon material / 45° carbon technology / AR tech CNC processing


MATERIAL CWP240 3K Full Carbon

BOW LENGTH Medium 60" / Long 62"

DRAW WEIGHT(lbs.) 30~55 lbs in 5 lbs increments

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and other ILF risers.

CWP240



SIRASONI 17" RISER HS0117

Superfine full CNC milling / Adjustable limb alignment with an 4mm and 5mm wrench without removing limbs / Stable & steady geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC

WEIGHT 1,030g / 2.27 lbs

MATERIAL AL 6061

TYPE RH / LH

GRIP Wood Grip

COLOR Anodized

LENGTH 17"



Stabilizer Mount Thread 5/16"-24 Cushion Plunger Mount Thread 5/16"-24

Brown Green Khaki Black

ARROW



THE WORLD'S BEST GROUPING ARROW FIVICS' FIVE-X

Through tomographic imaging on arrows used in competitions around the world, FIVICS has confirmed that many arrows have internal cracks in their carbon which archers are not aware of. The FIVE-X arrows are constructed of MC 46ton carbon with strict quality control.



They are managed with 6 times greater precision than the existing world's highest level of spine deviation, and have a 0% internal crack rate.



FIVE-X VS Other brand Arrows

Arrow flight can be effected by carbon cracks inside the arrow.


FIVE-X reduces the chance of any cracks with a special high quality carbon material, allowing for the best arrow flight.



GROUPING TEST WITH SHOOTING MACHINE

The FIVE-X's special carbon material and strict quality control have been proven through excellent arrow grouping.

By using a shooting machine, we have formed groupings that are superior to those of other brands.




FIVE-X



FIVE-X CARBON ARROW SHAFT **ARFX**

Highest quality 46ton carbon / Advanced Technology / Extreme Accuracy /
The FIVE-X is the perfect competition arrow made with the latest carbon technology.
STRAIGHTNESS $\pm 0.001"$ WEIGHT TOLERANCE ± 1.0 grains SPINE SELECTION TOLERANCE $\pm 0.002"$

FIVE-X TUNGSTEN POINT **FXTPO**



FIVE-X ALUMINUM INSERT PIN **FXIN**



FIVE-X STAINLESS STEEL POINT **FXSPO**



Size	X-10 Comparison	Length (inch)	Weight (Grain)	Weight (GPI)	Outside Diameter (inch)	Qty	Recommended Point Weight Range		Pin Nock Adapter	Out Nock
							Steel	Tungsten		
350	325	33.0	288.66	8.75	0.2126	12pack	1X	1X	1 Line	5.0
400	325-350	33.0	273.02	8.27	0.2072	12pack	1X	1X		5.0
450	350-380	33.0	252.66	7.66	0.2021	12pack	1X	1X		5.0
500	410-450	33.0	239.78	7.27	0.1985	12pack	1X	2X		5.0
550	450-500	31.0	210.66	6.80	0.1952	12pack	2X	2X		4.7
600	500-550	31.0	199.74	6.44	0.1922	12pack	2X	2X		4.7
650	550-600	31.0	191.04	6.16	0.1895	12pack	2X	3X		4.7
700	600-650	29.0	169.22	5.84	0.1860	12pack	2X	3X	0 Line	4.7
750	650-700	29.0	160.11	5.52	0.1841	12pack	3X	3X		4.5
800	700-750	29.0	156.68	5.40	0.1824	12pack	3X	3X		4.5
850	750-800	28.0	147.97	5.28	0.1812	12pack	3X	3X		4.5
900	830	28.0	139.28	4.97	0.1788	12pack	3X	3X		4.5
1000	900	28.0	133.20	4.76	0.1765	12pack	3X	3X		4.5

TENPRO



TENPRO CARBON ARROW SHAFT **TPROS**

30ton carbon allows for extreme speed, strength, and consistency in shooting
STRAIGHTNESS $\pm 0.002"$ WEIGHT TOLERANCE ± 1.0 grains SPINE SELECTION TOLERANCE $\pm 0.002"$

TENPRO STAINLESS STEEL POINT **TPSP**



TENPRO ALUMINUM INSERT PIN **TPPIN**



Size	Length (inch)	Weight (Grain)	Weight (GPI)	Outside Diameter (inch)	Qty	Recommended Point Weight Range	Qty	Out Nock
450	32.0	283.72	8.87	0.2248	12pack	1T/120gr	5.48	
500	31.0	259.08	8.36	0.2202	12pack	1T/120gr	5.48	
550	31.0	245.37	7.92	0.2161	12pack	2T/120gr	5.48	
600	31.0	225.31	7.27	0.2125	12pack	2T/120gr	5.2	
650	31.0	217.03	7.00	0.2100	12pack	2T/120gr	5.2	
700	30.0	201.59	6.72	0.2072	12pack	2T/120gr	5.2	
800	30.0	184.31	6.14	0.2019	12pack	3T/120gr	0 Line	5.2
900	29.0	161.31	5.56	0.1982	12pack	3T/120gr		4.92
1000	29.0	151.35	5.22	0.1953	12pack	3T/120gr		4.92
1100	28.0	140.47	5.02	0.1930	12pack	3T/120gr		4.92
1200	28.0	132.77	4.74	0.1904	12pack	3T/120gr		4.92

GOLDRO



GOLDRO CARBON ARROW SHAFT **GDR**

GOLDRO is the perfect target arrow for youth archers / Advanced Technology / Extreme Accuracy / The stylish graphics / 24ton Carbon

STRAIGHTNESS $\pm 0.002''$ WEIGHT TOLERANCE ± 1.0 grains SPINE SELECTION TOLERANCE $\pm 0.0025''$

GOLDRO STAINLESS STEEL POINT **GRPO**

 WEIGHT 110gr

 WEIGHT 120gr

IN NOCK **NMNOK**



Size	Length (inch)	Weight (Grain)	Weight (GPI)	Outside Diameter (inch)	Qty	Recommended Point Weight Range	Out Nock
600	Available in 2024						
700							
800	29.0	194.06	6.69	0.2231	12pack	120gr	5.48
900	29.0	181.05	6.24	0.2191	12pack	120gr	5.48
1000	28.0	163.71	5.85	0.2155	12pack	120gr	5.48
1100	28.0	156.53	5.59	0.2144	12pack	120gr	2100
1200	28.0	151.16	5.40	0.2125	12pack	120gr	2100
1300	28.0	144.42	5.16	0.2104	12pack	110gr	2100
1400	28.0	135.15	4.83	0.2083	12pack	110gr	5.2
1500	28.0	124.21	4.44	0.2062	12pack	110gr	5.2
1600	28.0	121.46	4.34	0.2053	12pack	110gr	5.2

ZEILO



ZEILO CARBON ARROW SHAFT **ZLA**

ZEILO is the target arrow for youth archers / Advanced Technology / Extreme Accuracy / 24ton Carbon

STRAIGHTNESS $\pm 0.002''$ WEIGHT TOLERANCE ± 1.0 grains SPINE SELECTION TOLERANCE $\pm 0.0025''$

ZEILO STAINLESS STEEL POINT **ZL002SP**

 WEIGHT 110gr

 WEIGHT 120gr

ZEILO ALUMINUM INSERT PIN **ZT001SV**



Size	Length (inch)	Weight (Grain)	Weight (GPI)	Outside Diameter (inch)	Qty
500	30	303.8	10.13	0.2515	12pack
600	30	280.3	9.34	0.2490	12pack
700	30	232.9	7.76	0.2455	12pack
800	29	221.3	7.63	0.2412	12pack
900	29	209.4	7.22	0.2386	12pack
1000	28	198.0	7.07	0.2372	12pack
1100	28	185.0	6.61	0.2352	12pack
1200	28	183.3	6.55	0.2339	12pack
1300	28	178.7	6.38	0.2333	12pack
1400	28	161.7	5.78	0.2317	12pack
1500	28	156.6	5.59	0.2303	12pack

FIVICS ARROWS SELECTION GUIDE

FX : FIVE-X TP : TENPRO GR : GOLDRO ZL : ZEILO

Total Arrow Length	16 ~lbs.	18 ~lbs.	20 ~lbs.	22 ~lbs.	24 ~lbs.	26 ~lbs.	28 ~lbs.	30 ~lbs.	32 ~lbs.	34 ~lbs.
24"			GR1600 ZL1500	GR1600 ZL1500	GR1500 ZL1500	GR1400 ZL1400	GR1300 ZL1300	GR1200 ZL1200	TP1200 GR1100 ZL1100	TP1100 GR1000 ZL1000
25"		GR1600 ZL1500	GR1600 ZL1500	GR1500 ZL1500	GR1400 ZL1400	GR1300 ZL1300	GR1200 ZL1200	TP1200 GR1100 ZL1100	TP1100 GR1000 ZL1000	FX1000 TP1000 GR900 ZL900
26"	GR1600 ZL1500	GR1600 ZL1500	GR1500 ZL1500	GR1400 ZL1400	GR1300 ZL1300	GR1200 ZL1200	TP1200 GR1100 ZL1100	TP1100 GR1000 ZL1000	FX1000 TP1000 GR900 ZL900	FX1000 TP900 GR900 ZL900
27"	GR1600 ZL1500	GR1500 ZL1500	GR1400 ZL1400	GR1300 ZL1300	GR1200 ZL1200	TP1200 GR1100 ZL1100	TP1100 GR1000 ZL1000	FX1000 TP1000 GR900 ZL900	FX1000 TP900 GR900 ZL900	FX900 TP800 GR800 ZL800
28"	GR1500 ZL1500	GR1400 ZL1400	GR1300 ZL1300	GR1200 ZL1200	TP1200 GR1100 ZL1100	TP1100 GR1000 ZL1000	FX1000 TP1000 GR900 ZL900	FX1000 TP900 GR900 ZL900	FX900 TP800 GR800 ZL800	FX900 TP800 GR800 ZL800
29"	GR1400 ZL1400	GR1300 ZL1300	GR1200 ZL1200	TP1200 GR1100 ZL1100	TP1100 GR1000 ZL1000	FX1000 TP1000 GR900 ZL900	FX1000 TP900 GR900 ZL900	FX900 TP800 GR800 ZL800	FX900 TP800 GR800 ZL800	FX850 TP700 ZL700
30"						TP900 GR900 ZL900	TP800 GR800 ZL800	TP800 GR800 ZL800	TP700 ZL700	FX800 TP700 ZL700
31"						TP800	TP800	TP700 ZL700	TP700 ZL700	TP650 ZL600
32"										TP600
33"										

36 ~lbs.	38 ~lbs.	40 ~lbs.	42 ~lbs.	44 ~lbs.	46 ~lbs.	48 ~lbs.	50 ~lbs.	52 ~lbs.	54 ~lbs.	56 ~lbs.
FX1000 TP1000 GR900 ZL900	FX1000 TP900 GR900 ZL900	FX900 TP800 GR800 ZL800	FX900 TP800 GR800 ZL800	FX850 TP700 ZL700	FX800 TP700 ZL700	FX750 TP650 ZL600	FX700 TP600 ZL600	FX650 TP550 ZL500	FX600 TP500 ZL500	FX550 TP450
FX1000 TP900 GR900 ZL900	FX900 TP800 GR800 ZL800	FX900 TP800 GR800 ZL800	FX850 TP700 ZL700	FX800 TP700 ZL700	FX750 TP650 ZL600	FX700 TP600 ZL600	FX650 TP550 ZL500	FX600 TP500 ZL500	FX550 TP450	FX500 TP400
FX900 TP800 GR800 ZL800	FX900 TP800 GR800 ZL800	FX850 TP700 ZL700	FX800 TP700 ZL700	FX750 TP650 ZL600	FX700 TP600 ZL600	FX650 TP550 ZL500	FX600 TP500 ZL500	FX550 TP450	FX500 TP400	FX450
FX900 TP800 GR800 ZL800	FX850 TP700 ZL700	FX800 TP700 ZL700	FX750 TP650 ZL600	FX700 TP600 ZL600	FX650 TP550 ZL500	FX600 TP500 ZL500	FX550 TP450	FX500 TP400	FX450	FX400
FX850 TP700 ZL700	FX800 TP700 ZL700	FX750 TP650 ZL600	FX700 TP600 ZL600	FX650 TP550 ZL500	FX600 TP500 ZL500	FX550 TP450	FX500 TP400	FX450	FX400	FX350
FX800 TP700 ZL700	FX750 TP650 ZL600	FX700 TP600 ZL600	FX650 TP550 ZL500	FX600 TP500 ZL500	FX550 TP450	FX500 TP400	FX450	FX400	FX350	
FX750 TP650 ZL600	FX700 TP600 ZL600	FX650 TP550 ZL500	FX600 TP500 ZL500	FX550 FX450	FX500 TP400	FX450	FX400	FX350		
TP600 ZL600	FX650 TP550 ZL500	FX600 TP500 ZL500	FX550 TP450	FX500 TP400	FX450	FX400	FX350			
TP550	TP500	FX550 TP450	FX500 TP400	FX450	FX400	FX350				
	TP450	TP400	FX450	FX400	FX350					

TUNGSTEN POINT




FIVE-X TUNGSTEN POINT **FXTPO**

-  WEIGHT 120gr
-  WEIGHT 140gr



FIVICS TUNGSTEN POINT

TO FIT EASTON X10 ARROWS

-  WEIGHT 110gr **X10TPO110**
-  WEIGHT 120gr **X10TPO120**
-  WEIGHT 140gr **X10TPO140**



* Fivics Tungsten Points are not an official licensed product of Easton Technical Products, Inc. X10 is a registered trademark of Easton Technical Products, Inc.

FINEST PRECISION TUNGSTEN POINT


FIVICS has developed the finest precision tungsten point with the world's best precision processing technology.

More precise points make better groupings.



Other brand

VS



FIVICS Tungsten Point

Contents	Other brand	FIVICS Tungsten Point
Weigh	118.8gr~121.5gr	119.7~120.3gr
Length	47.27mm~47.84mm	± 0.1
Diameter	3.13mm~3.20mm	No difference
Price	Expensive	Cheaper than other brands
More information	Rough Surface Hardness is too high making it is easy to break	Smooth Surface Has moderate hardness, so it doesn't break easily



ARROW ACCESSORIES

X-NET STAINLESS STEEL POINT TO FIT EASTON X10 ARROWS



* Fivics X-net Stainless Steel Points are not an official licensed product of Easton Technical Products, Inc. X10 is a registered trademark of Easton Technical Products, Inc.

PIN NOCK (S) **NC001S**

PIN NOCK (L) **NC001L**

This universal pin nock fits all standard pin nock adapters.

It is made from a durable polycarbonate material that performs shot after shot.

AVAILABLE IN TWO SIZE S fits 12-18 strand strings / L fits 20-24 strand strings

OPQ



Pink Yellow White

CLEAR



Red Orange Green Blue Purple Pink



 **TECHNOLOGY OF FIVICS**

STABILIZER

SKADI-BX BEST

SUPERIOR AIMING STABILITY AND VIBRATIONAL DAMPENING

SKADI-BX STABILIZER LONG SKBXRCL BEST

SKADI-BX STABILIZER SIDE SKBXRCS BEST

SKADI-BX STABILIZER EXTENDER SKBXRCE BEST

The SKADI-BX stabilizers are manufactured with an advanced blow method to highlight the strengths of the carbon shaft.

This method of construction increases the specific gravity of the carbon fiber rather than that of the resin, which greatly strengthens the physical properties of the stabilizer while also allowing for more energy to be absorbed.

The crosswind zero design enables stable aiming even in unpredictable winds, and the tip of the stabilizer has a thicker diameter to increase vibration reduction.

MATERIAL Super graphene carbon prepreg

DIAMETER 13.5mm

LENGTH Long : 26", 28", 30" /

Side : 10", 11", 12", 15" /

Extender : 3", 4", 5"

WEIGHT 172g(28"), 98g(12")





CARBON STABILIZERS CRAFTED WITH BLOW MOLDING TECHNOLOGY

SUPER GRAPHENE has improved stability and accuracy compared to other carbon fiber limbs.

To improve the stability and accuracy of the SKADI limb, a new material, SUPER GRAPHENE, was integrated.


SUPER GRAPHENE maintains the high elasticity of carbon with reduced torsion to decrease excess vibration and offers a satisfying shooting sensation.



SUPER GRAPHENE TECHNOLOGY

SUPER GRAPHENE is a carbon prepreg material that has evolved further from graphene, a next-generation new material, featuring a greatly improved the vibration absorption rate compared to previous stabilizer technology.

SUPER GRAPHENE is a micrometer-sized carbon material developed as the core technology of standard graphene.



Graphene is a new material with a two-dimensional planar structure made of carbon atoms. Each carbon atom forms a hexagonal lattice in the shape of a honeycomb.

- Hardness**
50 times stronger than steel
- Flexibility**
Excellent elasticity with a tensile strength of 20 GPa
- Light Weight**
3.2g of SUPER GRAPHENE can cover an area of a soccer field

FORNIX 14

1K HIGH-ELASTIC CARBON TECHNOLOGY

FORNIX 14 STABILIZER LONG **SF14RCL**

FORNIX 14 STABILIZER SIDE **SF14RCS**

FORNIX 14 STABILIZER EXTENDER **SF148RCE**

The FORNIX 14 Stabilizer's outer circumference is 14mm and is 4mm thick of high-elastic carbon (carbon fiber).

The Fornix 14 uses specially produced carbon fabric(only applied to FIVICS products), which specializes in the dampening of vibration.

MATERIAL 40ton Carbon

DIAMETER 14.5mm

EXTENDER DIAMETER 18mm

LENGTH Long : 26", 28", 30" / Side : 10", 11", 12", 13", 15" / Extender : 4", 5"

WEIGHT 190g(28"), 108g(12")



VELLATOR

VELLATOR STABILIZER LONG **STV02L**

VELLATOR STABILIZER SIDE **STV02S**

VELLATOR STABILIZER EXTENDER **STV02E**

The VELLATOR STABILIZER orients and builds General Modulus Carbon into the ideal stabilizer for intermediate archers.

In addition to high elasticity and strong spine per weight, the VELLATOR STABILIZERS also come in multiple vibrant color saturations.

Damper and weight head included.

MATERIAL 24ton Carbon

DIAMETER 18mm

LENGTH Long : 26", 28", 30" / Side : 9", 10", 12" / Extender : 3", 4"(Aluminum)

WEIGHT 134g(28"), 84g(12")



STABILIZE ACCESSORIES



LOK V-BAR **VBLOK02R**

Locked on Kinetics! This new V-Bar has a reduced vibration with stable performance.

ANGLE 35° / 40° / 45° MATERIAL Aluminum



COM CONNECTING BOLT **VBCOC**

Quick disconnection

ANGLE 10° MATERIAL Aluminum



WT15002 WT15001

PX1500 WEIGHT

DIAMETER 29mm
WEIGHT 26g / 52g / 104g
THREAD 1/4"-20



WT5HSV WT5FSV

WTS WEIGHT

DIAMETER 23mm
THREAD 1/4"-20
WEIGHT Head-50g / Flat-36g



1S45C16S 1S45C16L

CONVERTER SCREW

Applicable for all dampers



DC1500S

DAMPER **DC1500S**

Using special rubber IIR
THREAD 1/4"-20
WEIGHT RANGE 3-7 Ounces



DC1500

DAMPER **DC1500**

THREAD 1/4"-20
WEIGHT RANGE 7-12 Ounces



V-ZERO

DAMPER **VZEROL**

THREAD 1/4"-20
WEIGHT RANGE 1-4 Ounces




V-ZERO MINI

DAMPER **VZEROM**

THREAD 1/4"-20
WEIGHT RANGE 2-4 Ounces

AIREX



AIREX CUSHION PLUNGER **AACP**

Incredibly smooth action

Dial checking Pressure point material : **Hastelloy**

THREAD 5/16"-24 ADJUSTABLE LENGTH Min 19.5mm, Max 26.5mm



Easily adjustable knob with a smooth clicking feeling between settings.



Dial Gauge

NEW MATERIAL HASTELLOY

HASTELLOY PRESSURE POINT

What is Hastelloy?

Hastelloy offers exceptional resistance to strong oxidizing solutions, strong durability in reducing environments, and a low carbon content that provides minimization of grain-boundary carbide precipitation.

What is Corrosion resistance?

Corrosion resistance refers to the resistance a material offers against a reaction with adverse elements that can corrode the material. Various materials have this property intrinsically, depending upon their corrosion resistance rate.

Hastelloy minimizes corrosion when the arrow shaft touches the cushion plunger during arrow flight and makes the arrow fly more stable with greater grouping. We apply this high-end material to the new cushion plunger "Airex".

6000 TIMES SHOT ABRASION TEST

After installing on the cushion plunger test equipment, measurements of the friction were taken 3 times for each material, repeated 2,000 times.

Measurements of the abrasion of the arrow surface and abrasion of the pressure point per number of time were also collected.

Material 1 : Hastelloy Pressure Point
Material 2 : Aluminum Pressure Point

HASTELLOY Pressure point

Arrow Shaft Surface / Pressure Point : 6000 times shot abrasion test


- Arrow Shaft Surface Abrasion : Almost None.
- Pressure Point Abrasion : Almost None.



ALUMINUM Pressure point

Arrow Shaft Surface / Pressure Point : 2000 times shot abrasion test

- Arrow Shaft Surface Abrasion : High
- Pressure Point Abrasion : High



FV-300S

FV-300S SIGHT **FV300S**

Specially designed for recurve bows / Dampers included and available separately / VTS (Variable Tension System) / Elevation travel tension adjustment

SIZE Extention 9" TYPE RH MATERIAL Aluminum, Carbon



Micro Fiber Optic

SIGHT DAMPERS

Specially designed weight and damper included



FVW502

FVW501

SIGHT PIN (SQUARE) **SGP01S**



SIGHT PIN (ROUND) **SGP01R**



Designed for Olympic style recurve bows / Bright microfiber-optic pin for rapid visual acquisition / fits all recurve sights

CLICKER-REST

CRYSTAL CLICKER **CRSCLK**

MATERIAL Polycarbonate

SIZE 101 X 1.5mm

THICKNESS 1.5mm



OUT-NOCK REST **RS03**

This arrow rest is optimized for out-nock arrows to stay on the rest without concerns for the arrow dropping.

The out-nock arrow rest gives maximum clearance for all nock types.

TYPE RH only



Red

Blue

Black

RS REST **RS02**

Compatible with all nock types.

TYPE Adjustable to right or left hand



Red

Blue

Grey

Black

SM540

SM540 CUSHION PLUNGER **SM540**

Compact size for easy setting

THREAD 5/16"-24

ADJUSTABLE LENGTH Min 19.5mm, Max 26.5mm



Red

Blue

Silver

Black

UPSTABILIZER

TNV2300 UPSTABILIZER TNV2300

Reduces vibrations within the riser.

WEIGHT 86g

THREAD 5/16"-24



TNS100AL UPSTABILIZER TNS100AL

Reduces vibrations within the riser.

WEIGHT 90g

THREAD 5/16"-24



AUTOMATIC BOW STAND

(SHORT) ST001S

HEIGHT 44cm

WEIGHT 573g

MATERIAL Aluminum



AUTOMATIC BOW STAND

(LONG) ST001L

HEIGHT 65cm

WEIGHT 680g

MATERIAL Aluminum



CARBON T-GAUGE

BOW SQUARE AC05CT


MATERIAL Carbon





 **TECHNOLOGY OF FIVICS**

FINGER TABS

 FIVICS BRAND-NEW PRODUCT LINE




I am the **SKADI FINGERTAB!** See you in 2024!!!

COMING SOON

TENFIX LOCK-IN ON THE 10

TENFIX FINGER TAB SFT05A

SIZE L / M / S / XS (RH / LH) WEIGHT M 90g LEATHER Cordovan



ADJUSTABLE IN
THREE AXIS AND
SIX DIRECTIONS

The world's most customizable finger tab.

The TENFIX finger tab is designed in collaboration with the nationally renowned coach, Kwon Yong-Hak.

Coach Kwon is praised as one of the best coaches in China because he has produced amazing results as a coach. The TENFIX finger tab's body is a smooth design which incorporates the function of the Saker Finger Tab series' EP system.





PATENTED FIVICS

The 9mm-thick aluminum plate provides the best adhesion to the hand and a thumb and little finger supporter can be adjusted in 3 axis and 6 directions.

This is the most customizable finger tab in the world, with elements to best suit your hands, and includes the most natural and accurate hooking sensation to increase shooting accuracy.

ADJUSTABLE IN THREE AXIS AND SIX DIRECTIONS



Thumb rest can be raised, lowered, and pivoted left and right




Chin rest can be raised, lowered, and pivoted left and right



Chin Shelf can be pivoted up and down





Pinky rest can be adjusted front and back



Pinky rest can be pivoted left and right



Fingertab strap can be adjust fit only the middle finger or both the ring and middle finger





SIZE GUIDE (SAKER FINGER TAB)

	XL 210mm~	S 175~185mm
	L 195~210mm	XS 165~175mm
	M 185~195mm	XXS ~165mm



SAKER 1 FINGER TAB SFT01A

SIZE XL / L / M / S / XS / XXS (RH / LH)

LEATHER Cordovan

COLOR **XL** **L** **M** **S** **XS** **XXS**
Dark Blue Blue Red Yellow Purple Dark Green



BRASS SAKER 1 FINGER TAB BFT01A

SIZE L / M / S (RH / LH)

WEIGHT L 162g, M 152g, S 144g

LEATHER Cordovan



BRASS SAKER 2 FINGER TAB BFT02A

SIZE L / M / S (RH / LH)

WEIGHT L 150g, M 140g, S 136g

LEATHER Cordovan



SAKER 2 FINGER TAB SFT02A

SIZE XL / L / M / S / XS / XXS (RH / LH)

LEATHER Cordovan

COLOR **XL** **L** **M** **S** **XS** **XXS**
Dark Blue Blue Red Yellow Purple Dark Green



SAKER 1 FINGER TAB FRAME EP EP002

The Frame EP offers top shooters another reference for their hooking direction to allow for the most comfort and balance. This component enhances the Saker Finger Tab's Ergonomic design.

SIZE saker1 XL, L = EP (L size) / saker1 M, S = EP (M size) / saker1 XS, XXS = EP (S size)

WA RULES Book3, Chapter 11, Article 11.18

The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal.


World Archery C&R Committee, 22 September 2014

SAKER 3 FINGER TAB SFT03A

SIZE L / M / S (RH / LH)

LEATHER Cordovan

COLOR **L** **M** **S**
Blue Red Yellow



Ergonomic design
Adjustable ledge Replaceable
face and backing Finger spacer included

SAKER PLUS FINGER TAB SFT04AN

Saker Plus finger tab is 4mm thick, allows 3 weight control systems and 5 angle adjustment system through precise machining of the aluminum plate.

Saker Plus finger tab can be adjusted to fit the archers shape and preference to allow more stable hooking position, making it the best tab to shoot perfectly in any competition.

SIZE L / M / S (RH is new model, but LH is old version in 2016)



POLITE 2 FINGER TAB NEWPFT02

SIZE L / M / S (RH / LH)
COLOR Champagne Gold
LEATHER Cordovan



POLITE 3 FINGER TAB NEWPFT03

SIZE L / M / S (RH / LH)
COLOR Champagne Gold
LEATHER Cordovan



Emphasizes the sense of unity in your hands / Absolute stability and hooking accuracy / Promotes optimal distribution and support of the draw hand / Ergonomic 3D design / Aluminum & anodized surface treatment

FALCON FINGER TAB FLFT01

After 20 years of innovation in Olympic Archery, we are now releasing our first finger tab for Barebow archers!

The FALCON finger tab provides absolute stability and unity between the archer and the bow.

SIZE L / S (RH) COLOR BLACK
LEATHER CORDOVAN



FINGER SPACER



Previous style still in circulation.



FINGER-TAB SIZE GUIDE

1. Turn this PDF file on your I-Pad or tablet PC or your computer and if you need, you can print this paper out.
2. Adjust 100% magnification and put your hand from the bottom to top.
3. You can check what size of Fivics top finger tab would be matched on your hand.

* Measurements are taken from the tip of the middle finger to the base of your hand before the wrist.
 * If your hand is between two sizes, we recommend using the smaller size.

- XL** 210~mm
- L** 195-210mm
- M** 185-195mm
- S** 175-185mm
- XS** 165-175mm
- XXS** ~165mm



PROTECTORS

WIND CHEST GUARD CG02BP

Ergonomic chest guard made of hard mesh and high quality HOOK AND LOOP.


SIZE XL, L, M, S TYPE RH



A2 CHEST GUARD CG001A2

Adjustable shoulder band /
 The secure button strap can be adjusted to size
 SIZE L(From XL to M), M(From L to S), S(From M to XS)
 TYPE RH / LH

NEW CHEST-GUARD PROTECTOR FILM CG003ST



How to Apply

1. Clean surface of the chest guard.
2. Sew protector to the surface of the chest guard.
3. Cut excess protector off of the chest guard to fit it into shape


ORGANIC X ARMGUARD AMX01

Lightweight and comfortable design Durable plastic for better protection



ORGANIC WEB ARMGUARD AMO01

Lightweight and durable plastic armguard



HARNESS SILICON JELLY ARMGUARD AMH01

Accidental string contact with the Silicon Jelly Armguard minimizes unwanted vibration and repulsion during the shot while protecting the bow arm.



LIMB PROTECTOR AC21LP

Protects the tip of your shoes while holding the bow at rest.

SIZE 56 × 97mm MATERIAL Rubber



UNICO SERIES

UNICO BACK QUIVER QV01UNB

Elegantly crafted quiver made with artificial leather

WEIGHT 380g TYPE RH



UNICO TOURNAMENT QUIVER (L) QV01UNL QV01UNL

Elegantly crafted quiver made with artificial leather

SIZE Large WEIGHT 502g TYPE RH



UNICO TOURNAMENT QUIVER (S) QV01UNS

SIZE Small WEIGHT 418g TYPE RH



ACCENDO SERIES

ACCENDO BACK QUIVER QV02AB

Lightweight / Large pocket for accessories

WEIGHT 260g TYPE RH



Red Purple Blue Black



ACCENDO TOURNAMENT QUIVER QV02AT

Lightweight / Large pocket for accessories

WEIGHT 630g TYPE RH



Red Purple Blue Black



TENTRON-M

TENTRON-M BACKPACK BCB02TM

Riser & Limbs case included / Arrow tube included

SIZE 11.8 × 7.8 × 26.7"

POCKET 1pcs

WEIGHT 2.4kg



ARROW TUBE

RISER & LIMBS CASE



Inner Pockets

Fully Open

AEGIS TWO BOW HARD CASE BCH01

High quality hard case / This model can hold up to two recurve bows and their accessories

SIZE 33 × 15 × 10" MATERIAL ABS+PC WEIGHT 8.4kg

* Recommended maximum weight : 23kg

* Includes removable foam arrow holder



Red

Orange

Blue

White

Black

Case belt / Rain cover included



AEGIS ONE BOW HARD CASE BCH02

Lightweight / Strong against rough handling / Specially designed wheels / Showy colors / This model can hold up to one recurve bow and its accessories.

SIZE 32.5 × 12.6 × 7.5" MATERIAL ABS+PC WEIGHT 6.5kg

* Recommended maximum weight : 23kg



Red

Orange

Blue

White

Black

Case belt / Rain cover included



FOLDING CASE (2 LEVEL) **BC2L01**

Compact size / Includes compartments for risers, limbs, and accessories

SIZE 28.5 × 10.5 × 1.5" WEIGHT 900g



TOOL BOX **EC03**

SIZE 8.5 × 7 × 7"



RECURVE RISER PROTECTOR **RAC22RP**

SIZE 24.8 × 4.1" WEIGHT 200g



PRO HAND POCKET **STPR01**

SIZE 5 × 2.5 × 6" WEIGHT 80g



ARROW PULLER **AC24PU**

Non-slip pattern ensures a strong grip



RISER & LIMBS CASE **RLC01**

SIZE 27 × 7.5 × 3" WEIGHT 800g



FIVICS ARROW TUBE

EC04ATA



EC04AKB



TEAM FIVICS SHOOTER JERSEY

AC22SJBL

SIZE S / M / L / XL / XXL / XXXL



FIVICS LOGO TEE

AC22TE

SIZE S / M / L / XL / XXL / XXXL



FIVICS HOODIE

AC22HT

SIZE XL / XXL / XXXL

COOLING ARM SLEEVE

AC26CSWT



FIVICS LOGO CAP NAVY

AC12CANV



FIVICS LOGO CAP WHITE

AC14CAWT



FIVICS BUCKET HAT

AC14HAT

SIZE S / M / L



FIVICS LOGO SOCKS

AC17SOMN

AC17SOWN



STRETCH BAND LIGHT

(YELLOW) AC03SL

Quality, natural rubber latex construction

THICKNESS 0.3mm



STRETCH BAND HEAVY

(BLUE) AC03SH

Quality, natural rubber latex construction

THICKNESS 0.4mm



TARGET SCORE BOOK

PAG001

SIZE 85 × 130mm

PAGE 120p

COVER Hard



CLOCK AC04CL

SIZE 260 × 260 × 47mm



FIVICS UMBRELLA UMBL02

LENGTH 80cm OPENED SIZE 1m 20cm



FIVICS UMBRELLA UMBL01

LENGTH 95.5cm OPENED SIZE 1m 40cm



* UV protection layer

THREE-FOLD UMBRELLA UMBL03

LENGTH 29cm OPENED SIZE 1m 10cm



* UV protection layer

PERFECT TARGET FACE



World famous craftsmanship.

Researched and tested to be the perfect target faces for competitions.



Official World Archery Target Face World Archery Target License #9



MATERIAL Polyester THICKNESS 0.29mm
 TENSILE STRENGTH (kg/cm²) L-40.0 / W-17.0
 TEMPERATURE RANGE -32 ~ 260°C
 PRINTING ERROR RANGE 99.9% (Best "quality")




OUTDOOR



INDOOR



IN/OUTDOOR



122cm 10-Ring

TARGET FACE **PT001F**

RANGE 90m / 70m / 60m
MARK DIMENSION 122cm x 122cm
TOTAL DIMENSION 125cm x 125cm
(width / length)

80cm 10-Ring

TARGET FACE **PT002F**




RANGE 50m / 30m
MARK DIMENSION 80cm x 80cm
TOTAL DIMENSION 83cm x 83cm
(width / length)

60cm 10-Ring

TARGET FACE **PT003F**

RANGE 25m
MARK DIMENSION 60cm x 60cm
TOTAL DIMENSION 63cm x 63cm
(width / length)

IN/OUTDOOR



40cm 10-Ring

TARGET FACE **PT004F**

RANGE 18m
MARK DIMENSION 40cm x 40cm
TOTAL DIMENSION 43cm x 43cm
(width / length)

48cm 6-Ring


TARGET FACE **PT007A**

RANGE 50m
MARK DIMENSION 48cm x 48cm
TOTAL DIMENSION 51cm x 51cm
(width / length)

48cm 6-Ring Triple

TARGET FACE **PT007A3**


RANGE 50m
MARK DIMENSION 48cm x 3spot
TOTAL DIMENSION 99cm x 98.5cm
(width / length)



40cm 10-Ring

TARGET FACE **PT007A4**


RANGE 50m
MARK DIMENSION 48cm x 4spot
TOTAL DIMENSION 102cm x 105cm (width / length)



20cm Vertical Recurve

TARGET FACE **PT008F**


RANGE 18m
MARK DIMENSION 20cm x 3spot
TOTAL DIMENSION 23cm x 67cm
(width / length)



20cm Vertical Compound

TARGET FACE **PT008C**


RANGE 18m
MARK DIMENSION 20cm x 3spot
TOTAL DIMENSION 23cm x 67cm
(width / length)



40cm 10-Ring Quadruple


TARGET FACE **PT009F**

RANGE 18m
MARK DIMENSION 40cm x 4spot
TOTAL DIMENSION 93cm x 85cm (width / length)



20cm Triangular 3-Spot Quadruple

TARGET FACE **PT011F**
RANGE 18m
MARK DIMENSION 20cm x 12spot
TOTAL DIMENSION 97cm x 85cm (width / length)




20cm Vertical 3-Spot Quadruple

TARGET FACE **PT010F**
RANGE 18m
MARK DIMENSION 20cm x 12spot
TOTAL DIMENSION 103cm x 67cm (width / length)

PERFECT TARGET FACE

TRAINING-FIELD



Center-Spot (3ring)

TARGET FACE **PT012F**


RANGE 50m / 30m / 20m
MARK DIMENSION 24cm x 24cm
TOTAL DIMENSION 32cm x 32cm
(width / length)



Center-Spot (4ring)

TARGET FACE **PT013F**


RANGE 90m / 70m / 60m
MARK DIMENSION 48.8cm x 48.8cm
TOTAL DIMENSION 61cm x 61cm
(width / length)



TRAINING (12spot)

TARGET FACE **PT020F**

MARK DIMENSION 52mm x 52mm
Total dimension 282mm x 238mm
(width / length)



TRAINING (12spot)

TARGET FACE **PT021F**

MARK DIMENSION 48mm x 48mm
TOTAL DIMENSION 250mm x 231mm
(width / length)



FIELD 80cm

TARGET FACE **PT014F**

MARK DIMENSION 80cm x 80cm
TOTAL DIMENSION 83cm x 83cm
(width / length)



FIELD 40cm Quadruple

TARGET FACE **PT015F**

MARK DIMENSION 60cm x 60cm
TOTAL DIMENSION 63cm x 63cm
(width / length)



FIELD 40cm Quadruple TARGET FACE **PT016F**

MARK DIMENSION 40cm x 4spot
TOTAL DIMENSION 93cm x 85cm
(width / length)



KROSSEN



Featured in archery competitions for the Korean TV entertainment program Idol Sports Festival



EVERYONE CAN ENJOY ARCHERY

In April 2015, the FIVICS archery center was launched with a dream to allow anyone, including non-athletic people, to enjoy archery. Now, we are making that dream a reality.

The new Krossen line allows us to say "Everyone can enjoy archery with top quality and beautifully designed equipment!". In the past, beginners or intermediate archers did not much choice.

But now, that has changed.

We at FIVICS thrive to make more options for everyone who loves archery as we do.

XENIA

ULTRA LIGHT WEIGHT RISER FOR ENTRY LEVEL ARCHERS

XENIA RISER HX0325

Only 770grams / The lightest weight /
Flawless coating /
Showy color from painting / Perfect
centroidal balance

PROCESSING Die Casting

WEIGHT 770g


MATERIAL Alloy Magnesium

TYPE RH / LH

GRIP Plastic

COLOR Painted

LENGTH 25"



Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24 **Cushion Plunger Mount Thread** 5/16"-24 **Clicker Mount Thread** 6/32"

XENIA WOOD LIMBS LXW03G

XENIA FOAM LIMBS LXW03G

Modern design / New designed tip part

MATERIAL Fiber Glass

CORE Wood, Foam

BOW LENGTH 66", 68", 70"

DRAW WEIGHT (lbs.) 12#-28# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and other ILF risers.



XENIA STABILIZER LONG STL02L

XENIA STABILIZER SIDE STL02S

XENIA STABILIZER EXTENDER STV02E

XENIA STABILIZER effectively stacks General Modulus Carbon and Fiber Glass to provide the best elasticity and spine level for the beginner archer.

The Xenia Stabilizer excels for beginners since it diminishes vibrations using high quality materials and IIR rubber.

Refined design / Weight & damper included

MATERIAL Carbon Composite

DIAMETE 17mm

WEIGHT 144g(30"), 84g(12")

LENGTH Long : 26", 28", 30" / Side : 10", 12" / Extender : 3", 4"(Aluminum)



XENIA V-BAR VBXE01

ANGLE 40°



XENIA DAMPER XEDA01

THREAD 1/4"-20



VELLATOR WEIGHT

DIAMETER 20mm

WEIGHT Head-40g / Flat-26g

THREAD 1/4"-20



SCORPION SIGHT SG03XE

Simple design with all the functionality required for a beginner archer

SIZE Extention 7"
TYPE RH
MATERIAL Aluminum
WEIGHT 220g



SCORPION SIGHT BLOCK SG03XESB



XENIA 2

CUSHION PLUNGER XENCP02

Stable performance with upgraded internal components.

MATERIAL Aluminum
THREAD 5/16"-24
SIZE 61.5mm



XENIA

CLICKER XECL001


MATERIAL Stainless Steel
SIZE 100mm
THICKNESS 0.3 / 0.4mm



XENIA SIGHT SG02XE

One model suitable for left-handed and right-handed archers / RH and LH both

SIZE Extention 4"
MATERIAL Aluminum
WEIGHT 180g



XENIA SIGHT BLOCK SG02XESB



KP REST KP001

Simple design with strong material

MATERIAL Plastick
SIZE 30 x 20mm
TYPE RH / LH



BOW STRING BUCKLE BS001

Suitable for many bow strings. The inner layer is composed of antiskid nylon to reduce wear on the bow string
- 1set is including 2pcs



XENIA JM1 FINGER TAB

JMF01A

SIZE L / M / S (RH)
LEATHER Cowhide



XENIA JM2 FINGER TAB

JMF02A

SIZE L / M / S (RH)
LEATHER Cowhide



CLOVER FINGER TAB

LFTC02

SIZE L / M / S (RH)
LEATHER Cowhide



FINGER PROTECTOR

FR001

The size can be adjusted to any finger thickness

MATERIAL Rubber



FABRIC ARMGUARD (M) AMF01L



FABRIC ARMGUARD (L) AMF01L



HK

HOLDER

AC19HKSV



XENIA CHEST GUARD CG06XE

Easy fit adjustment

SIZE L, M, S TYPE RH / LH



Red

Yellow

Blue

Pink



White

HYPER SERIES

HYPER BACK QUIVER XEQV02

420D & 600D combination of high quality material and fabric

WEIGHT 380g



Blue

Yellow

Red

Black



HYPER TOURNAMENT QUIVER XEQV01

420D & 600D combination of high quality material and fabric

WEIGHT 460g



Blue

Yellow

Red

Black



HYPER RECURVE BACKPACK XEB01BB

Affordable recurve backpack with a modern sophisticated design.

Increased stability from external shock with the application of thicker foam material.

SIZE 13.4 × 29.5 × 5.9" WEIGHT 920g



Blue

Red

Black



RISER & LIMBS CASE / ARROW TUBE

SPECIFICATIONS_{RISER}

PRODUCT	LENGTH	WEIGHT	MATERIAL	PROCESSING	COLOR
SKADI-TX (p.16)	25"	1,282g	AL 6061, Tungsten	Full CNC	Anodized : Blue, Sky, Red, Black Painted : White, Sand, Viva Magenta
	27"	1,340g			
TITAN-NXT (p.20)	25"	1,238g	Aluminum(6061)	Full CNC	Anodized : Red, Blue, Black Painted : Green,White
ARGON-X (p.22)	25"	1,330g	Aluminum(6061)	Full CNC	Anodized : Blue, Sky, Green, Orange, Red, Purple, Black, Silver Painted : White
	27"	1,380g			

PRODUCT	LENGTH	WEIGHT	MATERIAL	PROCESSING	COLOR
VELLATOR-V3 (p.24)	23"	1,100g	Aluminum(6061)	Full CNC	Anodized : Blue, Green, Orange, Red, Black, Silver
	25"	1,210g		Full CNC	
VELLATOR-V2 (p.26)	23"	1,070g	Aluminum(6061)	Full CNC	Anodized : Blue, Green, Orange, Red, Black, Silver
	25"	1,100g			
SIRASONI (p.27)	17"	1,030g	Aluminum(6061)	Full CNC	Anodized : Brown, Green, Khaki, Black
XENIA (p.76)	25"	770g	Alloy Magnesium	Die Casting	Painted : Red, Blue, Black, White, Fluorescent Green



SKADI-TX



TITAN-NXT



ARGON-X



VELLATOR-V3



VELLATOR-V2



SIRASONI



XENIA

SPECIFICATIONS LIMBS

PRODUCT	CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTH
SKADI (p.18)	WOOD	Super Graphite	32#~50#	66", 68", 70"
	FOAM			
TITAN-NX (p.21)	WOOD	CWP240 3K Full Carbon	32#~50#	66", 68", 70"
	FOAM			
ARGON-X (p.23)	WOOD	CWP3024 1K Full Carbon	32#~50#	66", 68", 70"
	FOAM			

FIVICS RECURVE BOW BRACE HEIGHT RANGE CHART

23" RISER - LONG LIMBS 22.5~23cm | MEDIUM LIMBS 22~22.5cm | SHORT LIMBS 21.5~22cm

25" RISER - LONG LIMBS 23~23.5cm | MEDIUM LIMBS 22.5~23cm | SHORT LIMBS 22~22.5cm

27" RISER - LONG LIMBS 23.5~24cm | MEDIUM LIMBS 23~23.5cm | SHORT LIMBS 22.5~23cm

* TILLER HEIGHT : The distance from the base of the top limb to the string should be set 2-4mm greater than the bottom.

PRODUCT	CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTH
VELLATOR (p.25)	WOOD	CUP240 UD Carbon	22#~38#	66", 68", 70"
	FOAM			
SIRASONI (p.27)	WOOD	CWP240 3K Full Carbon	30#~55#	60", 62"
XENIA (p.76)	WOOD	Fiber Glass	12#~28#	66", 68", 70"
	FOAM			



SKADI



TITAN-NX



ARGON-X




VELLATOR



SIRASONI



XENIA



FIVICS CUP

FIVICS INDOOR CUP, held December 23-24, 2023, in Nagoya, Aichi Prefecture, Japan!

Driven by a passion for nurturing future generations of archers and coaches, the FIVICS INDOOR CUP will become an annual event. We envision it as a space for both passionate competitors and curious beginners to engage with the exhilarating world of archery.

FIVICS is committed to continually elevating the tournament's quality and welcoming even more participants next year. We strive to build a vibrant community around archery, fostering excellence and igniting enthusiasm for the sport.

Join us at the next FIVICS competition and become part of something truly special!





- 1

Pleasant environment

The venue is indoors, allowing participation without the worry of poor weather conditions.
- 2

Easy and Fun sport!

Feel the thrill and relieve stress without sweat or strain
- 3

Increase Unity

Enjoy your time together and support each other as a group through individual and group matches.
- 4

Convenient location

The venue is conveniently located! Ample parking is available
- 5

Safety

Events are very safe and help promote your concentration and body balance.

Asia's first 18M indoor archery range

- Receive coaching from former national team players
- Up to 20 people can participate at the same time.
- 12 arrows per set
- Training 10 minutes per SET



Screen Archery

- Moving target, hunting
- Moving target, animal hunting (3 screens available)
- Total of 12 rounds
- 30 minutes per person



Cafe & Lounge

- More than 20 seats in the archery range and cafe lounge
- Chung Ji-Young Café Beans and various snacks
- Sale and repair of archery equipment



Photo service available!

- Take photos with your group or company at the archery range
- Take photos and videos throughout the event



MAURO NESPOLI *Italy*

HERMOSILLO 2023 HYUNDAI ARCHERY WORLD CUP FINAL | Bronze
BERLIN 2023 HYUNDAI WORLD ARCHERY CHAMPIONSHIPS | Bronze (Mixed Team)
KRAKOW-MALOPOLSKA 2023 EUROPEAN GAMES | Gold (Team)
MEDELLIN 2023 HYUNDAI ARCHERY WORLD CUP STAGE 3 | Gold
MEDELLIN 2022 HYUNDAI ARCHERY WORLD CUP STAGE 4 | Silver
MUNICH 2022 EUROPEAN CHAMPIONSHIPS | Bronze (Mixed Team) | Gold (Team)
TOKYO 2020 OLYMPIC GAMES | Silver
LONDON 2012 OLYMPIC GAMES | Gold (Team)



THOMAS CHIRAULT *France*

UMAG 2023 EUROPEAN GRAND PRIX | Silver | Silver (Mixed Team)
THE VEGAS SHOOT | Silver
SUD DE FRANCE ARCHERY | Gold
GT OPEN 2022 | Bronze
LAKSO 2022 EUROPEAN INDOOR CHAMPIONSHIPS | Gold (Team)
THE VEGAS SHOOT | Bronze
TOKYO 2020 OLYMPIAN GAMES
MINSK 2019 EUROPEAN GAMES + OG QT WORLD RANKING EVENT | Gold (Team)



MARCO GALIAZZO *Italy*

TRUBALL/AXCEL ROMA ARCHERY TROPHY 2019 | Gold

MINSK 2019 EUROPEAN GAMES + OG QT WORLD RANKING EVENT | Bronze (Team)

MEXICO CITY 2017 HYUNDAI WORLD ARCHERY CHAMPIONSHIPS | Gold (Team)

ANTALYA 2017 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Gold (Team)

VITTEL 2017 WORLD ARCHERY EUROPE INDOOR CHAMPIONSHIPS | Gold (Team)

LONDON 2012 OLYMPIC GAMES | Gold (Team)

ATHENS 2004 OLYMPIC GAMES | Gold



TOM HALL *Great Britain*

GT OPEN 2023 | Silver

2023 GB National Tour Final | Gold

CESANA SANSICARIO 2023 EUROPEAN FIELD CHAMPIONSHIPS | Bronze (Mixed Team)

TOKYO 2020 OLYMPIAN GAMES

CESANA SANSICARIO 2023 EUROPEAN FIELD CHAMPIONSHIPS | Bronze (Mixed Team)

ANTALYA 2018 HYUNDAI ARCHERY WORLD CUP | Bronze (Team)

GT OPEN 250 | Silver



SARAH BETTLES *Great Britain*



2023 GB National Tour Final | Silver

TOKYO 2020 OLYMPIAN GAMES

MINSK 2019 EUROPEAN GAMES + OG QT WORLD RANKING EVENT | Gold (Team)

'S-HERTOGENBOSCH 2019 HYUNDAI WORLD ARCHERY CHAMPIONSHIPS + OG QT WORLD RANKING EVENT | Bronze (Team)

MONTY ORTON *Great Britain*



2023 GB National Tour Final | Bronze

2023 GB National Rankings 1st

ALESSANDRO PAOLI *Italy*



MUNICH 2022 EUROPEAN CHAMPIONSHIPS | Gold (Team)

GWANGJU 2022 HYUNDAI ARCHERY WORLD CUP STAGE 2 | Silver (Team)

ANTALYA 2022 HYUNDAI ARCHERY WORLD CUP STAGE 1 | Silver (Team)

LAKSO 2022 EUROPEAN INDOOR CHAMPIONSHIPS | Bronze (Team)

HAYAKAWA REN *Japan*



TOKYO 2020 OLYMPIAN GAMES

GWANGJU 2021 ASIA CUP LEG 1 | Silver (Mixed Team) | Silver (Team)

SOFIA 2018 EUROPEAN GRAND PRIX WORLD RANKING EVENT | Silver | Silver (Team)

LONDON 2012 OLYMPIC GAMES | Bronze (Team)

17TH ASIAN ARCHERY CHAMPIONSHIPS 2011 | Bronze | Silver (Mixed Team) | Gold (Team)



Nicholas D'Amour

Virgin Islands



Conor Hall

Great Britain



Matheus Gomes

Brazil



Andreas Gstoettner

Austria



David Garcia

Spain



Cesar Vera Bringas

Spain



Shiori Nishijima

Japan




Melanie Gaubil

France



Santiago Arcila

Colombia



Nuno Carneiro

Portugal



Casey Isles

Australia



An Seoyoon

Republic of Korea



Taymon Kenton-Smith
Australia



Jorge Nevarez
Mexico



Marina Canetta
Brazil



Michael Sanna
France




Thomas Susca
Great Britain



William Pike
Great Britain




Max Oakley
Great Britain




Yulia Hinckley
Great Britain



Maia Tincu
France



Leo Defevre
France



Domenic Merkel
Germany



Emma Davis
Great Britain




Emelia Hughes
Great Britain



Ryan Holden
Great Britain



Edward Gray
Great Britain



Vanessa Landi
Italy



Vincenza Petrilli
Italy



Yuri Belli
Italy



Gabrielle Monica Bidaure
Philippines



Pia Bidaure
Philippines



Duong Dai Vi
Vietnam



Hoang Phuong Thao
Vietnam



Le Quoc Phong
Vietnam




Nguyen Duy
Vietnam




Carlos Iglesias Martín
Spain



Casandra Campo Tellez
Spain



Christine Bjerrendal
Sweden



Lauren Rawlings
Great Britain



Mao Watanabe
Japan



Lee Chin Tang
Taiwan



Luo Zheng Wei
Taiwan



2024 FIVICS PRODUCT CATALOGUE

www.fivics.com



FIVICS BOW LIMITED LIFETIME WARRANTY

FIVICS recurve handles are guaranteed against manufacturing defects in materials and workmanship to the original owner for the life of the product. For more information visit us online at www.fivics.com



FIVICS KOREA (HEAD OFFICE)

Address | 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566

Tel | +82-31-245-6388 **Fax** | +82-31-245-6386 **E-mail** | info@fivics.com

FIVICS CHINA (FACTORY)

Address | INDUSTRIAL PARK HOUGUZHEN ROAD XIAZHUANG CHENGYANG DIST QINGDAO CHINA

Tel | +86-532-8788-6455 **E-mail** | info@fivics.com

FIVICS USA (BRANCH)

Address | Los Angeles, CA, US **E-mail** | teamusa@fivics.com www.fivics-usa.com



Follow us on Instagram!

<https://www.instagram.com/fivickorea>



Like us on Facebook!

<https://www.facebook.com/fivicsarcherykorea>



Subscribe to us on YouTube!

<https://www.youtube.com/user/fivickorea>

Note : At the time of production of our 2024 Product Guide, the bows, limbs, color options, and all other accessories shown, and the information contained, had been thoroughly checked for accuracy. However, in the event an error was made, FIVICS reserves the right to notify our dealers and customers at its discretion. Additionally, FIVICS reserves the rights to modify, change or discontinue products shown in this publication without notice.

