

# 2025

## FVICS PRODUCT CATALOGUE



# CONTENT



## BOWS

- 14 SKADI-TX RISER / LIMBS
- 16 TITAN-NXT RISER / LIMBS
- 18 ARGON-X RISER / LIMBS
- 20 ONIX RISER
- 21 VX RISER
- 22 VELLATOR-V3 RISER / LIMBS
- 24 SIRASONI RISER / LIMBS

## ARROWS

- 30 FIVE-X
- 31 TENPRO
- 32 GOLDRO
- 33 ARROW ACCESSORIES
- 35 TUNGSTEN POINTS

## STABILIZERS

- 41 SKADI-CX STABILIZER
- 42 SKADI-BX STABILIZER
- 43 VELLATOR STABILIZER
- 44 DAMPERS
- 45 STABILIZER ACCESSORIES
- 46 UPSTABILIZER
- 47 CLICKER · ARROW REST

## FINGER TABS

- 50 SKADI FINGER TAB
- 52 SAKER FINGER TABS
- 55 TENFIX FINGER TAB
- 56 OTHERFINGER TABS
- 59 FINGER SPACERS

## ACCESSORIES

- 65 CUSHION PLUNGER
- 66 FV-300S SIGHT
- 67 BOW STANDS
- 68 PROTECTORS
- 70 UNICO QUIVERS
- 71 ACCENDO QUIVERS
- 72 AEGIS HARD CASES
- 74 OTHER

## NEW SPORTS

- 79 ARROVEL

## APPAREL & GEAR

- 82 APPAREL
- 86 GEAR

## TARGET FACES

- 91 OUTDOOR
- 92 INDOOR
- 93 TRAINING · FIELD

## KROSSEN

- 96 XENIA BOW-LIMBS
- 97 XENIA STABILIZER · ACCESSORIES
- 98 SIGHTS
- 99 BOW ACCESSORIES
- 100 FINGER TABS
- 101 PROTECTORS / ETC
- 102 HYPER QUIVER SERIES
- 103 HYPER BACKPACK



# The Journey of FIVICS

Building Trust and Overcoming Challenges Step by Step, Since 2002

## 2002

### Marking the Beginning - Establishing Soma Sports

Our journey began with a spark of passion. In 2002, Soma Sports was founded with the vision of setting new standards for archery equipment.

## 2004

### Taking the First Leap - Developing Archery Equipment

We ventured into the market by developing essential archery equipment, including bows, arrows, finger tabs, and target faces.

## 2005

### Recognized on the Global Stage

Our archery target face became the first in Asia to earn certification from the World Archery Federation, cementing our presence on the global stage.

## 2009

### Preparing for New Heights with FIVICS

The FIVICS trademark was registered in Korea, the United States, Europe, and China, solidifying our brand identity and expanding our reach.

## 2012

### A New Chapter as FIVICS

Transitioning to FIVICS Inc., we obtained venture certification and embarked on a new phase, laying the groundwork for global expansion.

## 2013 - 2015

### A Period of Growth and Innovation

- 2013 Awarded the Million Dollar Export Tower, recognizing our international success.
- 2014 Won the Reddot Design Award, highlighting our excellence in design and quality.
- 2015 Launched the world's first archery café, pioneering an innovative model that combined sports with entertainment.

## 2016 - 2019

### Expanding Globally

- 2016 Established a bow manufacturing facility in Qingdao, China, to enhance production capacity.
- 2019 Became the first Diamond Partner of the World Archery Federation in Asia, reinforcing our global standing.

## 2020s

### Global Leadership and New Vision

- 2020 Selected as the official target face for international archery competitions and celebrated the success of FIVICS bows in securing medals at the Tokyo 2020 Olympics.
- 2023 Opened FIVICS's "Shooting Zone," Korea's first archery-themed park, driving the sport's popularity among the public.
- 2024 Developed "Arrovel," an innovative and highly safe archery training tool, taking another significant step forward.

TECHNOLOGY OF FIVICS

# BOWS

[ RISERS · LIMBS ]

SKADI RISER · LIMBS

TITAN RISER · LIMBS

ARGON-X RISER · LIMBS

ONIX RISER

VX RISER

VELLATOR-V3 RISER · LIMBS

SIRASONI RISER · LIMBS



## VACP SYSTEM Additional Fine Tuning Aid

### Variable Arrow Cushion Point / Position

The VACP plate can be adjusted forwards and backwards, which allows for the fine tuning to optimize arrow flight. The VACP system provides precise adjustment capabilities, allowing archers to fine-tune the clicker position. This enables adjustments of approximately 25-50 spines resulting in more accurate arrow tuning.


\* Featured on the **SKADI-X** and **Titan-NXT** Risers



**Front Position**  
(To stiffen a weak arrow)



**Normal Position**



**Back Position**  
(To weaken a stiff arrow)




## ESA PLUS SYSTEM

ESA system makes it easy to adjust the limb's alignment and secured it with a single strong bolt.

\* Featured on the **SKADI-X**, **Titan-NXT**, **ONIX**, **VX** Risers

\* MATERIAL : 6061 Aluminum



## The 3 most important points in bow's grip TIGHT AND SECURE GRIP

FIVICS' TSG (Tight and Secure Grip) is designed to maximize the contact between the archer's bow hand and the grip. This grip was produced in an optimal shape specializing in close contact by analyzing the positioning of the hand and the grip in three dimensions, as well as analyzing the direction of the force received by the bow hand at anchor.



The FIVICS TSG is combined with FIVICS' STABLE & STEADY GEOMETRY to exert a synergistic effect, promoting bow movement to the target at faster speeds and allowing for stable control of the arrow even at high speeds.



## Precision Limb Alignment Adjustment SYSTEM IN 0.05mm

Normally, limb alignment adjustment with the washer system is able to adjust in 0.1mm increments. FIVICS' ultra-precise limb alignment system can adjust 0.05mm to 0.15mm, offering double the amount of precision.



\* Featured on the **Argon-X** Riser







## Stable & Steady **GEOMETRY**

FIVICS Risers are designed with a stable low center of gravity, creating significantly less vibration than normal risers during shooting. This allows for the bow to fall faster after the shot, which increases the arrow speed and reduces accidental influences that may be caused by minute hand movement.



## **6061 Aluminum Vs 7075 Aluminum**

FIVICS' Risers are manufactured with 6061 aluminum to allow for the best vibration absorption possible. Using a hydraulic press machine, we have scientifically proven that our 6061 aluminum risers can tolerate higher pressure than risers made from more rigid materials such as 7075 aluminum.




## **SUPER GRAPHENE TECHNOLOGY**

SUPER GRAPHENE has improved stability and accuracy compared to other carbon fiber limbs. To improve the stability and accuracy of the SKADI limb, a new material, SUPER GRAPHENE, was integrated. SUPER GRAPHENE maintains the high elasticity of carbon with reduced torsion to decrease excess vibration and offers a satisfying shooting sensation.

### WHAT IS SUPER GRAPHENE?

SUPER GRAPHENE is a micrometer-sized carbon material developed as the core technology of standard graphene.



### DREAM MATERIAL

Graphene is a new material with a two-dimensional planar structure made of carbon atoms. Each carbon atom forms a hexagonal lattice in the shape of a honeycomb.





**Hardness**  
50 times stronger than **steel**



**Flexibility**  
Excellent elasticity with a tensile strength of 20 GPa




**Light Weight**  
3.2g of SUPER GRAPHENE can cover an area of a soccer field






## Advanced Limb Technology- Proven effect of 45° CARBON TECHNOLOGY

Glass fiber is paired with the carbon within the limb to increase its strength and durability. The 45° carbon system increases shooting stability, protecting the carbon as well as increasing torsional strength.



## Advanced Limb Technology - Proven effect of POWER ZONE BALANCE




The location and angle of the Power Zone has been improved (area that creates the most acceleration)



The integrity test through 3D-CT non-destructive read

## Plane Weave Low Drapeability - High Crimp - Excellent Finish

FIVICS has designed limbs with high stability and increased stiffness with uniform elasticity.



## CWP CARBON INNOVATIVE LIMB CNC PROCESSING

AR technology utilizes CNC processing to increase the consistency and uniformity of limbs while maintaining similar successful performances made with previous materials. Additionally, this production method eliminates all air in the adhesion process, minimizing the chance of limb fracture and torsion. The new SUPER GRAPHENE carbon improves the elasticity of the limb and optimizes speed and stability.



Increased limb strength while maintaining the same stability and uniform elasticity.




## All FIVICS line Limbs CWP CARBON PREPREG MATERIAL

FIVICS has developed a unique Carbon "Prepreg material" specifically designed for the highest performance in archery.

This material allows for efficient pull kinetics and quick restoration.

- The most important part of an archery limb is the carbon's raw material.
- In the production process of good carbon materials, prepreg technology quality of the epoxy and carbon fiber is proportional to the tension and torsion of the limbs.



# SKADI-TX RISER

FLAGSHIP RISER DESIGNED TO GIVE PRO ATHLETES THE EDGE THEY NEED TO WIN INTERNATIONAL COMPETITIONS.



SKADI-TX 25" RISER **HS0825** **BEST**

SKADI-TX 27" RISER **HS0827** **BEST**

Superfine Full CNC milling / TX balance System / VACP System for fine arrow tuning / FSL system precisely locks in the limb alignment / TSG Grip / Stable and Steady Geometry / Deep anodized and fresh painted finish



<b>SPEED</b>	SLOW				FAST
<b>WEIGHT</b>	LIGHT				HEAVY
<b>VIBRATION</b>	HIGH				LOW
<b>STABILITY</b>	LOW				HIGH
<b>GRADE</b>	BEGINNER				HIGH-END



**PROCESSING** Full CNC

**WEIGHT** 1,282g(25") / 1,340g(27")

**MATERIAL** AL 6061, Tungsten

**TYPE** RH / LH

**GRIP** TSG Grip

**COLOR** RH - 25" Anodized and painted 27" and LH - Anodized only

**LENGTHS** 25", 27"

**Stabilizer Mount Thread** 5/16"-24

**Upstabilizer Mount Thread** 5/16"-24

**Cushion Plunger Mount Thread** 5/16"-24

**Clicker Mount Thread** 6/32"

**ANODIZED** 25", 27"



Blue Sky Red Black

**PAINTED** 25"



White Sand Viva Magenta

# SKADI LIMBS

SUPERB STABILITY AND ACCURACY ACHIEVED WITH SUPER GRAPHENE



SKADI WOOD CORE LIMBS **LSWC01** **BEST**

SKADI FOAM CORE LIMBS **LSFC01** **BEST**

SUPER GRAPHENE carbon prepreg material / 45° carbon technology / AR tech CNC processing / The location and angle of the Power Zone has been improved




FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and other ILF risers.


<b>MATERIAL</b>	Super graphene
<b>CORE</b>	Wood core / Foam core
<b>BOW LENGTH</b>	66", 68", 70"
<b>DRAW WEIGHT(lbs.)</b>	32#~50# (2# increments)



**SUPER GRAPHENE**



**SUPER GRAPHENE**



**WOOD CORE** **FOAM CORE**



# ARGON-X RISER

LOWER CENTER OF BALANCE FOR FASTER BOW DROP.  
NATURAL WEIGHT BALANCE FOR BAREBOW ARCHERS.

ARGON-X 25" RISER **HA0725**

ARGON-X 27" RISER **HA0727**

Lower center of gravity / Fast drop from the bow hand /  
Superfine full CNC milling / The most precise and  
stable washer limb alignment system in the world  
with increments as low as 0.05mm /  
Stable & steady geometry /  
Tight & secure grip /  
Deep anodized color and  
fresh painted color



<b>SPEED</b>	SLOW				FAST
<b>WEIGHT</b>	LIGHT				HEAVY
<b>VIBRATION</b>	HIGH				LOW
<b>STABILITY</b>	LOW				HIGH
<b>GRADE</b>	BEGINNER				HIGH-END



PROCESSING Full CNC

WEIGHT 1,330g(25") / 1,380g(27")

MATERIAL AL 6061

TYPE RH / LH

GRIP TSG Grip

COLOR ANODIZED /  
PAINTED(RH 25" ONLY)

LENGTHS 25", 27"

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"

ANODIZED 25", 27" PAINTED 25" **NEW**



Black Blue Red Aqua Deep Amethyst purple Frost blue Spring green White


# ARGON-X LIMBS

ENSURING DURABILITY AND OPTIMAL PERFORMANCE.

ARGON-X WOOD CORE LIMBS **LAW01**

ARGON-X FOAM CORE LIMBS **LAF01**

CWP3024 carbon material /  
45° carbon technology /  
AR tech CNC processing /  
The location and angle of the Power  
Zone has been improved




FIVICS limbs follow the  
international limb fitting  
system (ILF) and are  
guaranteed to fit in all FIVICS  
risers and other ILF risers.

MATERIAL	CWP3024 1K Full Carbon
CORE	Wood core / Foam core
BOW LENGTH	66", 68", 70"
DRAW WEIGHT(lbs.)	32#~50# (2# increments)




CWP3024

1K FULL CARBON  
WOOD CORE



CWP3024

1K FULL CARBON  
FOAM CORE




WOOD CORE FOAM CORE

# ONIX RISER

PRECISION-ENGINEERED LIGHTWEIGHT RISER  
WITH MINIMAL VIBRATION

## ONIX 25" RISER **H02525**

Superfine full CNC milling /  
Adjustable limb alignment with a 5mm  
wrench without removing the limbs / Stable  
& Steady Geometry / TSG grip /  
Deep anodized and fresh painted finish



PROCESSING Full CNC

WEIGHT 1,200g(25")

MATERIAL AL 6061

TYPE RH / LH

GRIP TSG Grip

COLOR ANODIZED / PAINTED

LENGTHS 25"

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"

**ANODIZED 25"**

**PAINTED 25"**



BLACK  
LIME

BLACK  
PINK


YELLOW GREEN RED

# VX RISER

PROFESSIONAL GRADE RISER WITH EXCEPTIONAL VALUE

## VX 25" RISER **HVX2525**

High quality mid tier riser /  
Superfine full CNC milling /  
Adjustable limb alignment with a 5mm  
wrench without removing limbs /  
Stable & steady geometry / TSG grip /  
Deep anodized and fresh painted finish



PROCESSING Full CNC

WEIGHT 1,100g(25")

MATERIAL AL 6061

TYPE RH / LH

GRIP TSG Grip

COLOR ANODIZED / PAINTED

LENGTHS 25"

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"

**ANODIZED 25"**

**PAINTED 25"**



BLACK RED BLUE

LIME TURQUOISE ORANGE


# VELLATOR-V3 RISER

HIGH END RISER AT AN GREAT VALUED PRICE POINT

VELLATOR-V3 25" RISER **HV0325**

VELLATOR-V3 23" RISER **HV0323**

High quality mid tier riser /  
Superfine full CNC milling /  
Adjustable limb alignment with an 4mm and  
5mm wrench without removing limbs /  
Deep anodized and fresh painted finish



<b>SPEED</b>	
SLOW	FAST
<b>WEIGHT</b>	
LIGHT	HEAVY
<b>VIBRATION</b>	
HIGH	LOW
<b>STABILITY</b>	
LOW	HIGH
<b>GRADE</b>	
BEGINNER	HIGH-END



PROCESSING Full CNC

WEIGHT 1,100g(23") / 1,210g(25")

MATERIAL AL 6061

TYPE RH / LH

GRIP Plastic

COLOR ANODIZED / PAINTED

LENGTHS 23", 25"

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"

ANODIZED 23", 25"



Black Blue Red

PAINTED 23", 25" **NEW**



Dreamy Sunset Golden sky Misty Moonlight


# VELLATOR-V3 LIMBS

PROVIDES ADVANCED DURABILITY AND PERFORMANCE AT A COMPETITIVE PRICE

VELLATOR-V3 WOOD CORE LIMBS **LVWC03**

VELLATOR-V3 FOAM CORE LIMBS **LVFC03**


CUP240 carbon material /  
45° carbon technology /  
AR tech CNC processing




FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and other ILF risers.

MATERIAL	CUP240 Carbon
CORE	Wood core / Foam core
BOW LENGTH	66", 68", 70"
DRAW WEIGHT(lbs.)	22#~38# (2# increments)

CUP240



CUP240



WOOD CORE FOAM CORE



TECHNOLOGY OF FIVICS

# ARROWS

FIVE-X  
TENPRO  
GOLDRO  
ARROW ACCESSORIES  
TUNGSTEN POINTS




High Level Arrow Made of MC 46ton Carbon




## FIVE-X vs Other brand Arrows

Arrow flight can be effected by carbon cracks inside the arrow. FIVE-X reduces the chance of any cracks with a special high quality carbon material, allowing for the best arrow flight.




FIVE-X



Other brand

## THE WORLD'S BEST GROUPING ARROW FIVICS' FIVE-X


Through tomographic imaging on arrows used in competitions around the world, FIVICS has confirmed that many arrows have internal cracks in their carbon which archers are not aware of. The FIVE-X arrows are constructed of MC 46ton carbon with strict quality control. They are managed with 6 times greater precision than the existing world's highest level of spine deviation, and have a 0% internal crack rate.



Cross section crack test




Straightness test




Spine test

## GROUPING TEST WITH SHOOTING MACHINE

The FIVE-X's special carbon material and strict quality control have been proven through excellent arrow grouping. By using a shooting machine, we have formed groupings that are superior to those of other brands.



● Error rate through 49 meter machine launch with a single spine ● Error rate through 49 meter machine launch with 6 spines



# FIVE-X



## FIVE-X CARBON ARROW SHAFT **ARFX**

Highest quality 46ton carbon / Advanced Technology / Extreme Accuracy / The FIVE-X is the perfect competition arrow made with the latest carbon technology.

**STRAIGHTNESS** ± 0.001" **WEIGHT TOLERANCE** ± 1.0 grains **SPINE SELECTION TOLERANCE** ± 0.002"

## FIVE-X TUNGSTEN POINT **FXTPO**

**WEIGHT** 120gr 1X/2X/3X

## FIVE-X ALUMINUM INSERT PIN **FXIN**

0 Line 1 Line

## FIVE-X STAINLESS STEEL POINT **FXSPO**

**WEIGHT** 120gr

Size	X-10 Comparison	Length (inch)	Weight (Grain)	Weight (GPI)	Outside Diameter (inch)	Qty	Recommended Point Weight Range		Pin Nock Adapter	Out Nock
							Steel	Tungsten		
350	325	33.0	288.66	8.75	0.2126	12pack	1X	1X		5.0
400	325~350		273.02	8.27	0.2072					
450	350~380		252.66	7.66	0.2021					
500	410~450		239.78	7.27	0.1985					
550	450~500	31.0	210.66	6.80	0.1952		2X	2X	1 Line	4.7
600	500~550		199.74	6.44	0.1922					
650	550~600		191.04	6.16	0.1895					
700	600~650	29.0	169.22	5.84	0.1860		3X	3X		4.5
750	650~700		160.11	5.52	0.1841					
800	700~750		156.68	5.40	0.1824					
850	750~800	28.0	147.97	5.28	0.1812					
900	830		139.28	4.97	0.1788					
1000	900		133.20	4.76	0.1765					

# TENPRO



## TENPRO CARBON ARROW SHAFT **TPROS**

30ton carbon allows for extreme speed, strength, and consistency in flight.

**STRAIGHTNESS** ± 0.002" **WEIGHT TOLERANCE** ± 1.0 grains **SPINE SELECTION TOLERANCE** ± 0.002"

## TENPRO STAINLESS STEEL POINT **TPSP**

**WEIGHT** 120gr

## TENPRO ALUMINUM INSERT PIN **TPPIN**

0 Line 1 Line

Size	Length (inch)	Weight (Grain)	Weight (GPI)	Outside Diameter (inch)	Qty	Recommended Point Weight Range	Pin Nock Adapter	Out Nock			
400	32.0	298.71	9.33	0.2293	12pack	1T/120gr		5.48			
450		283.72	8.87	0.2248							
500	31.0	259.08	8.36	0.2202					2T/120gr	1 Line	5.2
550		245.37	7.92	0.2161							
600		225.31	7.27	0.2125							
650	30.0	217.03	7.00	0.2100		3T/120gr		4.92			
700		201.59	6.72	0.2072							
800		184.31	6.14	0.2019							
900	29.0	161.31	5.56	0.1982							
1000		151.35	5.22	0.1953							
1100	28.0	140.47	5.02	0.1930							
1200		132.77	4.74	0.1904							

# GOLDRO




## GOLDRO CARBON ARROW SHAFT **GDRA**

GOLDRO is the perfect target arrow for youth archers / Advanced Technology / Extreme Accuracy / Pre-marked for precise fletching placement / 24-ton Carbon

**STRAIGHTNESS** ± 0.002"    **WEIGHT TOLERANCE** ± 1.0 grains    **SPINE SELECTION TOLERANCE** ± 0.0025"

## GOLDRO STAINLESS STEEL POINT **GRPO**



**WEIGHT** 110gr/2G

**WEIGHT** 120gr/1G

**WEIGHT** 120gr/G

## IN NOCK **NMNOK**



Size	Length (inch)	Weight (Grain)	Weight (GPI)	Outside Diameter (inch)	Qty	Recommended Point Weight Range	Out Nock		
600	30.0	247.84	8.26	0.2326	12pack	120gr/G	2300		
700		221.45	7.38	0.2264					
800	29.0	194.06	6.69	0.2231		120gr/1G	5.48		
900		181.05	6.24	0.2191					
1000	28.0	163.71	5.85	0.2155				110gr/2G	2100
1100		156.53	5.59	0.2144					
1200		151.16	5.40	0.2125					
1300		144.42	5.16	0.2104					
1400		135.15	4.83	0.2083					
1500		124.21	4.44	0.2062					
1600	121.46	4.34	0.2053	5.2					

# ARROW ACCESSORIES

## X-NET STAINLESS STEEL POINT TO FIT EASTON X10 ARROWS **XNET10**



**WEIGHT** 110gr

**WEIGHT** 120gr

\* Fivics X-net Stainless Steel Points are not an official licensed product of Easton Technical Products, Inc. X10 is a registered trademark of Easton Technical Products, Inc.

## PIN NOCK(S) **NC001S**

## PIN NOCK(L) **NC001L**

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.

**AVAILABLE IN TWO SIZE** S fits 12-18 strand strings / L fits 20-24 strand strings

### Opaque



Orange    Yellow    White

### Clear




Red    Orange    Green    Blue    Purple    Pink



## FINEST PRECISION TUNGSTEN POINT

FIVICS has developed the finest precision tungsten point with the world's best precision processing technology. More precise points make better groupings.

### FIVICS Tungsten Point vs Other brand



Contents	Other brand	FIVICS Tungsten Point
<b>Weigh</b>	118.8 ~ 121.5gr	120.2 ~ 120.8gr
<b>Length</b>	47.27mm~47.84mm	± 0.1
<b>Diameter</b>	3.13mm~3.20mm	No difference
<b>Price</b>	Expensive	Cheaper than other brands
<b>More information</b>	Rough Surface Hardness is too high making it is easily broken.	Smooth Surface has moderate hardness, so it doesn't break easily.



# TUNGSTEN POINTS

### FIVE-X TUNGSTEN POINT **FXTPO**

- WEIGHT** 120gr/1X/2X/3X
- WEIGHT** 130gr/1X
- WEIGHT** 140gr/1X



### FIVICS TUNGSTEN POINT TO FIT EASTON X10 ARROWS **X10TPO**

- WEIGHT** 110gr
- WEIGHT** 120gr
- WEIGHT** 125gr
- WEIGHT** 130gr
- WEIGHT** 140gr



\* Fivics Tungsten Points are not an official licensed product of Easton Technical Products, Inc. X10 is a registered trademark of Easton Technical Products, Inc.

# FIVICS ARROWS SELECTION GUIDE

**FX**: FIVE-X    **TP**: TENPRO    **GR**: GOLDRO

Total Arrow Length	16 ~lbs.	18 ~lbs.	20 ~lbs.	22 ~lbs.	24 ~lbs.	26 ~lbs.	28 ~lbs.	30 ~lbs.	32 ~lbs.	34 ~lbs.
24"	GR1600	GR1600	GR1600	GR1600	GR1500	GR1400	GR1300	GR1200	TP1200 GR1100	TP1100 GR1000
25"	GR1600	GR1600	GR1600	GR1500	GR1400	GR1300	GR1200	TP1200 GR1100	TP1100 GR1000	FX1000 TP1000 GR900
26"	GR1600	GR1600	GR1500	GR1400	GR1300	GR1200	TP1200 GR1100	TP1100 GR1000	FX1000 TP1000 GR900	FX1000 TP900 GR900
27"	GR1600	GR1500	GR1400	GR1300	GR1200	TP1200 GR1100	TP1100 GR1000	FX1000 TP1000 GR900	FX1000 TP900 GR900	FX900 TP800 GR800
28"	GR1500	GR1400	GR1300	GR1200	TP1200 GR1100	TP1100 GR1000	FX1000 TP1000 GR900	FX1000 TP900 GR900	FX900 TP800 GR800	FX900 TP800 GR800
29"	GR1400	GR1300	GR1200	TP1200 GR1100	TP1100 GR1000	FX1000 TP1000 GR900	FX1000 TP900 GR900	FX900 TP800 GR800	FX900 TP800 GR800	FX850 TP700
30"					FX1000 TP900 GR900	FX1000 TP900 GR900	FX900 TP800 GR800	FX900 TP800 GR800	FX850 TP700 GR700	FX800 TP700 GR700
31"					TR900 GR900	TP800 GR800	TP800 GR800	TP700 GR700	TP700 GR700	TP650 GR600
32"								TP700 GR700	TP650 GR600	TP600
33"										

36 ~lbs.	38 ~lbs.	40 ~lbs.	42 ~lbs.	44 ~lbs.	46 ~lbs.	48 ~lbs.	50 ~lbs.	52 ~lbs.	54 ~lbs.	56 ~lbs.
FX1000 TP1000 GR900	FX1000 TP900 GR900	FX900 TP800 GR800	FX900 TP800 GR800	FX850 TP700 GR700	FX800 TP700 GR600	FX750 TP650	FX700 TP600	FX650 TP550	FX600 TP500	FX550 TP450
FX1000 TP900 GR900	FX900 TP800 GR800	FX900 TP800 GR800	FX850 TP700 GR700	FX800 TP700 GR600	FX750 TP650	FX700 TP600	FX650 TP550	FX600 TP500	FX550 TP450	FX500 TP400
FX900 TP800 GR800	FX900 TP800 GR800	FX850 TP700 GR700	FX800 TP700 GR600	FX750 TP650 GR600	FX700 TP600	FX650 TP550	FX600 TP500	FX550 TP450	FX500 TP400	FX450
FX900 TP800 GR800	FX850 TP700 GR700	FX800 TP700 GR600	FX750 TP650 GR600	FX700 TP600	FX650 TP550	FX600 TP500	FX550 TP450	FX500 TP400	FX450	FX400
FX850 TP700 GR700	FX800 TP700 GR600	FX750 TP650 GR600	FX700 TP600	FX650 TP550	FX600 TP500	FX550 TP450	FX500 TP400	FX450	FX400	FX350
FX800 TP700 GR600	FX750 TP650 GR600	FX700 TP600	FX650 TP550	FX600 TP500	FX550 TP450	FX500 TP400	FX450	FX400	FX350	
FX750 TP650 GR600	FX700 TP600	FX650 TP550	FX600 TP500	FX550 FX450	FX500 TP400	FX450	FX400	FX350		
TP600	FX650 TP550	FX600 TP500	FX550 TP450	FX500 TP400	FX450	FX400	FX350			
TP550	TP500	FX550 TP450	FX500 TP400	FX450	FX400	FX350				
	TP450	TP400	FX450	FX400	FX350					

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGETFACE

KROSSEN

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGETFACE

KROSSEN

TECHNOLOGY OF FIVICS

# STABILIZERS

SKADI-CX STABILIZER LONG · SIDE · EXTENDER

SKADI-BX STABILIZER LONG · SIDE · EXTENDER

VELLATOR STABILIZER LONG · SIDE · EXTENDER



**DAMPERS**

**STABILIZER ACCESSORIES**

UPSTABILIZER · CLICKER · ARROW REST


## CARBON STABILIZERS CRAFTED WITH BLOW MOLDING TECHNOLOGY

SUPER GRAPHENE has improved stability and accuracy compared to other carbon fiber limbs. To improve the stability and accuracy of the SKADI limb, a new material, SUPER GRAPHENE, was integrated. SUPER GRAPHENE maintains the high elasticity of carbon with reduced torsion to decrease excess vibration and offers a satisfying shooting sensation.



## SUPER GRAPHENE TECHNOLOGY

SUPER GRAPHENE is a carbon prepreg material that has evolved further from graphene, a next-generation new material, featuring a greatly improved the vibration absorption rate compared to previous stabilizer technology. SUPER GRAPHENE is a micrometer-sized carbon material developed as the core technology of standard graphene.



Graphene is a new material with a two-dimensional planar structure made of carbon atoms. Each carbon atom forms a hexagonal lattice in the shape of a honeycomb.



### Hardness

50 times stronger than steel



### Flexibility

Excellent elasticity with a tensile strength of 20 GPa



### Light Weight

3.2g of SUPER GRAPHENE can cover an area of a soccer field

# SKADI-CX

Unwavering Precision, The Choice for Your Ace Shot.



SKADI-CX STABILIZER LONG **SKCXRL** **NEW**

SKADI-CX STABILIZER SIDE **SKCXRC** **NEW**

SKADI-CX STABILIZER EXTENDER **SKCXRE** **NEW**

Vibrational dampening is optimized for archers using heavier stabilizer weights.

**MATERIAL** Super graphene carbon prepreg

**DIAMETER** 13.5mm


**LENGTH**  
Long : 26", 28", 30"  
Side : 10", 11", 12", 13", 15"  
Extender : 3", 4", 5"

**WEIGHT** 176g(28"), 110g(12")


\* The end thread is removable and can be adapted to either 5/16"-24 or 1/4"-20.

\* Core-A Damper and G-Weights included.

Shooting Direction Vibration Waveform Graph



Acceleration\_rms



All New SKADI Design

# SKADI-BX

**SUPERIOR AIMING STABILITY AND VIBRATIONAL DAMPENING**



**SKADI-BX STABILIZER LONG** SKBXRCL **BEST**

**SKADI-BX STABILIZER SIDE** SKBXRCS **BEST**

**SKADI-BX STABILIZER EXTENDER** SKBXRCE **BEST**


The SKADI-BX stabilizers are manufactured with an advanced blow method to highlight the strengths of the carbon shaft.

This method of construction increases the specific gravity of the carbon fiber rather than that of the resin, which greatly strengthens the physical properties of the stabilizer while also allowing for more energy to be absorbed.

The crosswind zero design enables stable aiming even in unpredictable winds, and the tip of the stabilizer has a thicker diameter to increase vibration reduction.

<b>MATERIAL</b>	Super graphene carbon prepreg
<b>DIAMETER</b>	13.5mm
<b>LENGTH</b>	Long : 26", 28", 30" Side : 10", 11", 12", 15" Extender : 3", 4", 5"
<b>WEIGHT</b>	172g(28"), 98g(12")

\* DC1500S Damper and PX1500 Weights included.



# VELLATOR



**VELLATOR STABILIZER LONG** STV02L

**VELLATOR STABILIZER SIDE** STV02S

**VELLATOR STABILIZER EXTENDER** STV02E

The VELLATOR STABILIZER orients and builds General Modulus Carbon into the ideal stabilizer for intermediate archers.

In addition to high elasticity and strong spine per weight, the VELLATOR STABILIZERS also come in multiple vibrant color saturations. Damper and weight head included.

<b>MATERIAL</b>	24ton Carbon
<b>DIAMETER</b>	18mm
<b>LENGTH</b>	Long : 26", 28", 30" Side : 9", 10", 12" Extender : 3", 4"(Aluminum)
<b>WEIGHT</b>	134g(28"), 84g(12")



# DAMPERS

DP2502 **NEW**

## TUNE-A DAMPER

THREAD 1/4"-20  
WEIGHT 45g  
OPTIMIZATION 1-8oz



DP2501 **NEW**

## TUNE-B DAMPER

THREAD 1/4"-20  
WEIGHT 45g  
OPTIMIZATION 1-8oz



DP2503 **NEW**

## CORE-A DAMPER

THREAD 5/16"-24  
WEIGHT 55g  
OPTIMIZATION 4+ oz



DP2504 **NEW**

## CORE-B DAMPER

THREAD 5/16"-24  
WEIGHT 45g  
OPTIMIZATION 4+ oz



DC1500S

## DC1500S DAMPER

Specialized rubber material enhances contact to effectively dampen vibration

THREAD 1/4"-20  
WEIGHT 35g  
OPTIMIZATION 4-8oz



DC1500

## DC1500 DAMPER

THREAD 1/4"-20  
WEIGHT 40g  
OPTIMIZATION 8+ oz



VZEROL

## V-ZERO DAMPER

THREAD 1/4"-20  
WEIGHT 30g  
OPTIMIZATION 1-4oz



VZEROM

## V-ZERO MINI DAMPER

THREAD 1/4"-20  
WEIGHT 22g  
OPTIMIZATION 2-5oz



# STABILIZE ACCESSORIES

VBLOK02R

## LOK V-BAR

Locked on Kinetics! This new V-Bar has a reduced vibration with stable performance.  
ANGLE 35° / 40° / 45° MATERIAL AL 6061



VBC0CBK

## COM CONNECTING BOLT

Quick disconnection  
ANGLE 10°  
MATERIAL SUS 304



WT15001W WT15002W WT15003W

## PX1500 WEIGHT

MATERIAL SUS304  
DIAMETER 29mm  
WEIGHT 1oz / 2oz / 4oz  
THREAD 1/4"-20



GW251 GW252 GW254 **NEW**

## G-WEIGHT

A counterweight designed with geometry for rapid vibration dispersion and bidirectional mounting.

MATERIAL SUS304  
DIAMETER 31.5mm  
THREAD 5/16"-24  
WEIGHT 1oz / 2oz / 4oz



1S45C16S 1S45C16L

## CONVERTER SCREW

Applicable for all dampers  
Short 2.0cm  
Long 2.6cm



WT5HSV WT5FSV

## WT5 WEIGHT

MATERIAL SUS304  
DIAMETER 23mm  
THREAD 1/4"-20  
WEIGHT Head 2oz / Flat 1.5oz



# UPSTABILIZER

## TNV2300

### TNV2300 UPSTABILIZER

Reduces vibrations within the riser.

**WEIGHT** 86g  
**THREAD** 5/16"-24



Red

Yellow

Blue


Black

## UPST2505 NEW

### V-UPSTABILIZER

A new balance system for vibration suppression

**WEIGHT** 160g(45g + 4oz)  
**THREAD** 5/16"-24



# CLICKER

## CRSCLK

### CRYSTAL CLICKER

Designed to provide the best visualization of the tip of the arrow through the clicker during expansion. It's polycarbonate design allows the archer to better feel when the clicker activates instead of waiting for an audible queue that can be missed in tournament settings.

**MATERIAL** Polycarbonate  
**LENGTH** 101mm  
**THICKNESS** 1.5mm



# ARROW REST

## OUT-NOCK REST RS03

This arrow rest is optimized for out-nock arrows to stay on the rest without concerns for nock contact. The out-nock arrow rest gives maximum clearance for all nock types.

**SIZE** 26x15mm **TYPE** RH only



Red

Blue

Black

## RS REST RS02

Compatible with all nock types.

**SIZE** 27x15mm  
**TYPE** Adjustable to right or left hand



Red

Blue

Grey

Black

TECHNOLOGY OF FIVICS

# FINGER TABS

SKADI  
SAKER SERIES  
TENFIX  
FINGER SPACERS





# SKADI FINGER TAB

SKFT01

## SKADI FINGER TAB

SIZE L / M / S / XS (RH / LH)

LEATHER Cordovan

### COLOR

- L Blue
- M Red
- S Gold
- XS Pink



## INTRODUCING THE LATEST INNOVATION FROM THE SAKER FAMILY : THE SKADI FINGER TAB.

Experience the next level of ergonomic perfection with the Skadi Finger Tab, renowned for its cutting-edge design and unparalleled comfort.

### Softer, Streamlined Design

Featuring a gentler body contour than previous models, the Skadi Finger Tab reduces hand pressure and enhances your natural hook for a more comfortable shooting experience.

### Distinctive Two-Tone Color

Available in a striking two-tone color trim, the Skadi Finger Tab is uniquely styled to complement your gear.

### Improved Pinky Hook

The pinky hook is sized to match the finger tab, ensuring a perfect fit and maximum comfort.


**XS/S : S Size pinky hook**  
**M / L : L Size pinky hook**

XS Size

S Size

M Size

L Size



### Length of Leather increased

The leather at the fingertips has been extended by 1 cm, allowing archers to achieve better finger protection without needing a larger plate.

### Enhanced Rotational Fit

Achieve unrivaled stability with the adjustable thumb ledge and pinky hook, tailored to enhance your draw hand's stability.

# SAKER

## FINGER TABS



### SFT01A

#### SAKER 1 FINGER TAB

The ergonomic triangle palm plate offers superior stability, while the deeper grip support of the ring finger ensures a secure and confident hold.


**SIZE** XL / L / M / S / XS / XXS (RH / LH)

**LEATHER** Cordovan

**COLOR**

- XL Dark Blue
- L Blue
- M Red
- S Yellow
- XS Purple
- XXS Dark Green

**force distribution chart**



**Ergonomic design**

Adjustable ledge Replaceable face and backing Finger spacer included

### SIZE GUIDE (SAKER FINGER TAB)

	<span style="background-color: darkblue; color: white; padding: 2px;">XL</span> 210mm ~	<span style="background-color: yellow; color: black; padding: 2px;">S</span> 175-185mm
	<span style="background-color: blue; color: white; padding: 2px;">L</span> 195~210mm	<span style="background-color: purple; color: white; padding: 2px;">XS</span> 165~175mm
	<span style="background-color: red; color: white; padding: 2px;">M</span> 185~195mm	<span style="background-color: darkgreen; color: white; padding: 2px;">XXS</span> ~165mm

### SFT02A

#### SAKER 2 FINGER TAB

A more streamlined design which appeals to a wide range of users.


**SIZE** XL / L / M / S / XS / XXS (RH / LH)

**LEATHER** Cordovan

**COLOR**

- XL Dark Blue
- L Blue
- M Red
- S Yellow
- XS Purple
- XXS Dark Green

**force distribution chart**



### SFT03A

#### SAKER 3 FINGER TAB

A compact body design allows for more power to be delivered to your hook, with a structure that places more emphasis on the index finger than the ring finger. Recommended for athletes with stronger ring fingers.


**SIZE** L / M / S (RH / LH)

**LEATHER** Cordovan



**COLOR**

- L Blue
- M Red
- S Yellow


**force distribution chart**



## ADJUSTABLE IN THREE AXIS AND SIX DIRECTIONS




Thumb rest can be raised, lowered, and pivoted left and right




Chin rest can be raised, lowered, and pivoted left and right



Chin / thumb rest can be pivoted up and down





Pinky rest can be adjusted forwards and backwards



Pinky rest can be pivoted left and right



Fingertab strap can be adjust fit only the middle finger or both the ring and middle finger



# TENFIX LOCK-IN ON THE 10

SFT05A

## TENFIX FINGER TAB


The world's most customizable finger tab.

The TENFIX finger tab is designed in collaboration with the nationally renowned coach, Kwon Yong-Hak. Coach Kwon is praised as one of the best coaches in China due to the amazing results of his athletes. The TENFIX finger tab's body is a smooth design which incorporates the function of the Saker Finger Tab series' EP system.

SIZE L / M / S / XS (RH / LH)

WEIGHT M 90g

LEATHER Cordovan



PATENTED

## FIVICS

The 9mm thick aluminum plate provides the best adhesion to the draw hand. The thumb and little finger supporter is adjustable in 3 axis and 6 directions.

# FINGER TABS

## BFT01A

### BRASS SAKER 1 FINGER TAB

Designed to correct an outward-flaring release at the execution of the shot, the heavier brass finger tab provides increased stability and control.

**SIZE** L / M / S (RH / LH)

**WEIGHT** L 162g, M 152g, S 144g

**LEATHER** Cordovan



## BFT02A

### BRASS SAKER 2 FINGER TAB

Designed to correct an outward-flaring release at the execution of the shot, the heavier brass finger tab provides increased stability and control.

**SIZE** L / M / S (RH / LH)

**WEIGHT** L 150g, M 140g, S 136g

**LEATHER** Cordovan



## EP001

### SAKER 1 FINGER TAB EP FRAME

The EP FRAME offers top shooters another reference for their hooking direction to allow for the most comfort and balance. This component enhances the Saker Finger Tab's Ergonomic design.

#### SIZE

Saker 1 XL, L = EP (L size)

Saker 1 M, S = EP (M size)

Saker 1 XS, XXS = EP (S size)

#### WA RULES Book3, Chapter 11, Article 11.18

The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal. World Archery C&R Committee, 22 September 2014



## SFT04AN

### SAKER PLUS FINGER TAB

The Saker Plus finger tab features a 4mm thick plate with an adjustable 3 weight control system and a 5 angle EP adjustment system. This adjustably allows the Saker Plus to fit the archer's hand perfectly to create a more stable hooking position, making it the perfect tab for any competitive archer.

**SIZE** L / M / S (RH)




1. Angle Adjustment

2. Adjustable Ledge

3. Weight Control

4. Balance Control



# FINGER TABS

## NEWPFT02

### POLITE 2 FINGER TAB

This innovative design provides a more secure and stable release by removing the ring finger leather and allowing the archer to wrap their finger directly around the body of the tab, offering greater draw hand support.

**SIZE** L / M / S (RH / LH)  
**COLOR** Champagne Gold  
**LEATHER** Cordovan



## NEWPFT03

### POLITE 3 FINGER TAB

Designed with a wrap-around pinky finger rest to enhance grip security and prevent finger slippage.

**SIZE** L / M / S (RH / LH)  
**COLOR** Champagne Gold  
**LEATHER** Cordovan



Emphasizes the sense of unity in your hands / Absolute stability and hooking accuracy / Promotes optimal distribution and support of the draw hand / Ergonomic 3D design

## FLFT01

### FALCON FINGER TAB

Laser-etched markings on the Falcon Finger tab ensure precise crawl measurements. The thin finger spacer keeps it secured in place, allowing for repeatable positioning while measuring crawl distance. The finger tab strap comfortably fits the middle and ring finger together.

**SIZE** L / S (RH / LH)  
**COLOR** BLACK  
**LEATHER** CORDOVAN



# FINGER SPACERS

## FS007D FS007O

### PRO SPACER / PRO SPACER(Ovarl)

**MATERIAL** Rubber  
**SIZE** 46 x 28.6 x 13mm / 41 x 26 x 13.4mm



## FS005B

### BRASS SPACER

**MATERIAL** Brass  
**SIZE** 37 x 28 x 10mm



## FS004T

### THIN SPACER

**MATERIAL** Rubber  
**SIZE** 32 x 28 x 12.4mm



## FS001P

### PLASTIC SPACER

**MATERIAL** Plastic  
**SIZE** 36 x 28.3 x 12.3mm



## FS004D

### THICK SPACER

**MATERIAL** Rubber  
**SIZE** 39.8 x 29.3 x 16.2mm

*Previous style still in circulation.*




# FINGER-TAB LINE HISTORY



## FINGER-TAB SIZE GUIDE

1. Turn this PDF file on your I-Pad or tablet PC or your computer and if you need, you can print this paper out.
  2. Adjust 100% magnification and put your hand from the bottom to top.
  3. You can check what size of Fivics top finger tab would be matched on your hand.
- ※ Measurements are taken from the tip of the middle finger to the base of your hand before the wrist.  
 ※ If your hand is between two sizes, we recommend using the smaller size.



BOWS  
ARROWS  
STABILIZERS  
FINGER TABS  
ACCESSORIES  
NEW SPORTS  
APPAREL & GEAR  
TARGETFACE  
KROSSEN

BOWS  
ARROWS  
STABILIZERS  
FINGER TABS  
ACCESSORIES  
NEW SPORTS  
APPAREL & GEAR  
TARGETFACE  
KROSSEN

TECHNOLOGY OF FIVICS

# ACCESSORIES

CUSHION PLUNGERS

FV-300S SIGHT

BOW STANDS

PROTECTORS

UNICO QUIVER SERIES

ACCENDO QUIVER SERIES

AEGIS HARD CASES

FIVICS BACKPACK

OTHER

# NEW MATERIAL HASTELLOY

## HASTELLOY PRESSURE POINT

### What is Hastelloy?

Hastelloy offers exceptional resistance to strong oxidizing solutions, strong durability in reducing environments, and a low carbon content that provides minimization of grain-boundary carbide precipitation.

### What is Corrosion resistance?

Corrosion resistance refers to the resistance a material offers against a reaction with adverse elements that can corrode the material. Various materials have this property intrinsically, depending upon their corrosion resistance rate.

Hastelloy minimizes corrosion when the arrow shaft touches the cushion plunger during arrow flight and makes the arrow fly more stable with greater grouping. We apply this high-end material to the new cushion plunger "Airex".

## 6000 TIMES SHOT ABRASION TEST

After installing on the cushion plunger test equipment, measurements of the friction were taken 3 times for each material, repeated 2,000 times.

Measurements of the abrasion of the arrow shaft and abrasion of the pressure point per number of time were also collected.

**Material 1** Hastelloy Pressure Point

**Material 2** Aluminum Pressure Point


### HASTELLOY Pressure point

Arrow Shaft Surface / Pressure Point :

6000 times shot abrasion test

- Arrow Shaft Surface Abrasion : Almost None.

- Pressure Point Abrasion : Almost None.




### ALUMINUM Pressure point

Arrow Shaft Surface / Pressure Point :

2000 times shot abrasion test

- Arrow Shaft Surface Abrasion : High

- Pressure Point Abrasion : High



# CUSHION PLUNGER


## AIREX CUSHION PLUNGER **AACP**

Incredibly smooth action

**Dial checking Pressure point material :** Hastelloy

**THREAD** 5/16"-24

**ADJUSTABLE LENGTH** Min 19.5mm, Max 26.5mm



Red

Blue

Silver

Black



Easily adjustable knob with a smooth clicking feeling between settings.



Dial Gauge

## SM540 CUSHION PLUNGER **SMS40**

Compact size for easy setting

**THREAD** 5/16"-24

**ADJUSTABLE LENGTH** Min 19.5mm, Max 26.5mm



Red

Blue

Silver

Black

# FV-300S SIGHT

## FV-300S SIGHT **FV300S**

Specially designed for recurve bows / Dampers included and available separately / VTS (Variable Tension System) / Elevation travel tension adjustment

**SIZE** Extension 9" **TYPE** RH **MATERIAL** Aluminum, Carbon



Micro Fiber Optic

## SIGHT DAMPERS

Specially designed weight and damper included

**SIZE** 4mm



**FVW502**

**FVW501**

## SIGHT PIN(SQUARE) **SGP01S**

**SIZE** 81mm



## SIGHT PIN(ROUND) **SGP01R**

Designed for Olympic style recurve bows / Bright microfiber-optic pin for rapid visual acquisition / fits all recurve sights

**SIZE** 80mm



# BOW STAND

## **STD25006**

### DELTA BOW STAND

**HEIGHT** 45.7cm

**WEIGHT** 512g

**MATERIAL** Aluminum



## **ST001S ST001L**

### AUTOMATIC BOW STAND

(SHORT)

**HEIGHT** 44cm

**WEIGHT** 573g

**MATERIAL** Aluminum

(LONG)

**HEIGHT** 65cm

**WEIGHT** 680g

**MATERIAL** Aluminum



## **AC05CT**

### CARBON T-GAUGE BOW SQUARE

**MATERIAL** Carbon



# PROTECTORS

## WIND CHEST GUARD **CG02BP**

Ergonomic chest guard made of hard mesh and high quality Velcro.

**SIZE** XL, L, M, S **TYPE** RH



## A2 CHEST GUARD **CG001A2**

Adjustable shoulder band / The secure Velcro strap can be adjusted to size

**SIZE** L(From XL to M), M(From L to S), S(From M to XS)

**TYPE** RH / LH



## CHEST-GUARD PROTECTOR FILM **CG003ST**

**SIZE** 230x340mm



### How to Apply

1. Clean surface of the chest guard.
2. Sew protector to the surface of the chest guard.
3. Cut excess protector off of the chest guard to fit it into shape

## ORGANIC X ARM GUARD **AMX01**


Lightweight and comfortable design.

Durable plastic provides better protection.




## ORGANIC WEB ARM GUARD **AM001**

Lightweight and durable plastic armguard



## SILICONE JELLY ARM GUARD **AMH01**

String contact with the SILICONE Jelly Armguard minimizes unwanted vibration and repulsion during the shot while protecting the bow arm.



## LIMB PROTECTOR **AC21LP**

Protects the tip of your shoes while holding the bow at rest.

**SIZE** 56 x 97mm **MATERIAL** Rubber



## LUCCA LIMB PROTECTOR **AC24LP**

Protects the tip of your shoes while holding the bow at rest.

**SIZE** 70 x 77mm **MATERIAL** Rubber



# UNICO SERIES

## UNICO BACK QUIVER **QV01UNB**

Elegantly crafted quiver made with artificial leather.  
Includes specialized HK holder.

**WEIGHT** 380g **TYPE** RH



Red Orange Blue White

## UNICO TOURNAMENT QUIVER **QV01UNS** **QV01UNL**

Elegantly crafted quiver made with artificial leather.  
Includes specialized HK holder.

**SIZE** Small, Large **WEIGHT** 418g, 502g **TYPE** RH

Large



Red Orange Blue White

Small



Red Orange Blue White

# ACCENDO SERIES

## ACCENDO BACK QUIVER **QV02AB**

Lightweight / Large pocket for accessories

**WEIGHT** 260g **TYPE** RH



Red Purple Blue Black

## ACCENDO TOURNAMENT QUIVER **QV02AT**

Lightweight / Large pocket for accessories

**WEIGHT** 630g **TYPE** RH



Red Purple Blue Black

# AEGIS SERIES

## AEGIS TWO BOW HARD CASE BCH01

Lightweight / Strong against rough handling /  
Specially designed wheels / Showy colors /  
This model can hold up to two recurve bows and its accessories.

**SIZE** 40 x 29 x 92cm **MATERIAL** ABS+PC **WEIGHT** 8.2kg

※ Recommended maximum weight : 23kg



GREEN MINT PINK RED BLUE BLACK WHITE



Case belt /  
Rain cover included



## AEGIS ONE BOW HARD CASE BCH02

Lightweight / Strong against rough handling /  
Specially designed wheels / Showy colors /  
This model can hold up to one recurve bow and its accessories.

**SIZE** 35 x 25 x 84.5cm **MATERIAL** ABS+PC **WEIGHT** 6.5kg

※ Recommended maximum weight : 23kg



GREEN MINT PINK RED BLUE BLACK WHITE



Case belt /  
Rain cover included



# OTHER

## FIVICS BACKPACK **BCB25FB**

Riser & Limbs case included / Arrow tube included

**SIZE** 11.8 x 7.8 x 26.7" **POCKET** 1pcs **WEIGHT** 2.4kg **COLOR** BLACK, RED, BLUE



ARROW TUBE



RISER & LIMBS CASE



Inner Pockets

Fully Open

## FOLDING CASE (2 LEVEL) **BC2L01**

Compact size / Includes compartments for risers, limbs, and accessories

**SIZE** 28.5 x 10.5 x 1.5" **WEIGHT** 900g



## RISER & LIMBS CASE **RLC01**

**SIZE** 27 x 7.5 x 3" **WEIGHT** 800g



## RECURVE RISER PROTECTOR **RAC22RP**

Dual Zippers / Velcro strap to fully secure around the riser.

**SIZE** 24.8 x 4.1" **MATERIAL** NEOPRENE **WEIGHT** 200g



## TOOL BOX **EC03**

**SIZE** 8.5 x 7 x 7"



## PRO HAND POCKET **STPR01**

**SIZE** 5 x 2.5 x 6" **WEIGHT** 80g



## ARROW PULLER **AC24PUS**

Non-slip pattern ensures a strong grip




## FIVICS ARROW TUBE

**EC04ATA**



**EC04AKB**



# NEW SPORTS

The world's safest archery equipment for beginners and recreational play.



### Introducing ARROVEL

- Meticulously researched and engineered, ARROVEL allows people of **all ages** to safely enjoy the essence of archery - **anytime, anywhere.**

#### check point 01.

#### Velcro-based stability



ARROVEL's unique Velcro-tipped arrows adhere securely to specialized targets, providing a safe and fun archery experience.

#### check point 02.

#### High similarity to real archery



ARROVEL is an educational tool designed to provide beginners with a safe and realistic archery experience. It simulates the real postures, aiming, and shooting process of archery.

#### check point 03.

#### Compact design



Enjoy the freedom of archery with our lightweight, portable bag.




# ARROVEL

### ARV24

### ARROVEL

Exciting and easy-to-use archery dart made for pure fun!

SIZE 1040x1265mm



### Arrovel SET

Velcro Target Face, Bow, Velcro Dart x 6, Arm Guard, Carrying Bag



TECHNOLOGY OF FIVICS

# APPAREL

APPAREL  
GEAR



# APPAREL

AC24FTJK **NEW**

## FIVICS TEAM JUMPER

SIZE L / XL / 2XL



FRONT

BACK

AC22HT **NEW**

## FIVICS HOODIE

SIZE XL / 2XL / 3XL



FRONT

BACK

AC25SJNV **NEW**

## 2025 FIVICS TEAM JERSEY

SIZE S / M / L / XL / 2XL / 3XL



FRONT

BACK

AC25TE **NEW**

## 2025 FIVICS LOGO TEE

SIZE S / M / L / XL / 2XL



FRONT

BACK

AC24SJRJB **NEW**

## TEAM FIVICS TWO TONE TEE

SIZE M / L / XL / 2XL / 3XL



FRONT

BACK

AC22SJBL

## TEAM FIVICS SHOOTER JERSEY

SIZE S / M / L / XL / 2XL / 3XL



FRONT

BACK

AC22TE

## FIVICS LOGO TEE

SIZE S / M / L / XL / 2XL / 3XL



FRONT

BACK

AC25FWBK **NEW**

## 2025 FIVICS WINDBREAKER

SIZE S / M / L / XL / 2XL / 3XL / 4XL / 5XL



FRONT

BACK

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSEN

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSEN

# APPAREL

AC26CSWT

## COOLING ARM SLEEVE

Increases the surface area on the skin for a rapid cooling effect.



AC17SOMN AC17SOWN

## FIVICS LOGO SOCKS



AC12CANV

## FIVICS LOGO CAP NAVY



AC14CAWT

## FIVICS LOGO CAP WHITE



AC03SL

## STRETCH BAND LIGHT (YELLOW)

Quality, natural rubber latex construction

THICKNESS 0.3mm



AC03SH

## STRETCH BAND HEAVY (BLUE)

Quality, natural rubber latex construction

THICKNESS 0.4mm



AC14HAT

## FIVICS BUCKET HAT

SIZE S/M/L



# GEAR

UMBLO1

## TARGET UMBRELLA LONG

LENGTH 95.5cm OPENED SIZE 1m 40cm



UMBLO3

## AUTOMATIC 3-FOLD UMBRELLA

LENGTH 29cm OPENED SIZE 1m 10cm



AC24GF-4 NEW

## FIVICS GOLF BALL & BALL MARKER SET (2 PIECES)

SIZE 143x143x45mm WEIGHT 260g



ARV24ADKR NEW

## ARROVEL KEYRING

SIZE 28x84x28mm



AC25LCNT NEW

## LUNA LUGGAGE TAG

SIZE 70x110mm



AC25TFNT NEW

## TARGET FACE LUGGAGE TAG

SIZE 72x72mm



PAG001

## TARGET SCORE BOOK

SIZE 85 x 130mm PAGE 120p COVER Hard



AC04CL

## CLOCK

SIZE 260 x 260 x 47mm BATTERY AA 1ea



AC24TGRG

## TARGET FACE FLOOR MAT

SIZE 800x400mm WEIGHT 260g



ARV24ADKR

## ARROW DOCKING FRAME

SIZE 500x180mm WEIGHT 1200g LEATHER Acryl



BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSEN

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSEN

TECHNOLOGY OF FIVICS

# PERFECT TARGET FACES

OUTDOOR  
INDOOR  
TRAINING · FIELD

## World Famous Craftsmanship

Researched and tested to be the perfect target faces for competitions.  
Asia's first World Archery-approved target face



Official World Archery Target Face World Archery Target License #9




MATERIAL Polyester THICKNESS 0.29mm TENSILE STRENGTH(kg/cm<sup>2</sup>) L-40.0 / W-17.0  
TEMPERATURE RANGE -32 ~ 260°C PRINTING ERROR RANGE 99.9%(Best "quality")

## PERFECT TARGET FACE

# OUTDOOR




### IN/OUTDOOR



#### 122cm 10-Ring

TARGET FACE **PT001F**


RANGE 90m / 70m / 60m  
MARK DIMENSION 122cm x 122cm  
TOTAL DIMENSION 125cm x 125cm  
(width / length)



#### 80cm 10-Ring

TARGET FACE **PT002F**

RANGE 50m / 30m  
MARK DIMENSION 80cm x 80cm  
TOTAL DIMENSION 83cm x 83cm  
(width / length)




#### 60cm 10-Ring

TARGET FACE **PT003F**

RANGE 25m  
MARK DIMENSION 60cm x 60cm  
TOTAL DIMENSION 63cm x 63cm  
(width / length)

### IN/OUTDOOR



#### 40cm 10-Ring

TARGET FACE **PT004F**

RANGE 18m  
MARK DIMENSION 40cm x 40cm  
TOTAL DIMENSION 43cm x 43cm  
(width / length)



#### 48cm 6-Ring

TARGET FACE **PT007A**


RANGE 50m  
MARK DIMENSION 48cm x 48cm  
TOTAL DIMENSION 51cm x 51cm  
(width / length)



#### 48cm 6-Ring Triple

TARGET FACE **PT007A3**

RANGE 50m  
MARK DIMENSION 48cm x 3spot  
TOTAL DIMENSION 99cm x 98.5cm  
(width / length)



#### 40cm 10-Ring

TARGET FACE **PT007A4**

RANGE 50m  
MARK DIMENSION 48cm x 4spot  
TOTAL DIMENSION 102cm x 105cm  
(width / length)

PERFECT TARGET FACE

# INDOOR



BOWS

ARROWS

STABILIZERS

FINGER TABS


ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE


KROSSEN



## 20cm Vertical Recurve

TARGET FACE **PT008F**


RANGE 18m  
MARK DIMENSION 20cm x 3spot  
TOTAL DIMENSION 23cm x 67cm  
(width / length)



## 20cm Vertical Compound

TARGET FACE **PT008C**


RANGE 18m  
MARK DIMENSION 20cm x 3spot  
TOTAL DIMENSION 23cm x 67cm  
(width / length)



## 40cm 10-Ring Quadruple

TARGET FACE **PT009F**


RANGE 18m  
MARK DIMENSION 40cm x 4spot  
TOTAL DIMENSION 93cm x 85cm (width / length)



## 20cm Triangular 3-Spot Quadruple

TARGET FACE **PT011F**

RANGE 18m  
MARK DIMENSION 20cm x 12spot  
TOTAL DIMENSION 97cm x 85cm (width / length)



## 20cm Vertical 3-Spot Quadruple

TARGET FACE **PT010F**

RANGE 18m  
MARK DIMENSION 20cm x 12spot  
TOTAL DIMENSION 103cm x 67cm (width / length)

PERFECT TARGET FACE

# TRAINING-FIELD



BOWS

ARROWS

STABILIZERS

FINGER TABS


ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE


KROSSEN



## Center-Spot (3ring)

TARGET FACE **PT012F**


RANGE 50m / 30m / 20m  
MARK DIMENSION 24cm x 24cm  
TOTAL DIMENSION 32cm x 32cm  
(width / length)



## Center-Spot (4ring)

TARGET FACE **PT013F**

RANGE 90m / 70m / 60m  
MARK DIMENSION 48.8cm x 48.8cm  
TOTAL DIMENSION 61cm x 61cm  
(width / length)



## TRAINING (12ring)

TARGET FACE **PT020F**


RANGE 50m / 30m / 20m  
MARK DIMENSION 52mm x 52mm  
TOTAL DIMENSION 282mm x 238mm  
(width / length)



## FIELD 80cm

TARGET FACE **PT014F**


MARK DIMENSION 80cm x 80cm  
TOTAL DIMENSION 83cm x 83cm  
(width / length)



## FIELD 40cm Quadruple

TARGET FACE **PT015F**

MARK DIMENSION 60cm x 60cm  
TOTAL DIMENSION 63cm x 63cm  
(width / length)



## TRAINING (12ring)

TARGET FACE **PT021F**

MARK DIMENSION 48mm x 48mm  
TOTAL DIMENSION 250mm x 231mm  
(width / length)



## FIELD 40cm Quadruple TARGET FACE **PT016F**

MARK DIMENSION 40cm x 4spot  
TOTAL DIMENSION 93cm x 85cm (width / length)



**KROSSEN**

## EVERYONE CAN ENJOY ARCHERY

In April 2015, the FIVICS archery center was launched with a dream to allow anyone, including non-athletic people, to enjoy archery. Now, we are making that dream a reality. The new Krossen line allows us to say "Everyone can enjoy archery with top quality and beautifully designed equipment!". In the past, beginners or intermediate archers did not much choice. But now, that has changed. We at FIVICS thrive to make more options for everyone who loves archery as we do.



2017 설특집    2018 설/추석특집    2019 설특집    2019 추석특집    2020 설특집    2022 추석특집    2024 추석특집

Featured in archery competitions for the Korean TV entertainment program Idol Sports Festival

Extreme light-weight riser perfect for those starting archery

# XENIA

## XENIA RISER **HX0325**

The lightest weight /  
Flawless coating /  
Showy color from painting /  
Perfect centroidal balance



**PROCESSING** Die Casting

**WEIGHT** 23" 766g, 25" 800g

**MATERIAL** Magnesium Alloy

**TYPE** RH / LH


**GRIP** Plastic

**COLOR** Painted

**LENGTHS** 25", 23"



Red Blue Black White Fluorescent Pink Green



**NEW**



**Stabilizer Mount Thread** 5/16"-24

**Cushion Plunger Mount Thread** 5/16"-24

**Upstabilizer Mount Thread** 5/16"-24

**Clicker Mount Thread** 6/32"

## XENIA WOOD LIMBS **LXW03G**

## XENIA FOAM LIMBS **LXW03F**

Modern design / Reinforced limb tip

**MATERIAL** Fiber Glass

**CORE** Wood, Foam

**BOW LENGTH** 66", 68", 70"

**DRAW WEIGHT(lbs.)** 12#~28# (2# increments)

FIVICS limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all FIVICS risers and other ILF risers.



## XENIA STABILIZER LONG **STL02L**

## XENIA STABILIZER SIDE **STL02S**

## XENIA STABILIZER EXTENDER **STV02E**

XENIA STABILIZER effectively stacks General Modulus Carbon and Fiber Glass to provide the best elasticity and spine level for the beginner archer. The Xenia Stabilizer excels for beginners since it diminishes vibrations using high quality materials and IIR rubber. Refined design / Weight & damper included

**MATERIAL** Carbon Composite

**DIAMETE** 17mm

**WEIGHT** 144g(30"), 84g(12")

**LENGTH** Long : 26", 28", 30" / Side : 10", 12" / Extender : 3", 4"(Aluminum)



## **VBXE01**

## XENIA V-BAR

**ANGLE** 40°



## **XEDA01**

## XENIA DAMPER

**THREAD** 1/4"-20




## VELLATOR WEIGHT

**DIAMETER** 20mm

**WEIGHT** Head-40g / Flat-26g

**THREAD** 1/4"-20



**XEWH01**



**XEWF01**

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGETFACE

KROSSEN

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGETFACE

KROSSEN

Sights, Plunger, Clicker, and Rest


# XENIA

SG03XE

## SCORPION SIGHT

Simple design with all the functionality required for a beginner archer

SIZE Extention 7"  
TYPE RH  
MATERIAL Aluminum  
WEIGHT 220g



SG03XESB

## SCORPION SIGHT BLOCK



XENCP02

## XENIA 2 CUSHION PLUNGER

Stable performance with upgraded internal components.

MATERIAL Aluminum  
THREAD 5/16"-24  
SIZE 61.5mm



XECL001

## XENIA CLICKER

MATERIAL Stainless Steel  
SIZE 100mm  
THICKNESS 0.3 / 0.4mm




SG02XE

## XENIA SIGHT

One model suitable for left-handed and right-handed archers

SIZE Extention 4"  
MATERIAL Aluminum  
WEIGHT 180g



SG02XESB

## XENIA SIGHT BLOCK



KP001

## KP REST

Simple design with strong material

MATERIAL Plastic  
SIZE 30 x 20mm  
TYPE RH / LH



BS001

## BOW STRING BUCKLE

Suitable for many bow strings. The inner layer is composed of anti-skid nylon to reduce wear on the bow string

- 1set is including 2pcs



BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSEN

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSEN

Hand, arm, and chest protectors

# XENIA

JMF01A

## XENIA JM1 FINGER TAB

SIZE L/M/S (RH)  
LEATHER Cowhide



JMF02A

## XENIA JM2 FINGER TAB

SIZE L/M/S (RH)  
LEATHER Cowhide



LFTC02

## CLOVER FINGER TAB

SIZE L/M/S (RH)  
LEATHER Cowhide



FR001

## FINGER PROTECTOR

The positioning can be adjusted to any finger thickness.

MATERIAL Rubber



AMF01L

AMF01M

## FABRIC ARMGUARD

SIZE L, M



AC19HKSV

## HK HOLDER

Hooks onto the quiver belt to hold the finger tab.



CG06XE

## XENIA CHEST GUARD

Easy fit adjustment

SIZE L, M, S TYPE RH/LH



Red

Yellow

Blue

Pink



White

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSEN

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSEN

# HYPER SERIES

XEQV02

## HYPER BACK QUIVER

420D & 600D combination of high quality material and fabric

WEIGHT 380g



Blue Yellow Red Black



XEQV01

## HYPER TOURNAMENT QUIVER

420D & 600D combination of high quality material and fabric

WEIGHT 460g



Blue Yellow Red Black



XEB01BB

## HYPER RECURVE BACKPACK

Affordable recurve backpack with a modern sophisticated design.

Increased stability from external shock with the application of thicker foam material.

SIZE 13.4 x 29.5 x 5.9" WEIGHT 920g



Blue Red Black



RISER & LIMBS CASE / ARROW TUBE

# SPECIFICATIONS

## RISER

PRODUCT	LENGTH	WEIGHT	MATERIAL	PROCESSING	COLOR
<b>SKADI-TX</b> (p.14)	25"	1,282g	AL 6061, Tungsten	Full CNC	<b>Anodized</b> Blue, Sky, Red, Black <b>Painted</b> White, Sand, Viva Magenta
	27"	1,340g			
<b>TITAN-NXT</b> (p.16)	25"	1,238g	AL 6061		<b>Anodized</b> Red, Blue, Black <b>Painted</b> Green,White
<b>ARGON-X</b> (p.18)	25"	1,330g			<b>Anodized</b> Blue, Red, Black <b>Painted</b> Aqua Amethyst, Deep purple, Frost blue, Spring green, White
	27"	1,380g			
<b>ONIX</b> (p.20)	25"	1,200g			<b>Anodized</b> Black Lime, Black Pink <b>Painted</b> Yellow, Green, Red

PRODUCT	LENGTH	WEIGHT	MATERIAL	PROCESSING	COLOR
<b>VX</b> (p.21)	25"	1,100g	AL 6061	Full CNC	<b>Anodized</b> Black, Red, Blue <b>Painted</b> Lime, Turquoise, Orange
<b>VELLATOR</b> <b>-V3</b> (p.22)	23"	1,100g			<b>Anodized</b> Blue, Red, Black <b>Painted</b> Dreamy Sunset, Golden sky, Misty Moonlight
	25"	1,210g			
<b>SIRASONI</b> (p.24)	17"	1,030g		<b>Anodized</b> Brown, Green, Khaki, Black	
<b>XENIA</b> (p.92)	23"	766g	Alloy Magnesium	Die Casting	<b>Painted</b> Red, Blue, Black, White, Fluorescent Green, Pink
	25"	800g			



# SPECIFICATIONS

## LIMBS

PRODUCT	CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTH
<b>SKADI</b> (p.15)	WOOD	Super Graphite	32# ~ 50#	66", 68", 70"
	FOAM			
<b>TITAN-NX</b> (p.17)	WOOD	CWP240 3K Full Carbon	32# ~ 50#	66", 68", 70"
	FOAM			
<b>ARGON-X</b> (p.19)	WOOD	CWP3024 1K Full Carbon	32# ~ 50#	66", 68", 70"
	FOAM			

PRODUCT	CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTH
<b>VELLATOR-V3</b> (p.23)	WOOD	CUP240 UD Carbon	22# ~ 38#	66", 68", 70"
	FOAM			
<b>SIRASONI</b> (p.25)	WOOD	CWP240 3K Full Carbon	30# ~ 55#	60", 62"
<b>XENIA</b> (p.92)	WOOD	Fiber Glass	12# ~ 28#	66", 68", 70"
	FOAM			

### FIVICS RECURVE BOW BRACE HEIGHT RANGE CHART

23" RISER - LONG LIMBS 22.5~23cm | MEDIUM LIMBS 22~22.5cm | SHORT LIMBS 21.5~22cm

25" RISER - LONG LIMBS 23~23.5cm | MEDIUM LIMBS 22.5~23cm | SHORT LIMBS 22~22.5cm

27" RISER - LONG LIMBS 23.5~24cm | MEDIUM LIMBS 23~23.5cm | SHORT LIMBS 22.5~23cm


\* TILLER HEIGHT : The distance from the base of the top limbto the string should be set 2-4mm greater than the bottom.





## Successful SPOEX Debut for SPONEER's Archery Simulator 'Target X'

SPONEER, a subsidiary of FIVICS made a successful debut at the 2025 Seoul International Sports & Leisure Industry Show (SPOEX) held at COEX, Seoul. The company unveiled its self-developed archery simulator Target X, drawing over 5,000 visitors during the 4-day event. Through hands-on experiences, giveaways, and live consultations, SPONEER introduced archery in a fun and approachable way to a wide audience. Powered by advanced sensors and simulation technology, Target X reduces the traditional spatial and financial barriers of archery and shooting training. Already adopted nationwide, the simulator is easily scalable to schools, resorts, shopping malls, and sports centers. CEO Jongdae Baek stated, "As times change, so must sports. We hope Target X marks a meaningful first step in bringing archery into the digital era."





# FIVICS CUP

The Second Annual Fivics Indoor Cup in Nagoya, Aichi Prefecture, Japan!

Driven by a passion for nurturing future generations of archers and coaches, the FIVICS INDOOR CUP is a space for both passionate competitors and curious beginners to engage with the exhilarating world of archery. FIVICS is committed to continually elevating the tournament's quality and welcoming even more participants each year. We strive to build a vibrant community around archery, fostering excellence and igniting enthusiasm for the sport. Join us at the next FIVICS competition and become part of something truly special!



# TEAM FIVICS




ITALY  
MAURO NESPOLI




FRANCE  
THOMAS CHIRAULT



JAPAN  
WAKA SONODA



USA  
NICHOLAS D'AMOUR




AUSTRALIA  
TAYMON KENTON-SMITH



ITALY  
VINCENZA PETRILLI



FRANCE  
DAVID JACKSON



SPAIN  
DAVID GARCIA




ITALY  
ALESSANDRO PAOLI




COLOMBIA  
SANTIAGO ARCILA



GREAT BRITAIN  
TOM HALL



GREAT BRITAIN  
CONOR HALL




SPAIN  
CESAR VERA  
BRINGAS



ITALY  
ROBERTA DI  
FRANCESCO



JAPAN  
MAO WATANABE



JAPAN  
SHIORI NISHIJIMA



GREAT BRITAIN  
PENNY HEALEY



VIETNAM  
LE QUOC PHONG



ITALY  
MARCO GALIAZZO



TAIWAN  
TAN YA TING




GREAT BRITAIN  
MAX OAKLEY




PORTUGAL  
NUNO CARNEIRO



SLOVAKIA  
KRISTINA DRUSKOVA



FRANCE  
MAIA TINCU



ITALY  
VANESSA LANDI



ISRAEL  
MIKAELLA MOSHE



AUSTRIA  
ANDREAS GSTOTTNER



GREAT BRITAIN  
MONTY ORTON




FRANCE  
GAUBIL MELANIE



TAIWAN  
LEE CHIN TANG



TAIWAN  
LUO ZHENG WEI



TAIWAN  
YU GUAN LIN

# TEAM FIVICS



TAIWAN  
LIU SHIH LING




MEXICO  
JORGE NEVAREZ



BELGIUM  
FEEL STINKENS



SPAIN  
CASANDRA CAMPO  
TELLEZ



AUSTRALIA  
CASEY ISLES



FRANCE  
WILLIAM PIKE



GREAT BRITAIN  
YULIA HINCKLEY



GREAT BRITAIN  
EMMA DAVIS



GREAT BRITAIN  
EMELIA HUGHES



GREAT BRITAIN  
EDWARD GRAY



CHAD  
ISRAEL MADAYE



CUBA  
HUGO FRANCO



FRANCE  
LEO DEFEVRE



PHILIPPINES  
GABRIELLE MONICA  
BIDAURE



PHILIPPINES  
PIA BIDAURE



www.fivics.com



**FIVICS KOREA**  
(HEAD OFFICE)

**Address** 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566  
**Tel** +82-31-245-6388 **Fax** +82-31-245-6386 **E-mail** info@fivics.com

**FIVICS CHINA**  
(FACTORY)

**Address** INDUSTRIAL PARK HOUGUZHEN ROAD XIAZHUANG CHENGYANG DIST QINGDAO CHINA  
**Tel** +86-532-8788-6455 **E-mail** info@fivics.com

**FIVICS USA**  
(BRANCH)

**Address** Los Angeles, CA, US  
**E-mail** teamusa@fivics.com **www.fivics-usa.com**

fivickorea fivicsarcherykorea fivickorea

**FIVICS BOW LIMITED LIFETIME WARRANTY**  
FIVICS recurve handles are guaranteed against manufacturing defects in materials and workmanship to the original owner for the life of the product.  
For more information visit us online at [www.fivics.com](http://www.fivics.com)

**Note:** At the time of production of our 2025 Product Guide, the bows, limbs, color options, and all other accessories shown, and the information contained, had been thoroughly checked for accuracy. However, in the event an error was made, FIVICS reserves the right to notify our dealers and customers at its discretion. Additionally, FIVICS reserves the rights to modify, change or discontinue products shown in this publication without notice.



## FIVICS KOREA

**Address** 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566  
**Tel** +82-31-245-6388 **Fax** +82-31-245-6386 **E-mail** [info@fivics.com](mailto:info@fivics.com) **www.fivics.com**