



FIVICS

LEAD TO VICTORY





FIVICS

LEAD TO VICTORY



**You control the bow until
the moment of release.
From then on, it's Fivics' turn.**

Archery requires absolute trust in your equipment. The athlete can pull, aim and release the bow, but from there the rest is up to the equipment.

The same result should be obtained when shooting under the same conditions. When shooting under consistent conditions, an archer should repeatedly achieve the same shot. If not, there is a problem with the equipment they use.

Based on this idea, Fivics started with a goal to develop reliable archery equipment.

FIVICS' innovation started with finger tab, but moved to an entire lineup of products which boasts quality and reliability which many top shooters will attest to and use for themselves.

Fivics has revolutionized archery equipment at record breaking levels. You control your shot from the until the moment of release. From then on, it's Fivics' turn!

FIVICS President BAEK, Jong Dae



CONTENT

FIVICS BOWS

TITAN-NX	12
ARGON-X	14
VELLATOR-V3	16
SIRASONI	18
TITAN-EX	20
VELLATOR-V2	22

FIVICS ARROWS

FIVE-X	24
TENPRO	25
GOLDRO	26
ZEILO	27
NINJA	28
ARROW ACCESSORIES	29

FIVICS ACCESSORIES

FORNIX 14	34
FORNIX 18	35
VELLATOR	36
STABILIZER ACCESSORIES	37
AIREX CUSHION PLUNGER	38
SM540 CUSHION PLUNGER	40
FV-300S	41
ACCESSORIES ETC	42

FIVICS FINGER TAB

TENFIX	44
SAKER SERIES	46
POLITE SERIES	48

FIVICS GEAR

PROTECTOR	49
ETC	51
QUIVER	52
BOW CASE	54
CLOTHING	59
SOUVENIR	60
TARGET FACE	61

KROSSEN

XENIA BOW	68
SIGHT	70
STABILIZER	71
ACCESSORIES	72
FINGER TAB	73
QUIVER, BOW STAND	74
BOW CASE, PROTECTION	75

LEAD TO VICTORY

The Best Shooters, The Greatest Moments, and The Finest Victory!

Congratulations to our Fivics Team, Pro Staff members, and beloved customers for their amazing results and accomplishments during the year of 2020.

Thank you for all of your hard work! It was because of our beloved customers and athletes that the Fivics brand was able to shine so bright in the past year.

We wish you the best of luck for this year and look forward to the great and wonderful things that are coming for you.

Team Fivics will always support you to become the best archer you can be!



◀ **Tom Hall** (Left)
GB 2020 National Tour
Recurve Champion

◀ **Sarah Bettles** (Right)
GB 2020 National Tour
BRONZE MEDAL

Alessandro Paoli (Left) ▶
2020 International Antalya
Challenge SILVER MEDAL

Hayakawa Ren (Right) ▶
All Japan Archery
Championship Champion



THE
EUROPEAN
GAMES

MAURO NESPOLI

Named Best Male Athlete Of
2019 European Games By Association
Of National Olympic Committees



Ten athletes across the five continental games were presented awards. Italy's Mauro Nespoli has been named the best male athlete of the Minsk 2019 European Games by the Association of National Olympic Committees at its annual award ceremony in Doha, Qatar. Mauro was recurve men's champion at the continental multisport event held during the summer. He also collected gold in the mixed team competition and men's team bronze.





1 in 1000 mm precision

ALL FIVICS LINE RISERS FEATURE **FULL CNC** 



The construction method of the archery riser includes casting, forging, CNC (forging), or the full CNC method, which is made by cutting a solid block of aluminum with a CNC machine tool.

The casting method most commonly used for low-cost risers has an advantage of easily mass-producing products using magnesium and aluminum materials, but has a disadvantage of inaccuracies generated during the casting process which can reduce one's shooting accuracy.

The forging method, which is made by tapping hot metal, creates a higher precision and stronger product than casting but at a higher price.

Full CNC is made by cutting a solid block aluminum with a CNC machine tool, so production is limited and the cost of the process is high. Some manufacturers do not release Full CNC products due to profitability.

However, as Full CNC has a precision of 1/1000mm, the product is vastly superior to that of casting and forging. Each product is perfectly centered at the vertical and there are no deviations between products.


Method	Casting	CNC After Forging	Full CNC
Precision	Low	Medium	Premium
Durability	Low	High	High
Deviation Between Products	High	Medium	None
Vertical Center Deviation	High	Medium	None
Production Unit Price	Low	Medium	Very High

The most precise and stable washer limb alignment system in the world with


INCREMENTS AS **LOW AS 0.05mm** 



Normally, limb alignment adjustment with the washer system is able to adjust in 0.1mm increments. FIVICS' ultra-precise limb alignment system can adjust 0.05mm to 0.15mm, offering double the amount of precision.

Adjusting the limb alignment without removing the limbs 

EASY & STABLE **CENTER ADJUSTMENT**



- Perform bow center adjustment without disassembling the riser and limb alignment system
- The limb alignment system allows a strong fixing force with only one locking bolt.

Limb Alignment System


1. Loosen the locking bolt
2. **String is left of center :**
Loosen the adjustment bolt and the right set screw.
Tighten the left set screw to move the limb to the right.
- String is Right of Center :**
Loosen the adjustment bolt and left set screw.
Tighten the right set screw to move the limb to the left.
3. Tighten the locking bolt.



STABLE & STEADY GEOMETRY


The new FIVICS risers are designed with a stable low center of gravity, creating significantly less vibration and shake than a normal riser during shooting.

This also has the added benefit of the bow falling faster after the shot, which increases the arrow speed and reduces accidental influence that may be caused by minute hand movement.



7075 RISER VS. EX 6061 RISER

The Titan EX riser is designed with 6061 aluminum to allow for the best vibration absorption possible. Using a hydraulic press machine, we have scientifically proven that our 6061 aluminum risers can tolerate higher pressure than risers made from more rigid materials such as 7075 aluminum.



3 important points in grip system

TIGHT AND SECURE GRIP



FIVICS' TSG (Tight and Secure Grip) is designed to maximize the contact between the archer's bow hand and the grip. This grip was produced in an optimal shape specializing in close contact by analyzing the close contact between the hand and the grip in three dimensions as well as analyzing the direction of the force received by the bow hand during anchoring.

The FIVICS TSG is combined with FIVICS' STABLE & STEADY GEOMETRY Riser to exert a synergistic effect which promotes the bow to move to the target at a faster speed and allows a stable control of the arrow even at high speeds.





All FIVICS line Limbs

CWP CARBON PREPREG MATERIAL



SK Chemical


Collaboration between Fivics and SK chemical have produced a limb with increased stiffness but with the same stability and uniform elasticity.

- Plane Weave
- Low Drapability
- High Crimp
- Good Decoration



With the cooperation of Fivics Archery and SK Chemical, we have developed a unique Carbon "PrePreg material" specifically designed for the highest performance in archery. This material allows efficient pull kinetics and quick restoration.

- The most important part of an archery limb is the carbon's raw material.
- In the process of producing good carbon materials, prepreg technology of epoxy and carbon fiber is proportional to the tension and torsion of the limbs.




New type of Limbs Argon X - Surprising effect of


POWER ZONE BALANCE



The location and angle of the Power Zone has been improved (area that creates the most acceleration)



The integrity test through 3D-CT non-destructive read




New type of Limbs Argon X - Surprising effect of


45° CARBON TECHNOLOGY



Glass fiber is used to protect carbon within the limb, but this combination reduces arrow speed due to the heavy mass weight. The 45 degree carbon system increases shooting stability, protecting the carbon as well as reinforcing anti-twisting.



AR TECH - INNOVATIVE LIMBS CNC PROCESSING



AR technology maintains similar successful performance to limbs made with the original materials, while also utilizing CNC processing to increase the consistency and uniformity of productivity. Additionally, production of Fivics limbs eliminates any air in the adhesion process, minimizing limbs fractures and torsions. Lastly, the new 330-carbon improves the elasticity, optimizing speed and balance.

Increased stiffness while saving the same stability and uniform elasticity of the limb.





TITAN-NX

RISER



LIMBS



LENGTH
25

Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"



TITAN-NX 25" RISER **HX0625 / NEW**

The light weight high-end riser / Superfine full CNC milling / Adjustable limb alignment with an M4 and M5 wrench without removing limbs / Stable & steady geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,230g MATERIAL AL 6061
TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTHS 25"


TITAN-NX WOOD CORE LIMBS **LNW01 / NEW** TITAN-NX FOAM CORE LIMBS **LNFO1 / NEW**

CWP240 carbon Material / 45° carbon technology / AR tech CNC processing / The location and angle of the Power Zone has been improved


MATERIAL CWP240 3K Full Carbon CORE Wood core / Foam core
BOW LENGTH 66", 68", 70"
DRAW WEIGHT(lbs.) 32#~50# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.

CWP240



CWP240





ARGON-X

RISER



LIMBS



LENGTH
25 27

Stabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24
Clicker Mount Thread 6/32"



Blue Sky Green Orange Red Purple Black Silver

ARGON-X 25" RISER HA0725

ARGON-X 27" RISER HA0727 / SPECIAL

Lower pressure point / fast drop from the bow hand /
Superfine full CNC milling / The most precise and stable washer
limb alignment system in the world with increments as low
as 0.05mm / Stable & steady geometry /
Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,330g(25") / 1,380g(27") MATERIAL AL 6061
TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTHS 25", 27"




ARGON-X WOOD CORE LIMBS LAWCO1 / UPGRADE
ARGON-X FOAM CORE LIMBS LAFCO1 / UPGRADE

CWP330 carbon Material / 45° carbon technology /
AR tech CNC processing / The location and angle of
the Power Zone has been improved

MATERIAL CWP330 1K Full Carbon CORE Wood core / Foam core
BOW LENGTH 66", 68", 70"
DRAW WEIGHT(lbs.) 32#~50# (2# increments)


Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit
in all Fivics risers and others.

CWP330



Bakelite / 31S
Bakelite (31S) is a thermoset with excellent flexion intensity.

CWP330



Bakelite / 31S
Bakelite (31S) is a thermoset with excellent flexion intensity.





VELLATOR-V3

RISER



LIMBS



LENGTH 25

Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"



VELLATOR-V3 25" RISER HV0325 / NEW

The light weight mid tier riser / Superfine full CNC milling / Adjustable limb alignment with an M4 and M5 wrench without removing limbs / Stable & steady geometry / Deep color from anodizing

PROCESSING CNC WEIGHT 1,210g MATERIAL AL 6061
TYPE RH / LH GRIP Plastic COLOR Anodizing LENGTHS 25"


VELLATOR WOOD CORE LIMBS LVWC02 VELLATOR FOAM CORE LIMBS LVFC02

CUP240 carbon Material / 45° carbon technology / AR tech CNC processing

MATERIAL UD Carbon CORE Wood core / Foam core
BOW LENGTH 66", 68", 70"
DRAW WEIGHT(lbs.) 22#~38# (2# increments)


Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.

CUP240



Bakelite / 24S
Bakelite (24S) is a thermoset with excellent flexion intensity.

CUP240



Bakelite / 24S
Bakelite (24S) is a thermoset with excellent flexion intensity.





SIRASONI



LENGTH
17

Stabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24



SIRASONI 17" RISER **HS0117** / NEW

Superfine full CNC milling / Adjusting the limb alignment with one m5 wrench without removing the limbs / Stable & steady geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,030g / 2.27 lbs MATERIAL AL 6061
TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTHS 17"




SIRASONI HUNTING LIMBS **LSW01** / NEW

CWP240 carbon Material / 45° carbon technology / AR tech CNC processing / The location and angle of the Power Zone has been improved

MATERIAL CWP240 3K Full Carbon
BOW LENGTH Medium 60" / Long 62"
DRAW WEIGHT(lbs.) 30~55 lbs in 5 lbs increments

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.

CWP240



Bakelite / 31S
Bakelite (31S) is a thermoset with excellent flexion intensity.





TITAN-EX

RISER



LIMBS



LENGTH
25/27

Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"



Blue Sky Green Orange Red Purple Black Silver

TITAN-EX 25" RISER HX0525

TITAN-EX 27" RISER HX0527 SPECIAL

Perfect centroidal balance/ Superfine full CNC milling /
The most precise and stable washer limb alignment system in
the world with increments as low as 0.05mm / Stable & steady
geometry / Tight & secure wooden grip / Deep color from anodizing

PROCESSING CNC WEIGHT 1,330g(25") / 1,380g(27") MATERIAL AL 6061
TYPE RH / LH GRIP TSG Wood Grip COLOR Anodizing LENGTHS 25", 27"



TITAN-EX WOOD CORE LIMBS LXWC01


TITAN-EX FOAM CORE LIMBS LXCF01

CWP240 carbon Material / 45° carbon technology /
AR tech CNC processing

MATERIAL CWP240 3K Full Carbon CORE Wood core / Foam core
BOW LENGTH 66", 68", 70"
DRAW WEIGHT(lbs.) 32#~50# (2# increments)


Fivics limbs follow the international limb fitting system (ILF) and are guaranteed
to fit in all Fivics risers and others.

CWP240



Bakelite/31S
Bakelite (31S) is
a thermoset with
excellent flexion
intensity.

CWP240



Bakelite/31S
Bakelite (31S) is
a thermoset with
excellent flexion
intensity.





VELLATOR-V2



LENGTH
23/25

Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"



Blue Green Orange Red Black Silver

VELLATOR 25" RISER HV0225
VELLATOR 23" RISER HV0223

Only 1,100grams / Superfine full CNC milling /
Stable & steady geometry / Deep color
from anodizing

PROCESSING CNC WEIGH 1,050g(23") / 1,100g(25") MATERIAL AL 6061
TYPE RH / LH GRIP Plastic COLOR Anodizing LENGTHS 23", 25"



- Error rate through 49 meter machine launch with a single spine
- Error rate through 49 meter machine launch with 6 spines

FIVICS ARROWS



Produced with high quality and a special carbon technology for perfect arrow grouping.




FIVE-X VS Other brand Arrows

Arrow flight can be effected by carbon cracks inside the arrow. Five-X reduces the chance of any cracks with a special high quality carbon material, allowing for the best arrow flight.

FIVE-X cross section

Other brand arrow cross section





FIVE-X

FIVE-X CARBON ARROW SHAFT **ARFX**

Advanced Technology. Extreme Accuracy. The FIVE-X is the perfect competition arrow made with the latest carbon technology.

STRAIGHTNESS ± 0.001" WEIGHT TOLERANCE ± 1.0 grains
SPINE SELECTION TOLERANCE ± 0.002"

FIVE-X TUNGSTEN POINT **FXTPO**



WEIGHT 120gr

FIVE-X STAINLESS STEEL POINT **FXSPO**



WEIGHT 120gr

FIVE-X ALUMINUM INSERT PIN **FXIN**



Size	X-10 Comparison	Length	Weight (Grain)	Outside Diameter	Qty	Recommended Point Weight Range		Pin Nock Adapter
						STEEL	TUNGSTEN	
350	325	32"	308.3	0.2136"	12pack	1X	1X	
400	325~350	32"	284.5	0.2112"	12pack			
450	350~380	32"	261.7	0.2068"	12pack			
500	410~450	31"	249.1	0.2013"	12pack	2X	2X	
550	450~500	31"	216.7	0.1989"	12pack			
600	500~550	30"	201.5	0.1957"	12pack			
650	550~600	30"	193.7	0.1927"	12pack	3X	3X	
700	600~650	29"	174.9	0.1898"	12pack			
750	650~700	29"	166.9	0.1895"	12pack			
800	700~750	28"	162.3	0.1864"	12pack	3X	3X	
850	750	28"	150.2	0.1831"	12pack			
900	830	28"	144.8	0.1831"	12pack			
1000	900	28"	134.5	0.1792"	12pack			

TENPRO

TENPRO CARBON ARROW SHAFT **TPROS**

30ton carbon allows for extreme speed, strength, and consistency in shooting

STRAIGHTNESS ± 0.002" WEIGHT TOLERANCE ± 1.0 grains
SPINE SELECTION TOLERANCE ± 0.002"

TENPRO STAINLESS STEEL POINT **TPSP**



WEIGHT 120gr

TENPRO ALUMINUM INSERT PIN **TPPIN**



Size	Length	Weight (Grain)	Outside Diameter	Qty	Recommended Point Weight Range	Pin Nock Adapter
400	32"	302.4	0.2354"	12pack		
450	32"	287.7	0.2279"	12pack		
500	31"	262.7	0.2216"	12pack		
550	31"	248.8	0.2185"	12pack		
600	31"	228.9	0.2145"	12pack	2T/120gr	
650	31"	220.5	0.2126"	12pack		
700	30"	204.6	0.2118"	12pack		
800	30"	186.9	0.2055"	12pack	3T/120gr	
900	29"	164.0	0.2007"	12pack		
1000	29"	154.1	0.2004"	12pack		
1100	28"	142.2	0.1953"	12pack		
1200	28"	134.6	0.1929"	12pack		



GOLDRO

GOLDRO CARBON ARROW **GDRA** / NEW

GOLDRO is the target arrow for youth archers / NEW cross weave layer of pure carbon gives it unequaled strength / Advanced Technology, Extreme Accuracy. / The Stylish Graphics.

STRAIGHTNESS ± 0.002" WEIGHT TOLERANCE ± 1.0 grains
SPINE SELECTION TOLERANCE ± 0.0025"

GOLDRO STAINLESS STEEL **GRPO**



WEIGHT 110gr/120gr

IN NOCK **NMNOK**



Size	Length	Weight (Grain)	Outside Diameter	Qty	Recommended Point Weight Range
800	29"	199.4	0.2234"	12 pack	110gr
900	29"	184.7	0.2196"	12 pack	
1000	28"	169.7	0.2172"	12 pack	
1100	28"	161.7	0.2151"	12 pack	
1200	28"	155.6	0.2135"	12 pack	
1300	28"	146.5	0.2109"	12 pack	
1400	28"	141.3	0.2096"	12 pack	120gr
1500	27"	131.2	0.2082"	12 pack	
1600	27"	120.2	0.2049"	12 pack	

ZEILO

ZEILO CARBON ARROW SHAFT **ZLA**

ZEILO is the target arrow for youth archers / NEW cross weave layer of pure carbon gives it unequaled strength / Advanced Technology, Extreme Accuracy.

STRAIGHTNESS ± 0.002" WEIGHT TOLERANCE ± 1.0 grains
SPINE SELECTION TOLERANCE ± 0.0025"

ZEILO STAINLESS STEEL POINT **ZL002SP**



WEIGHT 110gr/120gr

ZEILO ALUMINUM INSERT PIN **ZT001SV**



Size	Length	Weight (Grain)	Outside Diameter	Qty	Recommended Point Weight Range
500	30"	303.8	0.2515"	12 pack	110gr / 120gr
600	30"	280.3	0.2490"	12 pack	110gr / 120gr
700	30"	232.9	0.2455"	12 pack	110gr / 120gr
800	29"	221.3	0.2412"	12 pack	110gr / 120gr
900	29"	209.4	0.2386"	12 pack	110gr / 120gr
1000	28"	198.0	0.2372"	12 pack	110gr / 120gr
1100	28"	185.0	0.2352"	12 pack	110gr / 120gr
1200	28"	183.3	0.2339"	12 pack	110gr / 120gr
1300	28"	178.7	0.2333"	12 pack	110gr / 120gr
1400	28"	161.7	0.2317"	12 pack	110gr / 120gr
1500	27"	156.6	0.2303"	12 pack	110gr / 120gr



NINJA



NINJA FOR BEGINNER CARBON COMPOSITE ARROW **ARNNS**

Complete arrow comes in a dozen / 12pcs shaft + 1.65" vanes + in nock + break-off point.

STRAIGHTNESS ± 0.006"

NINJA POINT **NMPON**



WEIGHT 80gr

IN NOCK **NMNOK**



NINJA VANES **FIPB**



Size	Length	Qty	Recommended Point Weight Range
400	33"	12 pack	80gr
500	33"	12 pack	80gr
600	33"	12 pack	80gr
700	33"	12 pack	80gr
800	33"	12 pack	80gr
900	33"	12 pack	80gr
1000	30"	12 pack	80gr
1100	30"	12 pack	80gr
1300	30"	12 pack	80gr
1500	30"	12 pack	80gr
1800	30"	12 pack	80gr

ARROW ACCESSORIES



FIVE-X TUNGSTEN POINT **FXTPO**



WEIGHT 120gr

X10 TUNGSTEN POINT FOR X10 SHAFT **X10TPO04**



WEIGHT 120gr



WEIGHT 110gr



X-NET STAINLESS STEEL POINT FOR X-10 SHAFT

WEIGHT 120gr **XNET10120**

WEIGHT 110gr **XNET10110**



OPQ PNK OPQ YLW OPQ WT CLEAR RED CLEAR ORA CLEAR GRN CLEAR BLU CLEAR PUR

FIVICS PIN NOCK (S) **NC001S** FIVICS PIN NOCK (L) **NC001L**

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.

AVAILABLE IN TWO SIZE S fits 12-18 strand strings / L fits 20-24 strand strings

REVERPIN NOCK ADAPTER **REVERPIN**

Designed for X-10 arrows



ARROW CHECKING MACHINE

ACM01

Thrubeam Type Laser Sensor / Straight Check
- 1/10,000 inch Deviation Check Spine Check /
Outside Diameter Check



Case



Spine weight




AC Adapter




Battery case




STRAIGHT




SPINE



OUTSIDE DIAMETER





TECHNOLOGY OF STABILIZER



The FORNIX Stabilizer is efficiently layered by General Modulus Carbon into the High Modulus Carbon. This build is characterized as highly elastic and having a very strong spine relative to the weight of the unit. Fivics also uses the high-pressure mold method to diminish the presence of resins (foreign substances and impurities), maximize carbon purity density, and minimize residual and unwanted vibrations. The FIVICS specific DAMPER uses high-quality butyl as an ingredient to develop a mixing ratio which can reduce vibrations up to 100%.

FORNIX14 VS FORNIX18 VS CEX1900

The Fornix 14, Fornix 18, and CEX1900 Stabilizers have been tested with the 3-axis acceleration test and the ultra-high-speed vibration tracking test, which proved the Fornix stabilizers have a superior carbon material and design compared to the CEX1900.





FORNIX 14

1k high-elastic carbon technology

- FORNIX 14 STABLIZER LONG** SF14RCL
- FORNIX 14 STABLIZER SIDE** SF14RCS
- FORNIX 14 STABLIZER EXTENDER** SF148RCE4

The FORNIX 14 Stabilizer's outer circumference is 14mm and 4mm thick of high-elastic carbon (carbon fiber). This new stabilizer is unique because it uses specially produced carbon fabric (only applied to Fivics products), which focuses on the dampening of vibration.

MATERIAL 40ton Carbon **DIAMETER** 14,5mm **EXTENDER DIAMETER** 18mm
LENGTH Long : 26", 28", 30" / Side : 10", 11", 12", 13", 15" / Extender : 4", 5"
WEIGHT 190g(28"), 108g(12")

Suitable weight (All weights can be used for other Fivics stabilizers.
 The weight listed on this page is the recommended weight to use with this stabilizer)



White Carbon

FORNIX 18

1k high-elastic carbon technology

- FORNIX 18 STABLIZER LONG** SF18RCL
- FORNIX 18 STABLIZER SIDE** SF18RCS
- FORNIX 18 STABLIZER EXTENDER** SF18RCE

By using special materials at the end of the long-stabilizer cap, the FORNIX stabilizer is able to support the redirection of force more towards the target direction, while also dispersing unwanted vibration and increasing bow speed.

The FORNIX 18 was created for the archer that prefers thicker and heavier stabilizers, while also using the High Modulus Carbon which provides the benefits of the elastic characteristics.

MATERIAL 36ton Carbon **DIAMETER** 18mm
LENGTH Long : 26", 28", 30" / Side : 10", 11", 12" / Extender : 4", 5"
WEIGHT 176g(28"), 84g(12")

Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)



Red Blue Carbon



VELLATOR

- VELLATOR STABLIZER LONG **STV01L**
- VELLATOR STABLIZER SIDE **STV01S**
- VELLATOR STABLIZER EXTENDER **STV01E**

The VELLATOR STABLIZER orients and builds General Modulus Carbon into the ideal stabilizer for intermediate archers. In addition to high elasticity and strong spine per weight, the VELLATOR STABILIZERS also come in multiple vibrant color saturations. Including special laminating materials / Damper and weight head included / Absorbing noise system stabilizer + damper + weight head

MATERIAL 24ton Carbon **DIAMETER** 18mm
LENGTH Long : 26", 28", 30" / Side : 9", 10", 12" / Extender : 3", 4"(Aluminum)
WEIGHT 134g(28"), 84g(12")

Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)



White Blue Red Black

FULL ALUMINUM EXTENDER

STABLIZER ACCESSORIES



MAN V-BAR
VBM01R

Upgraded connecting bolt
 ANGLE 35° / 40° / 45°
 MATERIAL Aluminum



COM CONNECTING BOLT
VBC0C

Quick disconnection
 ANGLE 10°
 MATERIAL Aluminum



DC1500S DAMPER
DC1500S

Using special rubber IIR
 THREAD 1/4"-20



DC1500 DAMPER
DC1500

THREAD 1/4"-20



V-ZERO DAMPER
VZERO

THREAD 1/4"-20



V-ZERO MINI DAMPER
VZEROM

THREAD 1/4"-20



PX1500 WEIGHT

DIAMETER 29mm
 WEIGHT 26g / 52g / 104g
 THREAD 1/4"-20



WT WEIGHT

DIAMETER 20mm
 WEIGHT Head-40g / Flat-26g
 THREAD 1/4"-20



CONVERTER SCREW

Applicable for all dampers



AIREX



AIREX CUSHION PLUNGER

AECP / NEW

Dial checking
Pressure point material : Hastelloy

THREAD 5/16"-24
ADJUSTABLE LENGTH Min 19.5mm, Max 26.5mm



Red Blue Silver Black



Easily adjustable knob with a smooth clicking feeling between settings.

Dial Gauge

NEW MATERIAL HASTEALLOY

HASTEALLOY PRESSURE POINT

What is Hastelloy?

Hastelloy offers exceptional resistance to strong oxidizing solutions, strong durability in reducing environments, and a low carbon content that provides minimization of grain-boundary carbide precipitation.

What is Corrosion resistance?

Corrosion resistance refers to the resistance a material offers against a reaction with adverse elements that can corrode the material. Various materials have this property intrinsically, depending upon their corrosion resistance rate.

Hastelloy minimizes corrosion when the arrow shaft touches the cushion plunger during arrow flight and makes the arrow fly more stable with greater grouping. We apply this high-end material to the new cushion plunger "Airex".



6000 times shot abrasion test



After installing on the cushion plunger test equipment, measurements of the friction were taken 3 times for each material, repeated 2,000 times. Measurements of the abrasion of the arrow surface and abrasion of the pressure point per number of time were also collected.


Material 1: Hastelloy Pressure Point
Material 2: Aluminum Pressure Point



HASTEALLOY Pressure point

Arrow Shaft Surface / Pressure Point :
6000 times shot abrasion test


- Arrow Shaft Surface Abrasion : Almost None.
- Pressure Point Abrasion : Almost None.



ALUMINUM Pressure point

Arrow Shaft Surface / Pressure Point :
2000 times shot abrasion test

- Arrow Shaft Surface Abrasion : High
- Pressure Point Abrasion : High





SM540



SM540 CUSHION PLUNGER


SM540

Compact size for easy setting

THREAD 5/16"-24
ADJUSTABLE LENGTH Min 19.5mm, Max 26.5mm



Red Blue Pink Silver Black



FV-300S



FV-300S SIGHT FV300S

Designed for Olympic style / Recurve bows / Specially designed weight and dampers available (included) / VTS (Variable Tension System) / Elevation travel tension adjustment

SIZE Extension 9" TYPE RH MATERIAL Aluminum, Carbon



SIGHT DAMPERS

Specially designed weight and damper included



SIGHT PIN (ROUND) SGP01R SIGHT PIN (SQUARE) SGP0

Designed for Olympic style / recurve bows. Fit for all sights



TNS100AL UPSTABILIZER
TNS100AL

WEIGHT 90g THREAD 5/16"-24



TNV2300 UPSTABILIZER
TNV2300

WEIGHT 86g THREAD 5/16"-24



OUT-NOCK REST RS02

This new arrow rest is designed to allow out-nock arrows to stay on the rest without concern for arrow drops. Compatible with all nock types.



RS REST RS03 / UPGRADE

Ambidextrous Design
Allows out-nock & pin-nock



TOP SHOOTER'S CHOICE

FINGER TAB

128 shooters in Rio 2016, 81 top shooter's choice





TENFIX

Lock-in on the 10




PATENTED

FIVICS

Collaboration

Kwon Yonghak


TENFIX Function



Thumb rest can be raised, lowered, and pivoted left and right



Chin rest can be raised, lowered, and pivoted left and right



Chin Shelf can be pivoted up and down



Pinky rest can be adjusted front and back




Pinky rest can be pivoted left and right





Fingertab strap can be adjusted to fit only the middle finger or both the ring and middle finger

Pinky Rest has greater adjustability compared to the Saker Finger Tab

SAKER



TENFIX



TENFIX FINGER TAB SFT05A / NEW

SIZE L / M / S (RH / LH) WEIGHT M 90g LEATHER Cordovan

Collaboration with Coach Kwon Yonghak

The new TENFIX Finger Tab is designed in collaboration with the nationally renowned coach, Kwon Yong-Hak.

Coach Kwon is praised as one of the best coaches in China. He has produced amazing results as a coach: training the majority of archers who are currently on the Chinese national archery team.

Since many of Coach Kwon's students have been dissatisfied with their finger spacer, he developed a unique style finger spacer which allows for a more natural hook, settles the thumb, and permits a comfortable relaxation of the middle and ring finger to promote a clean release.

Additionally, Coach Kwon utilizes a similar design of the Fivics finger tab EP frame, which prevents accidental plucking by enforcing archers to maintain a relaxed and natural finger tension.

With the expertise of Coach Kwon and the Fivics design team, the amazing Tenfix Finger Tab was developed with the thumb rest, pinky rest, and chin shelf each adjustable in three axis and six directions (6D), creating the most adjustable finger tab that will pave the way to the future of archery.



SAKER SERIES



SAKER+ PLUS FINGER TAB SFT04A

SIZE L / M / S (RH is new model, but LH is old version in 2016)

Saker+ Plus finger tab is 4mm thick, allows 3 weight control systems and 5 angle adjustment system through precise machining of the aluminum plate. Saker+ Plus finger tab can be adjusted to fit the archers shape and preference to allow more stable hooking position, making it the best tab to shoot perfectly in any competition.

1. Angle Adjustment



2. Adjustable Ledge



3. Weight Control



4. Balance Control



BRASS SAKER 1

BFT01A

SIZE L / M / S (RH / LH)
WEIGHT L 162g, M 152g, S 144g
LEATHER Cordovan



BRASS SAKER 2

BFT02A

SIZE L / M / S (RH / LH)
WEIGHT L 150g, M 140g, S 136g
LEATHER Cordovan



SAKER 1 SFT01A

SIZE XL / L / M / S / XS / XXS (RH / LH)
LEATHER Cordovan

COLOR
XL L M S XS XXS
DarkBlue Blue Red Yellow Purple DarkGreen



SAKER 2 SFT02A

SIZE XL / L / M / S / XS / XXS (RH / LH)
LEATHER Cordovan

COLOR
XL L M S XS XXS
DarkBlue Blue Red Yellow Purple DarkGreen



SAKER 3 SFT03A

SIZE L / M / S (RH / LH)
LEATHER Cordovan

COLOR
L M S
Blue Red Yellow



Ergonomic design / Adjustable ledge / Replaceable face and backing / Optional finger spacer available



SAKER 1 FINGER TAB FRAME EP EP002

The Frame EP offers top shooters another reference for their hooking direction to allow for the most comfort and balance. This component enhances the Saker Finger Tab's Ergonomic design.

SIZE saker1 XL, L = EP (L size) / saker1 M, S = EP (M size) / saker1 XS, XXS = EP (S size)
WA RULES Book3, Chapter 11, Article 11.18
The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal.
World Archery C&R Committee, 22 September 2014



POLITE SERIES



POLITE 3 FINGER TAB NEWPFT03

SIZE L / M / S (RH) COLOR Champagne Gold LEATHER Cordovan




POLITE 2 FINGER TAB NEWPFT02

SIZE L / M / S (RH) COLOR Champagne Gold LEATHER Cordovan

Emphasizes the sense of unity in your hands. / Absolute stability, accuracy, and sense of unity of hooking / 5 Distribution and support of the optimal force by using the whole fingers / Ergonomic 3D design / Aluminium & anodizing surface treatment

FINGER SPACER



FS004D

MATERIAL Rubber
SIZE 39.8 x 29.3 x 16.2mm



FS007D

MATERIAL Rubber
SIZE 46 x 28.6 x 13mm



FS007O

MATERIAL Rubber
SIZE 41 x 26 x 13.4mm



FS004T

MATERIAL Rubber
SIZE 32 x 28 x 12.4mm



FS001P

MATERIAL Plastic
SIZE 36 x 28.3 x 12.3mm



WIND CHEST GUARD CG02BP

Ergonomic chest guard made of hard mesh and high quality HOOK AND LOOP.

SIZE L, M, S, XS TYPE RH



Red

Blue

White

Black



A2 CHEST GUARD CG01A2

Adjustable shoulder band / The secure button strap can be adjusted to size

SIZE L(From XL to M), M(From L to S), S(From M to XS) TYPE RH / LH



Red

Pink

Blue

White

Black



ORGANIC X AMX01 / NEW

Lightweight and comfortable design / Durable plastic for better protection



ORGANIC WEB AM001

Lightweight and durable plastic armguard



SILICON JELLY AMH01

Accidental string contact with the Silicon Jelly Armguard minimizes unwanted vibration and repulsion during the shot while protecting the bow arm.



LIMB PROTECTOR AC21LP / NEW

New Design / Protects the tip of your shoes while holding the bow at rest.

SIZE 56 x 97mm MATERIAL Rubber




AUTOMATIC BOW STAND (SHORT) ST001S
AUTOMATIC BOW STAND (LONG) ST001L

HEIGHT 44cm [ST001S], 65cm [ST001L] WEIGHT 573g [ST001S], 680g [ST001L]
MATERIAL Aluminum



ARROW PULLER AC24PU / NEW

Non-slip pattern ensures a strong grip



CARBON T-GAUGE BOW SQUARE AC05CT

MATERIAL Carbon



UNICO SERIES



UNICO QUIVER LARGE QV01UNL
UNICO QUIVER SMALL QV01UNS

Elegantly crafted quiver made with artificial leather

SIZE Large / Small WEIGHT L-502g / S-418g TYPE RH

XL size belts are for sale



Orange Green Blue Pink

UNICO BACK QUIVER QV01UNB

Elegantly crafted quiver made with artificial leather

WEIGHT 380g TYPE RH

XL size belts are for sale



Orange Green Blue Pink

ACCENDO SERIES



ACCENDO TOURNAMENT QUIVER QV02AT

Lightweight / Large pocket for accessories

WEIGHT 630g TYPE RH / LH



Red Purple Blue Black



ACCENDO BACK QUIVER QV02AB

Lightweight / Large pocket for accessories

WEIGHT 260g TYPE RH



Red Purple Blue Black



XK QUIVER QV04XK / UPGRADE

Artificial leather

WEIGHT 610g TYPE RH



AEGIS SERIES



AEGIS HARD CASE DOUBLE BCH01

High quality hardcase / This model can hold up to two recurve bows and their accessories

SIZE 33 x 15 x 10" MATERIAL ABS+PC WEIGHT 8.4kg

Recommended maximum weight : 23kg



Red Orange Blue White Black



HARDCASE BELT HARDCASE RAIN COVER
Rain cover / Case belt included

AEGIS HARD CASE SINGLE BCH02

Lightweight / Strong against rough handling / Specially designed wheels / Showy colors / This model can hold up to one recurve bow and its accessories.

SIZE 32.5 x 12.6 x 7.5" MATERIAL ABS+PC WEIGHT 6.5kg

Recommended maximum weight : 23kg



Red Orange Blue White Black



HARDCASE RAIN COVER
HARDCASE BELT
Rain cover / Case belt included





THUNDER M

THUNDER M COMPOUND CASE(DOUBLE) BCCTHM

Room for two compound bows
DIMENSION 15 x 45 x 12"
Recommended maximum weight : 23kg



TENTRON M

TENTRON-M BACKPACK BCB02TM

Riser & Limbs case included / Arrow tube included
SIZE 11.8 x 7.8 x 26.7" POCKET 1pcs WEIGHT 2.4kg



ARROW TUBE RISER & LIMBS CASE



Inner Pockets



Fully Open



TOOL BOX EC03

SIZE 8.5 x 7 x 7"



PRO HAND POCKET STPR01

SIZE 5 x 2.5 x 6" WEIGHT 80g



RISER & LIMBS CASE RLC01

SIZE 27 x 7.5 x 3" WEIGHT 800g



FIVICS ARROW TUBE EC04A



FOLDING CASE (2 LEVEL) BC2L01

Compact size / Including riser & limbs and arrow and equipment cases

SIZE 28.5 x 10.5 x 1.5" WEIGHT 900g



CLOTHES AC08NV

SIZE S / M / L / XL / XXL / XXXL



CLOTHES AC08WT

SIZE S / M / L / XL / XXL / XXXL



FIVICS LOGO CAP

AC12CANV



COOL ARM SLEEVE

AC26CS



FIVICS LOGO SOCKS

AC17SOU / NEW



CLOCK AC04CL

SIZE 250 x 250 x 40mm



TARGET SCORE BOOK PAG001


SIZE 85 x 130mm PAGE 20p COVER Hard



FIVICS UMBRELLA

UMBL02 / NEW

LENGTH 80cm OPENED SIZE 1m 20cm



TARGET FACE UMBRELLA

UMBL01

LENGTH 1m OPENED SIZE 1m 60cm



STRETCH BAND LIGHT(YELLOW)

AC03SL

Quality, natural rubber latex construction

THICKNESS 0.35mm



STRETCH BAND HEAVY(GREEN)

AC03SH

Quality, natural rubber latex construction

THICKNESS 0.45mm



PERFECT TARGET FACE

MASTERPIECES

World famous craftsman designed and made research, production, planning and design.

MATERIAL Polyester THICKNESS 0.29mm TENSILE STRENGTH(kg/cm²) L-40.0 / W - 17.0
TEMPERATURE RANGE -32 ~ 260°C PRINTING ERROR RANGE 99.9%(Best "quality")





OUTDOOR



122cm 10-Ring TARGET FACE

PT001F

RANGE 90m / 70m / 60m
MARK DIMENSION 122cm x 122cm
TOTAL DIMENSION 125cm x 125cm
(width/length)

80cm 10-Ring TARGET FACE

PT002F

RANGE 50m / 30m
MARK DIMENSION 80cm x 80cm
TOTAL DIMENSION 83cm x 83cm
(width/length)

IN/OUTDOOR



60cm 10-Ring TARGET FACE

PT003F


RANGE 25m
MARK DIMENSION 60cm x 60cm
TOTAL DIMENSION 63cm x 63cm
(width/length)

40cm 10-Ring TARGET FACE

PT004F

RANGE 18m
MARK DIMENSION 40cm x 40cm
TOTAL DIMENSION 43cm x 43cm
(width/length)

INDOOR



48cm 6-Ring TARGET FACE

PT007A

RANGE 50m
MARK DIMENSION 48cm x 48cm
TOTAL DIMENSION 51cm x 51cm
(width/length)

48cm 6-Ring Triple TARGET FACE

PT007A3

RANGE 50m
MARK DIMENSION 48cm x 3spot
TOTAL DIMENSION 99cm x 98.5cm
(width/length)

48cm 6-Ring Quadruple TARGET FACE

PT007A4

RANGE 50m
MARK DIMENSION 48cm x 4spot
TOTAL DIMENSION 102cm x 105cm
(width/length)



20cm Vertical 3-Spot Recurve TARGET FACE

PT008F

RANGE 18m
MARK DIMENSION 20cm x 3spot
TOTAL DIMENSION 23cm x 67cm
(width/length)


20cm Vertical Compound TARGET FACE

PT008C

RANGE 18m(Indoor)
MARK DIMENSION 20cm x 3spot
TOTAL DIMENSION 23cm x 67cm
(width/length)




INDOOR




40cm 10-Ring Quadruple TARGET FACE

PT009F

RANGE 18m
MARK DIMENSION 40cm x 4spot
TOTAL DIMENSION 93cm x 85cm
(width/length)




Waterproof



20cm Triangular 3-Spot Quadruple TARGET FACE

PT011F

RANGE 18m
MARK DIMENSION 20cm x 12spot
TOTAL DIMENSION 97cm x 85cm
(width/length)



20cm Vertical 3-Spot Quadruple TARGET FACE

PT010F

RANGE 18m
MARK DIMENSION 20cm x 12spot
TOTAL DIMENSION 103cm x 67cm
(width/length)

TRAINING



80cm Center-Spot TARGET FACE (3 Ring)

PT012F

RANGE 50m / 30m / 20m
MARK DIMENSION 24cm x 24cm
TOTAL DIMENSION 32cm x 32cm
(width/length)



122cm Center-Spot TARGET FACE (4 Ring)

PT013F


RANGE 90m / 70m / 60m
MARK DIMENSION 48.8cm x 48.8cm
TOTAL DIMENSION 61cm x 61cm
(width/length)



TRAINING TARGET FACE (12spot)

PT020F

MARK DIMENSION 52mm x 52mm
TOTAL DIMENSION 282mm x 238mm
(width/length)



TRAINING TARGET FACE (12spot)

PT021F

MARK DIMENSION 48mm x 48mm
TOTAL DIMENSION 250mm x 231mm
(width/length)



FIELD



**FIELD 80cm
TARGET FACE**

PT014F

MARK DIMENSION 80cm x 80cm
TOTAL DIMENSION 83cm x 83cm
(width/length)



**FIELD 60cm
TARGET FACE**

PT015F

MARK DIMENSION 60cm x 60cm
TOTAL DIMENSION 63cm x 63cm
(width/length)



**Field 40cm Quadruple
TARGET FACE**

PT016F

MARK DIMENSION 40cm x 4spot
TOTAL DIMENSION 93cm x 85cm
(width/length)



EVERYONE CAN ENJOY ARCHERY

In April 2015, the Fivics archery center was launched with a dream to allow anyone, including non-athletic people, to enjoy archery. Now, we are making that dream a reality. The new Krossen line allows us to say "Everyone can enjoy archery with top quality and beautifully designed equipment!". In the past, beginners or intermediate archers did not much choice. But now, that has changed. We at Fivics thrive to make more options for everyone who loves archery as we do.





XENIA-2



LENGTH 25

Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"



XENIA-2 RISER HX20326 / NEW

Only 1050grams / The lightest weight /
Flawless coating / Showy color from painting /
Perfect centroidal balance

PROCESSING Die casting WEIGHT 1,050g
MATERIAL Alloy Magnesium TYPE RH / LH
GRIP Plastic COLOR Painted LENGTHS 25"

XENIA FOAM LIMBS LXW03F

Modern design / New designed tip part

MATERIAL Fiber Glass CORE Wood, Foam
BOW LENGTH 66", 68", 70"
DRAW WEIGHT(lbs.) 12#-28# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



XENIA



LENGTH 25

Stabilizer Mount Thread 5/16"-24 Upstabilizer Mount Thread 5/16"-24
Cushion Plunger Mount Thread 5/16"-24 Clicker Mount Thread 6/32"



XENIA RISER HX0325

Only 770grams / The lightest weight /
Flawless coating / Showy color from painting /
Perfect centroidal balance

PROCESSING Die Casting WEIGHT 770g
MATERIAL Alloy Magnesium TYPE RH / LH
GRIP Plastic COLOR Painted LENGTHS 25"

XENIA WOOD LIMBS LXW03G

Modern design / New designed tip part


MATERIAL Fiber Glass CORE Wood, Foam
BOW LENGTH 66", 68", 70"
DRAW WEIGHT(lbs.) 12#-28# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.






SCORPION



SCORPION SIGHT SG03XE

Simple design with all the functionality required for a beginner archer

SIZE Extension 7" TYPE RH
MATERIAL Aluminum WEIGHT 220g



XENIA SIGHT SG02XE

One model suitable for lefthanded and righthanded archers / RH and LH both

SIZE Extension 4"
MATERIAL Aluminum WEIGHT 180g



XENIA

- XENIA LONG STABILIZER STL02L
- XENIA SIDE STABILIZER STL02S
- XENIA EXTENDER STL02E

XENIA STABILIZER effectively stacks General Modulus Carbon and Fiber Glass to provide the best elasticity and spine level for the beginner archer. The Xenia Stabilizer excels as a beginner stabilizer since it diminish vibrations using the best materials to build the Fivics stabilizer and IIR rubber. Refined design / Weight & damper included

MATERIAL Carbon Composite DIAMETER 17mm
WEIGHT 116g(30"), 65g(12")
LENGTH Long : 26", 28" / Side : 10", 12" / Extender : 3", 4"(Aluminum)



XENIA V-BAR VBXE01

ANGLE 40°

XENIA DAMPER XEDA01

THREAD 1/4"-20

WT WEIGHT

DIAMETER 20mm
WEIGHT Head-40g / Flat-26g
THREAD 1/4"-20

Suitable weight(All weight can be used for other stabilizers, but we recommend you to use the above in advance)



Blue Green Red Black



XENIA LEO CUSHION PLUNGER / LEOC01

Simple design with lighter weight

MATERIAL Aluminum THREAD 5/16"-24 SIZE 61.5mm



KP REST / KP001R

Simple design with strong material

MATERIAL Plastick SIZE 30 x 20mm



XENIA CLICKER / XECL001

MATERIAL Stainless Steel
SIZE 100mm
THICKNESS 0.3 / 0.4mm



BOW STRING BUCKLE / BS001

Suitable for many bow strings. The inner layer is composed of antiskid nylon to reduce wear on the bow string
- 1set is including 2pcs



HYPER FINGER TAB / HPT01

Allows deeper hooks on the bow string for holding (normal line, hyper line)

PLATE MATERIAL Aluminum LEATHER Cordovan SIZE S, M, L



XENIA JM1 / JMF01A

SIZE L / M / S (RH) LEATHER Cowhide



XENIA JM2 / JMF02A

SIZE L / M / S (RH) LEATHER Cowhide



CLOVER / LFTC02

SIZE L / M / S (RH)
LEATHER Cowhide



MAGIC / LFTM01

SIZE L / M / S (RH / LH)
LEATHER Cowhide



FINGER PROTECTOR / FR001

The size can be adjusted to any finger thickness

MATERIAL Rubber



HYPER



HYPER QUIVER XEQV01

420D & 600D combination of high quality material and fabric

WEIGHT 460g



HYPER BACK QUIVER XEQV02

420D & 600D combination of high quality material and fabric

WEIGHT 380g



XENIA BOW STAND STXE01

- Stability
- Perfect balance
- Magnetic System

HEIGHT 44cm MATERIAL Aluminum



HK HOLDER AC19HKS

HYPER



HYPER RECURVE BACKPACK XEB01BB

Affordable recurve backpack with a modern sophisticated design

SIZE 340 x 750 x 150mm WEIGHT 920g

I increased more stability from external shocks by applying more thicker foam material



RISER & LIMBS CASE / ARROW TUBE



XENIA CHEST GUARD CG06XE

Easy fit adjustment

SIZE L, M, S TYPE RH / LH



FABRIC ARMGUARD (M) AMF1M FABRIC ARMGUARD (L) AMF1L



SPECIFICATIONS RISER

TITAN-NX RISER (p.12)

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
25"	1,230g	Aluminum(6061)	Full CNC	Blue, Sky, Orange, Red, Black, Silver

ARGON-X RISER (p.14)

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
25"	1,330g	Aluminum(6061)	Full CNC	Blue, Sky, Green, Orange, Red, Purple, Black, Silver
27"	1,380g			

VELLATOR-V3 RISER (p.16)

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
25"	1,210g	Aluminum(6061)	Full CNC	Blue, Green, Orange, Red, Black, Silver

SIRASONI RISER (p.18)

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
17"	1,030g	Aluminum(6061)	Full CNC	Brown, Green, Khaki, Black



TITAN-NX



ARGON-X



VELLATOR-V3



SIRASONI



TITAN-EX RISER (p.20)

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
25"	1,330g	Aluminum(6061)	Full CNC	Blue, Sky, Green, Orange, Red, Purple, Black, Silver
27"	1,380g			

VELLATOR-V2 RISER (p.22)

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
23"	1,070g	Aluminum(6061)	Full CNC	Blue, Green, Orange, Red, Black, Silver
25"	1,100g			

XENIA-2 RISER (p.68)

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
25"	1,050g	Alloy Magnesium	DIE-CASTING	Red, Blue, Black, White, Fluorescent Orange

XENIA RISER (p.69)

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
25"	770g	Alloy Magnesium	DIE-CASTING	Red, Blue, Black, White, Fluorescent Green



TITAN-EX



VELLATOR-V2



XENIA-2



XENIA



SPECIFICATIONS LIMBS

TITAN-NX LIMBS (p.13)

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	CWP240 3K Full Carbon	32#~50#	66", 68", 70"
FOAM			

ARGON-X LIMBS (p.15)

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	CWP330 1K Full Carbon	32#~50#	66", 68", 70"
FOAM			

VELLATOR LIMBS (p.17)

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	CUP240 UD Carbon	22#~38#	66", 68", 70"
FOAM			



TITAN-NX



ARGON-X



VELLATOR



SIRASONI LIMBS (p.19)

MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
CWP240 3K Full Carbon	40#~50#	60", 62"

TITAN-EX LIMBS (p.21)

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	CWP240 3K Full Carbon	32#~50#	66", 68", 70"
FOAM			

XENIA LIMBS (p.68, 69)

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	Fiber Glass	12#~28#	66", 68", 70"
FOAM			

FIVICS RECURVE BOW BRACE HEIGHT RANGE CHART

RISER	LONG LIMBS	MEDIUM LIMBS	SHORT LIMBS
23"	22.5~23cm	22~22.5cm	21.5~22cm
25"	23~23.5cm	22.5~23cm	22~22.5cm
27"	23.5~24cm	23~23.5cm	22.5~23cm

TILLER HEIGHT | The distance from the base of the top limb to the string should be set 2-4mm greater than the bottom.



SIRASONI



TITAN-EX



XENIA

FIVICS

LEAD TO VICTORY

www.fivics.com

 Follow us on Instagram!
<https://www.instagram.com/fivickorea/>

 Like us on Facebook!
<https://www.facebook.com/fivics.korea>

 Subscribe to us on YouTube!
<https://www.youtube.com/user/fivickorea>

FIVICS KOREA (HEAD OFFICE)

Address 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566 **Tel** +82-31-245-6388 **Fax** +82-31-245-6386 **E-mail** info@fivics.com

FIVICS CHINA (FACTORY)

Address INDUSTRIAL PARK HOUGUZHEN ROAD XIAZHUANG CHENGYANG DIST QINGDAO CHINA **Tel** +86-532-8788-6455 **E-mail** info@fivics.com

FIVICS USA (BRANCH)

Address Paloma St. Los Angeles, United States of America **E-mail** info@fivics.com

FIVICS BOW LIMITED LIFETIME WARRANTY

Fivics recurve handles are guaranteed against manufacturing defects in materials and workmanship to the original owner for the life of the product. For more information visit us online at www.fivics.com

Note: At the time of production of our 2021 Product Guide, the bows, limbs, color options, and all other accessories shown, and the information contained, had been thoroughly checked for accuracy. However, in the event an error was made, Fivics reserves the right to notify our dealers and customers at its discretion. Additionally, Fivics reserves the rights to modify, change or discontinue products shown in this publication without notice.

