

# 2019

FIVICS PRODUCTS CATALOGUE



 **FIVICS**<sup>®</sup>  
ARCHERY



## STORY OF TEAM FIVICS IN 2018

**FIVICS is proud of the performance and hard work put into the 2018 season by our Pro Staff archers!**

We promise to continue working as hard as our athletes to ensure their best performance in the upcoming 2019 season. We wish you the best through the 2019 competitive season and on the road to the 2020 Tokyo Olympics!

We here at Fivics take to heart an old proverb: "The strongest principle of growth lies in human choice."

Thank you to all archers who choose Fivics!

Another Masterpiece  
in archery.  
Shoot and trust how it  
goes

# FIVICS

## RECURVE BOWS

### TITAN EX



TITAN EX  
RISER



TITAN EX  
WOOD LIMBS



TITAN EX  
FOAM LIMBS

### VELLATOR



VELLATOR  
RISER



VELLATOR  
WOOD LIMBS




VELLATOR  
FOAM LIMBS






# TIGHT AND SECURE GRIP | 3 important points in grip system

The Titan EX's design purpose is to maximize the speed of the arrow. With the perfect centroidal balance design and the TSG (tight and secure grip), we have achieved great stability and arrows can be controlled better at high speeds



# STABLE & STEADY GEOMETRY

The Titan EX's design purpose is to maximize the speed of the arrow. With the perfect centroidal balance design and the TSG (tight and secure grip), we have achieved great stability and arrows can be controlled better at high speeds



## 7075 RISER VS EX 6061 RISER

The Titan EX riser is designed with aluminum 6061 to allow the best vibration absorption possible. Using hydraulic press machine, we have scientifically proven that our 6061 riser can tolerate higher pressure than risers made from the more rigid materials like the 7075 aluminum.

# SKY FLEX CWP CARBON PREPREG MATERIAL



With the cooperation of Fivics Archery and SK Chemical, we have developed the best and unique Carbon "PrePrep material" for archery. This material allows efficient pull kinetics and quick restoration.

- ▶ The most important thing in archery, Limbs is carbon's raw material
- ▶ In the process of producing good carbon materials, prepreg technology of epoxy and carbon fiber is proportional to the tension and torsion of the limbs.

## Prepreg = Pre + Impregnated Material




## SKY FLEX = Natural Flex fiber + Epoxy Resin




## Carbon Material by SK Chemical

Increased stiffness but saved the same stability and uniform elasticity of the limb by cooperation between Fivics and SK chemical.

### Plane Weave



Low Drapeability  
High Crimp  
Good Decoration




### TITAN EX LIMBS - Surprising effect of 45 degrees carbon technology

The glass fiber is used to protect the carbon but this combination reduces arrow speed due to the heavy mass weight. On the other hand, 45 degrees carbon system increases shooting stability, protecting carbon as well as reinforcing anti-twisting.

Increased stiffness but saved the same stability and uniform elasticity of the limb.

### Dry fire testing for breaking and strength of limbs



# RISER TITAN EX

## HX0525 » TITAN EX RISER

- Superfine CNC milling
- Special unique designed wooden grip
- Meticulous and Precise production
- Perfect centroidal balance
- Flawless coating
- Deep color from anodizing
- Aesthetically brilliant painting

PROCESSING » **CNC**  
 WEIGHT » **1280g/1,330g(25")**  
 - Using aluminum center block is 1280g  
 MATERIAL » **AL 6061**  
 TYPE » **RH**  
 GRIP » **TSG Wood Grip**  
 COLOR » **Anodized**

Stabilizer Mount Thread **5/16" - 24**  
 Upstabilizer Mount Thread **5/16" - 24**  
 Cushion Plunger Mount Thread **5/16" - 24**  
 Clicker Mount Thread **6/32"**

### Anodizing





# LIMBS TITAN EX

## LXWC01 » TITAN EX WOOD CORE LIMBS LXCF01 » TITAN EX FOAM CORE LIMBS

- Clean and powerful shooting
- New Material : CWP carbon
- Light weight
- Improved limb tip design

MATERIAL » **CWP 3K Full Carbon**  
 CORE » **Wood core / Foam core**  
 BOW LENGTH » **66",68",70"**  
 DRAW WEIGHT(lbs.) » **32#-50# (2# increments)**

*Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.*



# RISER VELLATOR V2

HV0225 » VELLATOR 25" RISER  
HV0223 » VELLATOR 23" RISER

- Full CNC
- The lightest weight
- Only 1,100grams
- Flawless coating
- Showy color from painting
- Perfect centroidal balance

PROCESSING » CNC  
WEIGHT » 1,100g(25")/1,070(23")  
MATERIAL » AL 6061  
TYPE » RH  
GRIP » Plastic  
COLOR » Anodizing  
LENGTHS » 23",25"

Stabilizer Mount Thread 5/16" - 24  
Upstabilizer Mount Thread 5/16" - 24  
Cushion Plunger Mount Thread 5/16" - 24  
Clicker Mount Thread 6/32"

## Anodizing



Black Red Orange Blue Green Silver




# LIMBS VELLATOR

LVWC02 » VELLATOR WOOD LIMBS  
LVFC02 » VELLATOR FOAM LIMBS

- Wood core only
- Makes high speed arrow
- Improved limb tip design
- Crosse carbon applied

MATERIAL » UD CARBON  
CORE » Wood core / Foam core  
BOW LENGTH » 66",68",70"  
DRAW WEIGHT(lbs.) » 22#-38# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



Perfect grouping!  
Fivics will shoot  
5 of the Xs for you,  
the last is up to you.

# FIVICS

## ARROWS



# ARROW FIVE-X



## ARFX001 » FIVE-X - CARBON ARROW SHAFT ONLY

We, Fivics, hereby can tell you that FIVE-X is perfect for Archery competition arrow due to these outstanding reasons.

- Advanced Technology, Extreme Accuracy.
- Straightness:  $\pm 0.001$ ".
- Weight tolerance:  $\pm 1.0$  grains.
- Spine selection tolerance:  $\pm 0.002$ ".

## FXTPO » FIVE-X - TUNGSTEN POINT



WEIGHT » 120gr

## FXSPO » FIVE-X - STAINLESS STEEL POINT



WEIGHT » 120gr

## FXIN001 » FIVE-X - ALUMINUM INSERT PIN



Size	Length	Weight(Grain)	Outside Diameter	Qty	Recommended Point Weight Range		Pin Nock Adapter
					STEEL	TUNGSTEN	
350	32"	296	0.2136"	12pack	1Q	1X	 1 Line
400	32"	278.4	0.2112"	12pack			
450	32"	263.9	0.2068"	12pack			
500	31"	234.1	0.2013"	12pack	2Q	2X	
550	31"	223.6	0.1989"	12pack			
600	30"	206.2	0.1957"	12pack	3Q	3X	
650	30"	193	0.1927"	12pack			
700	29"	178.9	0.1898"	12pack			
750	29"	179	0.1895"	12pack			
800	28"	159.4	0.1864"	12pack			
850	28"	150.9	0.1831"	12pack			
900	28"	150.9	0.1831"	12pack			
1000	28"	139.8	0.1792"	12pack			



# ARROW TENPRO

## ARTR001 » TENPRO - CARBON ARROW SHAFT ONLY

30tons of carbon makes extreme speed, strength and consistence in shooting and there speedy restoration from multi-shooting.

- Advanced Technology, Extreme Accuracy.
- Straightness:  $\pm 0.002$ ".
- Weight tolerance:  $\pm 1.0$  grains.
- Spine selection tolerance:  $\pm 0.002$ ".

## TPRPO » TENPRO - STAINLESS STEEL POINT



WEIGHT » 120gr

## TP001 » TENPRO- ALUMINUM INSERT PIN



Size	Length	Weight(Grain)	Outside Diameter	Qty	Recommended Point Weight Range	Pin Nock Adapter
450	32"	302.6	0.2279"	12pack		
500	32"	279	0.2216"	12pack		
550	32"	260.5	0.2185"	12pack	T2/120gr	 T2 Adapter
600	32"	250.1	0.2145"	12pack		
650	32"	236.4	0.2126"	12pack		
700	32"	231.7	0.2118"	12pack		
800	32"	211.4	0.2055"	12pack	T3/120gr	 T3 Adapter
900	32"	194.5	0.2007"	12pack		
1000	32"	189.2	0.2004"	12pack		
1100	32"	171.5	0.1953"	12pack		
1200	32"	162.2	0.1929"	12pack		



# ARROW ZEILO

## ARZI001 » ZEILO CARBON ARROW SHAFT ONLY

ZEILO is the target arrow for Youth archer  
NEW cross weave of pure carbon layer gives it's unequaled strength,

- Advanced Technology, Extreme Accuracy.
- Straightness:  $\pm 0.002''$ .
- Weight tolerance:  $\pm 1.0$  grains.
- Spine selection tolerance:  $\pm 0.0025''$ .

## ZL002SP » ZEILO- TUNGSTEN POINT



WEIGHT » 110gr/120gr

## ZT001 » ZEILO - ALUMINUM INSERT PIN



Size	length	Weight (Grain)	Outside Diameter	Qty	Recommended Point Weight Range
500	33"	142.3	0.2515"	12 pack	110gr / 120gr
600	33"	135.2	0.2490"	12 pack	110gr / 120gr
700	33"	126.2	0.2455"	12 pack	110gr / 120gr
800	33"	117.4	0.2412"	12 pack	110gr / 120gr
900	33"	112.0	0.2386"	12 pack	110gr / 120gr
1000	33"	107.6	0.2372"	12 pack	110gr / 120gr
1100	30"	103.9	0.2352"	12 pack	110gr / 120gr
1200	30"	100.8	0.2339"	12 pack	110gr / 120gr
1300	30"	100.9	0.2333"	12 pack	110gr / 120gr
1400	30"	96.6	0.2317"	12 pack	110gr / 120gr
1500	30"	93.7	0.2303"	12 pack	110gr / 120gr

# ARROW NINJA

## ARNJ001 » NINJA Beginner Carbon Composite Arrow

Finished arrow : one dozen/12pcs = shaft + 1.65" vanes + In-nock + break-off point  
Straightness:  $\pm 0.006''$

## NMPON » NINJA TARGET POINTS



WEIGHT » 80gr / 90gr

## NMVAN » Vanes



## NMNOK » In Nock



Size	length	Qty	Recommended Point Weight Range
400	33"	12 pack	80gr / 90gr
500	33"	12 pack	80gr / 90gr
600	33"	12 pack	80gr / 90gr
700	33"	12 pack	80gr / 90gr
800	33"	12 pack	80gr / 90gr
900	33"	12 pack	80gr / 90gr
1000	30"	12 pack	80gr / 90gr
1100	30"	12 pack	80gr / 90gr
1300	30"	12 pack	80gr / 90gr
1500	30"	12 pack	80gr / 90gr
1800	30"	12 pack	80gr / 90gr

**X10TPO »**  
**X10 - TUNGSTEN POIN FOR X10 SHAFT**

WEIGHT » 120gr



**IPNX10 »**  
**X-NET PIN NOCK ADAPTER**

designed for X-10 arrows



**X10SPO »**  
**X10 - STAINLESS STEEL POINT FOR X-10 SHAFT**

WEIGHT » 120gr



**NC001S | FIVICS Pin Nock(S)**  
**NC001L | FIVICS Pin Nock(L)**

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.

Available in two size: #1 fits 12-18 strand strings / #2 fits 20-24 strand strings



**FIVE-X Selection Guide Adjusted Bow Draw Weight**

FX = FIVE-X

Bow Draw Weight	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"
13-15 lbs.								FX1000	FX1000	FX900	FX900
16-18 lbs.							FX1000	FX1000	FX900	FX900	FX850
19-21 lbs.						FX1000	FX1000	FX900	FX900	FX850	FX800
22-24 lbs.					FX1000	FX1000	FX900	FX900	FX850	FX800	FX750
25-27 lbs.				FX1000	FX1000	FX900	FX900	FX850	FX800	FX750	FX700
28-30 lbs.			FX1000	FX1000	FX900	FX900	FX850	FX800	FX750	FX700	FX650
31-33 lbs.		FX1000	FX1000	FX900	FX900	FX850	FX800	FX750	FX700	FX650	FX600
34-36 lbs.	FX1000	FX1000	FX900	FX900	FX850	FX800	FX750	FX700	FX650	FX600	FX550
37-39 lbs.	FX1000	FX900	FX900	FX850	FX800	FX750	FX700	FX650	FX600	FX550	FX500
40-42 lbs.	FX900	FX900	FX850	FX800	FX750	FX700	FX650	FX600	FX550	FX500	FX450
43-45 lbs.	FX900	FX850	FX800	FX750	FX700	FX650	FX600	FX550	FX500	FX450	FX400
46-48 lbs.	FX850	FX800	FX750	FX700	FX650	FX600	FX550	FX500	FX450	FX400	FX350
49-51 lbs.	FX800	FX750	FX700	FX650	FX600	FX550	FX500	FX450	FX400	FX350	
52-54 lbs.	FX750	FX700	FX650	FX600	FX550	FX500	FX450	FX400	FX350		
54-56 lbs.	FX700	FX650	FX600	FX550	FX500	FX450	FX400	FX350			
57-59 lbs.	FX650	FX600	FX550	FX500	FX450	FX400	FX350				

**TENPRO | ZEILO Selection Guide Adjusted Bow Draw Weight**

TP= TENPRO ZL= ZEILO

Bow Draw Weight	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"
20-lbs.	ZL1500	ZL1500	ZL1500	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800
22-lbs.	ZL1500	ZL1500	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800
24-lbs.	ZL1500	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700
26-lbs.	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700
28-lbs.	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600
30-lbs.	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600
32-lbs.	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500
34-lbs.	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500
36-lbs.	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450
38-lbs.	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400
40-lbs.	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400
42-lbs.	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	
44-lbs.	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400		
46-lbs.	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400			
48-lbs.	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400				
50-lbs.	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400					
52-lbs.	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400						
54-lbs.	TP500 ZL500	TP450	TP400	TP400							
56-lbs.	TP450	TP400	TP400								

**Secret masterpieces  
World famous craftsman  
designed and made  
research, production, planning  
and design.**

# FIVICS

## ACCESSORIES

**SIGHT  
STABLIZER  
CUSHION PLUNGER  
ARROW REST  
FINGER TAB  
ETC**



# SIGHT FV-300

## FV300S » FV-300 SIGHT

- Designed for Olympic style / Recurve bows
- Specially designed weight and dampers available (included)
- VTS (Variable Tension System)
- Elevation travel tension adjustment

SIZE » Extension 9"  
TYPE » RH  
MATERIAL » Aluminum, Carbon

Black




## SIGHT DAMPERS

Extra special designed weight and damper are included



## SGP01R » SIGHT PIN (ROUND)

- Designed for Olympic style / recurve bows
- Apply all of sights



# CARBON STABILIZER PHOENIX 1500D

- STP15CL » PHOENIX 1500D-B STABILIZER LONG(COMPOUND)
- STP15RL » PHOENIX 1500D-A STABILIZER LONG(RECURVE)
- STP15RS » PHOENIX 1500D-A STABILIZER SIDE (COMPOUND, RECURVE)
- STP15RE » PHOENIX 1500D-A STABILIZER EXTENDER (RECURVE)

MATERIAL » 40ton Carbon  
DIAMETER » 15.5mm  
LENGTH » Long : 26", 28", 30", 32" / Side : 8", 10", 11", 12", 13", 15"  
/ Extender : 4", 5"  
Type » A(Recurve type), B(Compound type)

Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)

## RECURVE TYPE

- Carbon Shaft + Aluminum frame structure make strong attachment of cap part.




## COMPOUND TYPE

- Inner weight Extender is included(long)



UP  
GRADE



# CARBON STABLIZER CEX1900

**STC19L » CEX1900 LONG STABILIZER**  
**STC19S » CEX1900 SIDE STABILIZER**  
**STC19E » CEX1900 EXTENDER**

- 7 colors available
- Special metallic coating with vivid color
- Chrome coated cap
- Thickened extender
- Absorbing noise system
- Stabilizer screw top
- FSP system : Four Strong Pillar system

**MATERIAL » 36ton Carbon**  
**DIAMETER » 19mm**  
**EXTENDER DIAMETER » 21mm**  
**LENGTH » Long : 26", 28", 30" / Side : 10", 11", 12"**  
**/ Extender : 4", 5"**  
**WEIGHT » 120g(30"), 82g(12")**

*Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)*



Black Red Blue Yellow White

# CARBON STABLIZER VELLATOR

**STV01L » VELLATOR LONG STABILIZER**  
**STV01S » VELLATOR SIDE STABILIZER**  
**STV01E » VELLATOR EXTENDER**


- Including special laminating materials
- Damper and weight head included
- Absorbing noise system
- stabilizer + damper + weight head

**MATERIAL » 24ton Carbon**  
**DIAMETER » 18mm**  
**LENGTH » Long : 26", 28" / Side : 9", 10", 11"**  
**/ Extender : 3", 4"(Aluminum)**  
**WEIGHT » 135g(30"), 85g(11")**

*Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)*



Black Red Blue White



# ACCESSORIES

## VBM01R » MAN V-BAR

Upgraded connecting bolt  
 ANGLE » 35° / 40° / 45°  
 MATERIAL » Aluminum  
 COLOR » BLACK



## VBT04R » TR V-BAR

Easy to adjust, but strong holding for recurve bow  
 MATERIAL » Aluminum



## VBT01C » COM V-BAR

Easy to adjust, but strong holding for compound bow  
 MATERIAL » Aluminum



## VBC02C » COM CONNECTING BOLT

Quick disconnection  
 MATERIAL » Aluminum  
 ANGLE » -10°



## DV1500S » DC1500S DAMPER

Thread » 1/4"-20



## DV1500 » DC1500 DAMPER

Thread » 1/4"-20



## VD2000 » VD200 DAMPER

Thread » 1/4"-20



## VZEROL » V-ZERO DAMPER

Thread » 1/4"-20



## VZEROM » V-ZERO MINI-DAMPER

Thread » 1/4"-20



## PX1500 WEIGHT

Diameter » 29mm  
 Weight » 26g / 52g / 104g  
 Thread » 1/4"-20



## VWT200 » VWT 200 WEIGHT

Diameter » 24mm  
 Weight » Head-38g / Flat-38g  
 Thread » 1/4"-20



## WT SERIES

Diameter » 20mm  
 Weight » Head-40g / Flat-26g  
 Thread » 1/4"-20



## CONVERTER SCREW

\*Applicable for all dampers



# ACCESSORIES



## TNS100 » TNS100AL UPSTABILIZER

Weight : 90g Thread » 5/16"-24



## TNV230 » TNV 2300 UPSTABILIZER

Weight : 80g Thread » 5/16"-24



## UD1500 » PX1500 UPSTABILIZER

Weight : 127g Thread » 5/16"-24



## SM540W » SM540 CUSHION PLUNGER

Compact size to make easy setting

Thread : 5/16" - 24  
 Adjustable Length : min 19.5mm, max 26.5mm



## SM740W » SM740 CUSHION PLUNGER

Window checking

Thread : 5/16" - 24  
 Adjustable Length : min 19.5mm, max 26.5mm



## BRS001 » BUTTERFLY REST

Ambidextrous Design



## MRS001 » MR REST

Stainless steel ensured durability while reducing friction.



# FINGER TAB SAKER SERIES



## SFT04A » Saker+ Plus finger tab

SIZE » L / M / S (RH is new model, but LH is old version in 2016)

Saker+ Plus finger tab is 4mm thick, allows 3 weight control systems and 5 angle adjustment system through precise machining of the aluminum plate.

Saker+ Plus finger tab can be adjusted to fit the archers shape and preference to allow more stable hooking position, making it the best tab to shoot perfectly in any competition.

### 1 Angle Adjustment



### 2 Adjustable Ledge



### 3 Weight Control



### 4 Balance Control



- Ergonomic design
- Adjustable ledge
- Replaceable face and backing
- Optional finger spacer available



## SFT01A » SAKER 1

SIZE » XL / L / M / S / XS / XXS (RH / LH)  
LEATHER » Cordovan



COLOR  
XL L M S XS XXS  
Dark Blue Blue Red Yellow Purple Dark Green

## BFT01A » BRASS SAKER 1

SIZE » L / M / S (RH / LH)  
WEIGHT » L 162g, M 152g, S 144g  
LEATHER » Cordovan



## BFT02A » BRASS SAKER 2

SIZE » L / M / S (RH / LH)  
WEIGHT » L 150g, M 140g, S 136g  
LEATHER » Cordovan



## SFT02A » SAKER 2

SIZE » XL / L / M / S / XS / XXS (RH / LH)  
LEATHER » Cordovan



COLOR  
XL L M S XS XXS  
Dark Blue Blue Red Yellow Purple Dark Green

## SFT03A » SAKER 3

SIZE » L / M / S (RH / LH)  
LEATHER » Cordovan



COLOR  
L M S  
Blue Red Yellow

## EP002S » SAKER 1 FINGER TAB FRAME EP

EP001 only fits Saker 1 finger tab

It offers top shooters another value for their hooking direction, comfortable and balanced.

This component enhances the saker finger tab's

Ergonomic design



Size » saker1 XL , L = EP (L size)  
saker1 M , S = EP (M size)  
saker1 XS , XXS = EP (S size)



WA RULES Book3, Chapter 11, Article 11.18

The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal.  
World Archery C&R Committee, 22 September 2014

# FINGER TAB

## POLITE SERIES

Emphasizes the sense of unity in your hands.

- Absolute stability, accuracy, and sense of unity of hooking
- 5 Distribution and support of the optimal force by using the whole fingers

- Ergonomic 3D design

- Aluminium & anodizing surface treatment

### PFT03N » POLITE 3 FINGER TAB

SIZE » L / M / S (RH)

COLOR » Champagne Gold




### PFT02N » POLITE 2 FINGER TAB

SIZE » L / M / S (RH)

COLOR » Champagne Gold



### FINGER SPACER



#### FS004D

Material : Rubber  
Size : 39.8 x 29.3 x 16.2mm  
Weight : 14g  
Color



#### FS004T

Material : Rubber  
Size : 32 x 28 x 12.4mm  
Weight : 10g



#### FS001

Material : Plastic  
Size : 36 x 28.3 x 12.3mm  
Weight : 8g




#### FS005A

Material : Aluminum  
Size : 40 x 29 x 10mm  
Weight : 15g

### ST001S » AUTOMATIC BOW STAND(SHORT)

### ST001L » AUTOMATIC BOW STAND(LONG)

Height : 44cm [ST001S], 65cm [ST001L]  
Weight : 573g [ST001S], 680g [ST001L]  
Material : Aluminum



**AUTOMATIC SYSTEM**



### AC05AT » CARBON T-GAUGE BOW SQUARE

Material : Carbon

### AC05AT » AQ T-GAUGE BOW SQUARE

Material : Aluminum

Red Blue Black



**Secret masterpieces  
World famous craftsman  
designed and made  
research, production, planning  
and design.**

# FIVICS

**GEARS**

**BOW CASE  
QUIVER  
PROTECTOR  
ETC**



# HARD BOW CASE AEGIS SERIES

## BCHD01 » AEGIS HARD CASE DOUBLE

- High quality hardcase
- This model can hold up to two recurve bows and their accessories

\*Recommended maximum weight : 23kg

Size : 33" X 15" X 10"  
Material : ABS+PC  
Pocket : 1pcs  
color:



### HARDCASE RAIN COVER



### HARDCASE BELT



Rain cover / Case belt included



## BCHD02 » AEGIS HARD CASE SINGLE

- Lightweight
- Strong enough against bad moving
- Special designed wheels
- Showy colors
- This model can hold up to one recurve bows and their accessories

\*Recommended maximum weight : 23kg

Size : 830×320×190mm  
Material : ABS+PC  
Pocket : 1pcs  
color:



### HARDCASE RAIN COVER



### HARDCASE BELT



Rain cover / Case belt included



# BOW CASE THUNDER M

## BCCTHM THUNDER M COMPOUND CASE(DOUBLE)

- Room for two compound bows
- Dimension : 15" x 45" x 12"

\*Recommended maximum weight : 23kg

### ARROW TUBE



### CASE BELT



Arrow tube / Case belt included



NEW

# BOW CASE TENTRON M

## BCB02TM » TENTRON-M BACKPACK

- Riser & Limbs case included
- Arrow tube included

Size : 11.8" X 7.8" X 26.7"  
Pocket : 1pcs  
Weight : 2.4kg



Arrow tube / Riser & Limbs case included



NEW

# BOW CASE ATTACK

## ATTB001 » ATTACK BACKPACK

- 57L wide pocket
- 3way transformation
- Tactical design
- Modular lightweight Load-carrying equipment
- Multi carrier
- Safe inner protection
- Not only archery, but also your daily life

Size : 12.6" X 11.4" X 27"  
Weight : 2kg



## RLC01D » RISER & LIMBS CASE

Size : 27 X 7.5 X 3"  
Weight : 800g



## EC04AT » FIVICS ARROW TUBE



# CASE

## BC2L01 » Folding case(2 level)

- Compact size
- Including riser & limbs and arrow and equipment cases

Size : 28.5 X 10.5"  
Weight : 900g



## EC03TB » TOOL BOX

Size : 8.5 X 7 X 7"



# QUIVER UNICO SERIES



## QVUNT L » UNICO QUIVER LARGE QVUNT S » UNICO QUIVER SMALL

Artificial leather provides you with elegance.

Extra "L" size belts are on sales

SIZE » Large / Small  
WEIGHT » L-502g / S- 418g  
TYPE » RH



Orange Green Blue Pink

## QVUNBN » UNICO BACK

Artificial leather provides you with elegance.

Extra "L" size belts are on sales

WEIGHT » 380g  
TYPE » RH



Orange Green Blue Pink



# QUIVER ACCENDO TOURNAMENT



## QV02AT » ACCENDO TOURNAMENT

Light weight  
Large pocket for accessories

WEIGHT » 630g  
TYPE » RH/LH



Black Blue Red

## AC23PU » ARROW PULLER

- The best arrow puller without slip even in the rain!



## STPR01 » PRO HAND POCKET

Size : 5X2.5X6"  
Weight : 80g



# PROTECTOR



## CG03A2 » A2

Adjust a shoulder band  
The button system to adjust sides  
Large : From XL to M  
Medium : From L to S  
Small : From M to XS  
SIZE » L, M, S  
TYPE » RH/LH  
COLOR



## CG02BP » WIND

- Ergonomic chest guard made of hard mesh and high quality velcro.

SIZE » L, M, S, XS  
TYPE » RH




NEW




# PROTECTOR

## AMH01J » SILICON JELLY

Gel Arm Guard's features, it can reduce shooting by mistakes as it minimizes strings' vibration and repulsion in the moment they hit it even when the guard is hit by strings.



## AM001W » ORGANIC WEB



## AG20LP » Limb Protector

The device protects the tip part and your feet when setting up bows.

Size » 56X97 mm Material » Rubber



# CLOTHS & SOUVENIR



**AC29JY » CLOTHES**  
Size » XS / S / M / L / XL / XXL

**AC12CA » FIVICS LOGO MESH CAP**



**AC26CS » COOL ARM SLEEVE**



**AC17SO » FIVICS LOGO SOCKS(3PAIRS=1SET)**



**UMBL01 » UMBRELLA**  
length » 1m    Opened size » 1m 60cm



**AC04CL » CLOCK**  
Size » 250x250x40mm



**AC03SL » STRETCH BAND, LIGHT ONE(YELLOW)**  
**AC03SH » STRETCH BAND, HEAVY ONE(GREEN)**  
THICKNESS » Yellow : 0.35mm / Green : 0.45mm



**AC29DA » LED DART**  
- Safety magnetic dart system    Size » 490x490x50mm



**PAG002 » TARGET SCORE BOOK**  
Size » 85x130mm    page » 120p    Cover » Hard



# ANDROID TIMER FOR ARCHERY ARTIMER



OS  
Google Android  
6.0 or above



CPU  
RK3126 quad  
core 1.5GHZ



1GB  
8GB  
RAM 1GB and  
ROM 8GB




Multimedia



NEW



TARGET FACE




## FIVICS TARGET FACE FUNTION

- + Material : Polyester
- + Thickness : 0.29mm
- + Tensile strenght(kg/cm<sup>2</sup>) : (L-40.0 / W - 17.0)
- + Temperature range : -32 ~ 260°C
- + Printing error range : 99.9%(Best "quility")

WATER PROOF



# OUTDOOR TARGET FACE




**PT 001F OUTDOOR 122cm Target Face**  
 Range : 90m / 70m / 60m  
 Mark dimension : 122cm X 122cm  
 Total dimension : 125cm X 125cm (width/length)



**PT 002F OUTDOOR 80cm Target Face**  
 Range : 50m / 30m  
 Mark dimension : 80cm X 80cm  
 Total dimension : 83cm X 83cm (width/length)



**PT 003F OUTDOOR 60cm Target Face**  
 Range : 25m  
 Mark dimension : 60cm X 60cm  
 Total dimension : 63cm X 63cm (width/length)



**PT 004F OUTDOOR 40cm Target Face**  
 Range : 18m  
 Mark dimension : 40cm X 40cm  
 Total dimension : 43cm X 43cm (width/length)

# OUT/ INDOOR TARGET FACE



**PT 007A OUTDOOR 48cm-6ring Target Face**  
 Range : 50m  
 Mark dimension : 48cm X 48cm  
 Total dimension : 51cm X 51cm (width/length)



**PT 007A3 OUTDOOR Triangular Target face(6Line)**  
 Range : 50m  
 Mark dimension : (48cm-Center X 3Target)  
 Total dimension : 99cm X 98.5cm (width/length)



**PT 007A4 OUTDOOR Triangular Target face(6Line)**  
 Range : 50m  
 Mark dimension : (48cm-Center X 4Target)  
 Total dimension : 102cm X 105cm (width/length)


# INDOOR TARGET FACE




**PT 008F INDOOR 20cm Target Face(18m)**  
 Range : 18m  
 Mark dimension : 20cm X 3Target  
 Total dimension : 23cm X 67cm (width/length)




**PT 008C Compound INDOOR 20cm Target Face(18m)**  
 Range : 18m  
 Mark dimension : 20cm X 3Target  
 Total dimension : 23cm X 67cm (width/length)



**PT 009F INDOOR Single Target Face**  
 Range : 18m  
 Mark dimension : 40cm X 4Target  
 Total dimension : 93cm X 85cm (width/length)



**PT 011F INDOOR 20cm Triangular Triple Target Face**  
 Range : 18m  
 Mark dimension : 20cm X 3 X 12Target  
 Total dimension : 97cm X 85cm (width/length)



**PT 010F INDOOR 12cm Target Face(18m)**  
 Range : 18m  
 Mark dimension : 20cm X 12Target  
 Total dimension : 103cm X 67cm (width/length)


# TRAINING TARGET FACE




**PT 012F TRAINING 80cm-CenterSpot Target Face(8Line)**  
 Range : 50m/30m/20m  
 Mark dimension : 24cmX24cm  
 Total dimension : 32cmX32cm(width/length)



**PT 013F TRAINING 122cm-CenterSpot Target Face(7Line)**  
 Range : 90m/70m/60m  
 Mark dimension : 48.8cmX48.8cm  
 Total dimension : 61cmX61cm(width/length)




**PT 020F TRAINING Target Face**  
 Mark dimension : 52mmX52mm  
 Total dimension : 282mmX238mm(width/length)




**PT 021F TRAINING Target Face**  
 Mark dimension : 48mmX48mm  
 Total dimension : 250mmX231mm(width/length)


**FIELD TARGET FACE**



PT 014F FIELD 80cm Target Face  
Mark dimension : 80cmX80cm Target  
Total dimension : 83cmX83cm(width/length)



PT 015F FIELD 60cm Target Face  
Mark dimension : 60cmX60cm Target  
Total dimension : 63cmX63cm(width/length)



PT 016F FIELD 40cm Target Face  
Mark dimension : 40cmX40cm  
Total dimension : 93cmX85cm(width/length)



**FIVICS**  
ARCHERY PRODUCTS  
www.fivics.com  
TEL: +82-21-245-5385  
MADE IN KOREA



ASIA FIRST WA TARGET FACE  
LICENSED MANUFACTURER

**5000 ARROW CHALLENGE**  
usable more than three times than  
normal paper target face



# TOTAL PERFORMANCES ARE MADE OF PRECISION 2019

energy 

# KROSSEN

## “Everyone can enjoy Archery”

Since Fivics archery center has launched on April, 2015, Fivics has been focusing on how to enjoy archery from not only top shooters but also normal peoples and now, we hereby introduce Fivics's new line up for 2019. Believe our dreams come true. This is Krossen line and we can say “Now, everybody can enjoy archery by using of this top quality and beautiful designed gears”. There were only small options for beginners or middle class before, but we Fivics think we have to increase more options for all of peoples who love Archery as we love.



 **FIVICS**  
ARCHERY

 **KROSSEN**

# RISER XENIA

## HX0325 » XENIA RISER

- The lightest weight
- Only 770grams
- Flawless coating
- Showy color from painting
- Perfect centroidal balance

PROCESSING » **DIE-CASTING**  
 WEIGHT » **770g**  
 MATERIAL » **Alloy Magnesium**  
 TYPE » **RH**  
 GRIP » **Plastic**  
 COLOR » **Painted**  
 LENGTHS » **25"**

### Painting



Fluorescent Green    Black    White    Red    Blue    Green





# LIMBS XENIA

## LXW03G » XENIA WOOD LIMBS LXW03F » XENIA FOAM LIMBS


- Modern design
- New designed tip part

MATERIAL » **Fiber Glass**  
 CORE » **Wood, Foam**  
 BOW LENGTH » **66", 68", 70"**  
 DRAW WEIGHT (lbs.) » **12#-28# (2# increments)**

*Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.*



# SIGHT SCORPION



## SG03XE » SCORPION SIGHT

SIZE » Extension 7"  
 TYPE » RH  
 MATERIAL » Aluminum  
 WEIGHT » 220g



# SIGHT XENIA



## SG02XE » XENIA SIGHT

RH and LH both  
 SIZE » Extension 4"  
 MATERIAL » Aluminum  
 WEIGHT » 180g



# STABILIZER XENIA

- STL01L » XENIA LONG STABILIZER
- STL01S » XENIA SIDE STABILIZER
- STL01E » XENIA EXTENDER

- Refined design  
 - Weight & damper included

MATERIAL » CARBON COMPOSITE  
 DIAMETE » 17mm  
 WEIGHT » 116g(30"), 65g(12")  
 LENGTH » Long : 26", 28"  
           Side : 10", 12"  
           Extender : 3", 4"(Aluminum)

## VBXE01 » XENIA V-BAR

Angle: 40°



## XEDA01 » XENIA DAMPER



## XENIA WEIGHT



XEWH01

XEWF01

\* Suitable weight (All weight can be used for other stabilizers, but we recommend you to use the above in advance)



# ACCESSORIES

## LEOC01 » XENIA LEO CUSHION PLUNGER



Black Blue Red Green

MATERIAL » Aluminum  
 THREAD » 5/16" - 24  
 SIZE » 61.5mm



## KRCLO02 » KROSSEN CLICKER

MATERIAL » Stainless Steel  
 SIZE » 100mm  
 THICKNESS » 0.3mm



NEW

## XECL01 » XENIA CLICKER

MATERIAL » Stainless Steel  
 SIZE » 100mm  
 THICKNESS » 0.3 / 0.4mm



Green

Black

## KP001R » KP REST

MATERIAL » Plastick  
 SIZE » 30\*20mm



## STXE01 » XENIA STAND

- Stability  
 - Perfect balance  
 - Magnetic System

HEIGHT » 44cm  
 MATERIAL » Aluminum



NEW


## STKR02 » KROSSEN STAND

- Stability  
 - Perfect balance  
 - Aluminum Connector

HEIGHT » 38cm  
 MATERIAL » Aluminum



NEW



## STKRC01 » KROSSEN COMPOUND BOW STAND

- Lightweight and durable  
 - Rubber grips the limbs for secure no slip fit

MATERIAL » Plastic / Rubber



## KSS01 » KROSSEN STRING SERVER



# PROTECTOR

## LFTJ01 » XENIA JM 1

SIZE » L / M / S (RH/LH)  
LEATHER » Cowhide



## LFTJ02 » XENIA JM2

SIZE » L / M / S (RH/LH)  
LEATHER » Cowhide



## LFTCN1 » NEONINE A

SIZE » L / M / S (RH/LH)  
LEATHER » Cowhide



## LFTC02 » CLOVER

Size : L / M / S (RH)  
Leather : Cowhide



## BS001 » BOW STRING BUCKLE


- Suitable for different kinds bow string.
- The inner layer is antiskid nylon, so it can protect the bow string
- 1set is including 2pcs



## FR001 » FINGER PROTECTOR

- The size can be adjusted every finger thickness

MATERIAL » Rubber



## CG06XE » XENIA CHEST GUARD

SIZE » L, M, S  
TYPE » RH/LH



## FABRIC ARMGUARD



## AMS01B » SPIDERMAN ARMGUARD



# BACKPACK HYPER



## XEB01B » HYPER Recurve backpack

SIZE » 340\*750\*150mm WEIGHT » 920g

\*Increased more stability from external shocks by applying more thicker foam material



+ Riser & Limbs case included  
+ Arrow tube



## EC04AK » ARROW TUBE



# QUIVER HYPER

## XEQV01 » HYPER Quiver

420D & 600D combination of high quality material a fabric

WEIGHT » 460g



## XEQV02 » HYPER Back Quiver

420D & 600D combination of high quality material a fabric

WEIGHT » 380g



## AC19EH » HK HOLDER



# FIVICS BOWS SPECIFICATIONS

## TITAN EX RISER

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
25"	1280/1,330g	Aluminum(6061)	Full CNC	Blue, Sky, Green, Orange, Red, Purple, Black, Silver

## VELLATOR V2 RISER

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
23"	1,035g	Aluminum(6061)	Full CNC	Black, Red, Orange, Blue, Green, Silver
25"	1,100g			

## XENIA RISER

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Painted)
25"	770g	Alloy Magnesium	DIE-CASTING	Black, White, Red, Blue, Green



TITAN EX



VELLATOR V2



XENIA

## TITAN EX LIMBS

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	CWP 3K Full Carbon	32#-50#	66", 68", 70"
FOAM			

## VELLATOR LIMBS

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	UD CARBON	22#-38#	66", 68", 70"
FOAM			

## XENIA LIMBS

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	Fiber Glass	12#-28#	66", 68", 70"
FOAM			

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



TITAN EX



VELLATOR



XENIA



**Address** » 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566  
**Tel** » +82-31-245-6388      **Fax** » +82-31-245-6386      **E-mail** » [info@fivics.com](mailto:info@fivics.com)

 Follow us on Instagram!  
<https://www.instagram.com/fivickorea/>

 Like us on Facebook!  
<https://www.facebook.com/fivicskorea>

 Subscribe to us on YouTube!  
<https://www.youtube.com/user/fivickorea>

Note: At the time of production of our 2019 Product Guide, the bows, limbs, color options, and all other accessories shown, and the information contained, had been thoroughly checked for accuracy. However, in the event an error was made, Fivics reserves the right to notify our dealers and customers at its discretion. Additionally, Fivics reserves the rights to modify, change or discontinue products shown in this publication without notice. Before using bows and other archery equipment, read all safety guidelines and warnings in the owner's manual or Online at [www.fivics.com](http://www.fivics.com).

### FIVICS BOW LIMITED LIFETIME WARRANTY

Fivics recurve handles are guaranteed against manufacturing defects in materials and workmanship to the original owner for the life of the product.

For more information visit us online at [www.fivics.com](http://www.fivics.com)



# 2019

## FIVICS PRODUCTS CATALOGUE

2019 FIVICS PRODUCT CATALOGUE



FIVICS

