

FIVICS
PRODUCT CATALOGUE

2025



CONTENT



BOWS

- 14 SKADI-TX RISER / LIMBS
- 16 TITAN-NXT RISER / LIMBS
- 18 ARGON-X RISER / LIMBS
- 20 ONIX RISER
- 21 VX RISER
- 22 VELLATOR-V3 RISER / LIMBS
- 24 SIRASONI RISER / LIMBS

ARROWS

- 30 FIVE-X
- 31 TENPRO
- 32 GOLDRÖ
- 33 ARROW ACCESSORIES
- 35 TUNGSTEN POINTS

STABILIZERS

- 41 SKADI-CX STABILIZER
- 42 SKADI-BX STABILIZER
- 43 VELLATOR STABILIZER
- 44 DAMPERS
- 45 STABILIZER ACCESSORIES
- 46 UPSTABILIZER
- 47 CLICKER · ARROW REST

FINGER TABS

- 50 SKADI FINGER TAB
- 52 SAKER FINGER TABS
- 55 TENFIX FINGER TAB
- 56 OTHERFINGER TABS
- 59 FINGER SPACERS

ACCESSORIES

- 65 CUSHION PLUNGER
- 66 FV-300S SIGHT
- 67 BOW STANDS
- 68 PROTECTORS
- 70 UNICO QUIVERS
- 71 ACCENDO QUIVERS
- 72 AEGIS HARD CASES
- 74 OTHER

NEW SPORTS

- 79 ARROVEL

APPAREL & GEAR

- 82 APPAREL
- 86 GEAR

TARGET FACES

- 91 OUTDOOR
- 92 INDOOR
- 93 TRAINING · FIELD

KROSSEN

- 96 XENIA BOW-LIMBS
- 97 XENIA STABILIZER · ACCESSORIES
- 98 SIGHTS
- 99 BOW ACCESSORIES
- 100 FINGER TABS
- 101 PROTECTORS / ETC
- 102 HYPER QUIVER SERIES
- 103 HYPER BACKPACK

- 2020 Selected as the official target face for international archery competitions and celebrated the success of FIVICS bows in securing medals at the Tokyo 2020 Olympics.
- 2023 Opened FIVICS's "Shooting Zone," Korea's first archery-themed park, driving the sport's popularity among the public.
- 2024 Developed "Arrovel," an innovative and highly safe archery training tool, taking another significant step forward.

TECHNOLOGY OF FIVICS

BOWS

[RISERS · LIMBS]

SKADI RISER · LIMBS

TITAN RISER · LIMBS

ARGON-X RISER · LIMBS

ONIX RISER

VX RISER

VELLATOR-V3 RISER · LIMBS

SIRASONI RISER · LIMBS



VACP SYSTEM Additional Fine Tuning Aid

Variable Arrow Cushion Point / Position

The VACP plate can be adjusted forwards and backwards, which allows for the fine tuning to optimize arrow flight. The VACP system provides precise adjustment capabilities, allowing archers to fine-tune the clicker position. This enables adjustments of approximately 25-50 spines resulting in more accurate arrow tuning.


* Featured on the **SKADI-X** and **Titan-NXT** Risers



Front Position
(To stiffen a weak arrow)



Normal Position



Back Position
(To weaken a stiff arrow)



ESA PLUS SYSTEM

ESA system makes it easy to adjust the limb's alignment and secured it with a single strong bolt.

* Featured on the **SKADI-X**, **Titan-NXT**, **ONIX**, **VX** Risers


* MATERIAL : 6061 Aluminum



The 3 most important points in bow's grip TIGHT AND SECURE GRIP

FIVICS' TSG (Tight and Secure Grip) is designed to maximize the contact between the archer's bow hand and the grip. This grip was produced in an optimal shape specializing in close contact by analyzing the positioning of the hand and the grip in three dimensions, as well as analyzing the direction of the force received by the bow hand at anchor.


The FIVICS TSG is combined with FIVICS' STABLE & STEADY GEOMETRY to exert a synergistic effect, promoting bow movement to the target at faster speeds and allowing for stable control of the arrow even at high speeds.



Precision Limb Alignment Adjustment SYSTEM IN 0.05mm

Normally, limb alignment adjustment with the washer system is able to adjust in 0.1mm increments. FIVICS' ultra-precise limb alignment system can adjust 0.05mm to 0.15mm, offering double the amount of precision.



* Featured on the **Argon-X** Riser







Stable & Steady **GEOMETRY**

FIVICS Risers are designed with a stable low center of gravity, creating significantly less vibration than normal risers during shooting. This allows for the bow to fall faster after the shot, which increases the arrow speed and reduces accidental influences that may be caused by minute hand movement.



6061 Aluminum Vs **7075** Aluminum

FIVICS' Risers are manufactured with 6061 aluminum to allow for the best vibration absorption possible. Using a hydraulic press machine, we have scientifically proven that our 6061 aluminum risers can tolerate higher pressure than risers made from more rigid materials such as 7075 aluminum.




SUPER GRAPHENE TECHNOLOGY

SUPER GRAPHENE has improved stability and accuracy compared to other carbon fiber limbs. To improve the stability and accuracy of the SKADI limb, a new material, SUPER GRAPHENE, was integrated. SUPER GRAPHENE maintains the high elasticity of carbon with reduced torsion to decrease excess vibration and offers a satisfying shooting sensation.

WHAT IS SUPER GRAPHENE?

SUPER GRAPHENE is a micrometer-sized carbon material developed as the core technology of standard graphene.



DREAM MATERIAL

Graphene is a new material with a two-dimensional planar structure made of carbon atoms. Each carbon atom forms a hexagonal lattice in the shape of a honeycomb.





Hardness
50 times stronger than **steel**



Flexibility
Excellent elasticity with a tensile strength of 20 GPa




Light Weight
3.2g of SUPER GRAPHENE can cover an area of a soccer field






Advanced Limb Technology- Proven effect of 45° CARBON TECHNOLOGY

Glass fiber is paired with the carbon within the limb to increase its strength and durability. The 45° carbon system increases shooting stability, protecting the carbon as well as increasing torsional strength.



Advanced Limb Technology - Proven effect of POWER ZONE BALANCE



The location and angle of the Power Zone has been improved (area that creates the most acceleration)




The integrity test through 3D-CT non-destructive read

Plane Weave

Low Drapeability - High Crimp - Excellent Finish

FIVICS has designed limbs with high stability and increased stiffness with uniform elasticity.



CWP CARBON INNOVATIVE LIMB CNC PROCESSING

AR technology utilizes CNC processing to increase the consistency and uniformity of limbs while maintaining similar successful performances made with previous materials. Additionally, this production method eliminates all air in the adhesion process, minimizing the chance of limb fracture and torsion. The new SUPER GRAPHENE carbon improves the elasticity of the limb and optimizes speed and stability.



Increased limb strength while maintaining the same stability and uniform elasticity.




All FIVICS line Limbs CWP CARBON PREPREG MATERIAL

FIVICS has developed a unique Carbon "Prepreg material" specifically designed for the highest performance in archery.

This material allows for efficient pull kinetics and quick restoration.

- The most important part of an archery limb is the carbon's raw material.
- In the production process of good carbon materials, prepreg technology quality of the epoxy and carbon fiber is proportional to the tension and torsion of the limbs.



SKADI-TX RISER


FLAGSHIP RISER DESIGNED TO GIVE PRO ATHLETES THE EDGE THEY NEED TO WIN INTERNATIONAL COMPETITIONS.



SKADI-TX 25" RISER **HS0825** **BEST**

SKADI-TX 27" RISER **HS0827** **BEST**

Superfine Full CNC milling / TX balance System /
VACP System for fine arrow tuning /
FSL system precisely locks in the limb alignment /
TSG Grip / Stable and Steady Geometry /
Deep anodized and fresh painted finish



| SPEED | | | | |
|-----------|--|--|--|----------|
| SLOW | | | | FAST |
| WEIGHT | | | | |
| LIGHT | | | | HEAVY |
| VIBRATION | | | | |
| HIGH | | | | LOW |
| STABILITY | | | | |
| LOW | | | | HIGH |
| GRADE | | | | |
| BEGINNER | | | | HIGH-END |



PROCESSING Full CNC

WEIGHT 1,282g(25") / 1,340g(27")

MATERIAL AL 6061, Tungsten

TYPE RH / LH

GRIP TSG Grip

COLOR RH - 25" Anodized and painted
27" and LH - Anodized only

LENGTHS 25", 27"

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"

ANODIZED 25", 27"



Blue Sky Red Black

PAINTED 25"



White Sand Viva Magenta

SKADI LIMBS

SUPERB STABILITY AND ACCURACY
ACHIEVED WITH SUPER GRAPHENE



SKADI WOOD CORE LIMBS **LSWC01** **BEST**

SKADI FOAM CORE LIMBS **LSFC01** **BEST**

SUPER GRAPHENE carbon prepreg material /
45° carbon technology /
AR tech CNC processing /
The location and angle of
the Power Zone has been improved




FIVICS limbs follow the
international limb fitting
system (ILF) and are
guaranteed to fit in all FIVICS
risers and other ILF risers.

| | |
|-------------------|-------------------------|
| MATERIAL | Super graphene |
| CORE | Wood core / Foam core |
| BOW LENGTH | 66", 68", 70" |
| DRAW WEIGHT(lbs.) | 32#~50# (2# increments) |




SUPER GRAPHENE



Bakelite /315
Bakelite (315) is a thermoset with
excellent flexion intensity.

Super Graphene 3K Carbon
Super Glass
Natural UD Carbon
High Quality Wood Core
High Quality Wood Core
Natural UD Carbon
Super Glass
Super Graphene 3K Carbon

SUPER GRAPHENE



Bakelite /315
Bakelite (315) is a thermoset with
excellent flexion intensity.

Super Graphene 3K Carbon
Super Glass
Natural UD Carbon
High Quality Foam Core
Natural UD Carbon
Super Glass
Super Graphene 3K Carbon





WOOD CORE FOAM CORE

TITAN-NXT[®] RISER

LIGHT WEIGHT HIGH END RISER FEATURING OUR VACP TUNING SYSTEM.

TITAN-NXT 25" RISER **HX0725**

Superfine full CNC milling /
Adjustable limb alignment with a 4mm and
5mm wrench without removing the limbs /
Stable & Steady Geometry / TSG grip /
VACP System for fine arrow tuning /
Deep anodized and fresh painted finish



| | |
|------------|---|
| PROCESSING | Full CNC |
| WEIGHT | 1,238g |
| MATERIAL | AL 6061 |
| TYPE | RH / LH |
| GRIP | TSG Grip |
| COLOR | RH - Anodized and painted LH - Anodized only |
| LENGTHS | 25" |

| | |
|------------------------------|----------|
| Stabilizer Mount Thread | 5/16"-24 |
| Upstabilizer Mount Thread | 5/16"-24 |
| Cushion Plunger Mount Thread | 5/16"-24 |
| Clicker Mount Thread | 6/32" |

ANODIZED



Red Blue Black

PAINTED



Green White

TITAN-NX[®] LIMBS

DELIVERS STABLE PERFORMANCE WITH FAST ARROW SPEEDS



TITAN-NX WOOD CORE LIMBS **LNW01**

TITAN-NX FOAM CORE LIMBS **LNFO1**

CWP240 carbon material /
45° carbon technology /
AR tech CNC processing /
The location and angle of
the Power Zone has been improved.



FIVICS limbs follow the
international limb fitting
system (ILF) and are
guaranteed to fit in all FIVICS
risers and other ILF risers.


| | |
|-------------------|-------------------------|
| MATERIAL | CWP240 3K Full Carbon |
| CORE | Wood core / Foam core |
| BOW LENGTH | 66", 68", 70" |
| DRAW WEIGHT(lbs.) | 32#~50# (2# increments) |



CWP240




3K FULL CARBON
WOOD CORE



CWP240



3K FULL CARBON
FOAM CORE



WOOD CORE FOAM CORE


ARGON-X^{RISER}

LOWER CENTER OF BALANCE FOR FASTER BOW DROP.
NATURAL WEIGHT BALANCE FOR BAREBOW ARCHERS.

ARGON-X 25" RISER **HA0725**

ARGON-X 27" RISER **HA0727**

Lower center of gravity / Fast drop from the bow hand /
Superfine full CNC milling / The most precise and
stable washer limb alignment system in the world
with increments as low as 0.05mm /
Stable & steady geometry /
Tight & secure grip /
Deep anodized color and
fresh painted color



PROCESSING Full CNC

WEIGHT 1,330g(25") / 1,380g(27")

MATERIAL AL 6061

TYPE RH / LH

GRIP TSG Grip

COLOR ANODIZED /
PAINTED(RH 25" ONLY)

LENGTHS 25", 27"

ANODIZED 25", 27" PAINTED 25" **NEW**



Black Blue Red Aqua Amethyst Deep purple Frost blue Spring green White

Stabilizer Mount Thread 5/16"-24

Upstabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24

Clicker Mount Thread 6/32"


ARGON-X^{LIMBS}

ENSURING DURABILITY AND OPTIMAL PERFORMANCE.

ARGON-X WOOD CORE LIMBS **LAW01**

ARGON-X FOAM CORE LIMBS **LAF01**

CWP3024 carbon material /
45° carbon technology /
AR tech CNC processing /
The location and angle of the Power
Zone has been improved




FIVICS limbs follow the
international limb fitting
system (ILF) and are
guaranteed to fit in all FIVICS
risers and other ILF risers.

| | |
|-------------------|-------------------------|
| MATERIAL | CWP3024 1K Full Carbon |
| CORE | Wood core / Foam core |
| BOW LENGTH | 66", 68", 70" |
| DRAW WEIGHT(lbs.) | 32#~50# (2# increments) |




CWP3024

1K FULL CARBON
WOOD CORE



CWP3024

1K FULL CARBON
FOAM CORE




WOOD CORE FOAM CORE

ONIX RISER

PRECISION-ENGINEERED LIGHTWEIGHT RISER WITH MINIMAL VIBRATION

ONIX 25" RISER **H02525**

Superfine full CNC milling /
Adjustable limb alignment with a 5mm wrench without removing the limbs / Stable & Steady Geometry / TSG grip /
Deep anodized and fresh painted finish



| | |
|------------|--------------------|
| PROCESSING | Full CNC |
| WEIGHT | 1,200g(25") |
| MATERIAL | AL 6061 |
| TYPE | RH / LH |
| GRIP | TSG Grip |
| COLOR | ANODIZED / PAINTED |
| LENGTHS | 25" |

| | |
|------------------------------|----------|
| Stabilizer Mount Thread | 5/16"-24 |
| Upstabilizer Mount Thread | 5/16"-24 |
| Cushion Plunger Mount Thread | 5/16"-24 |
| Clicker Mount Thread | 6/32" |

ANODIZED 25"

BLACK LIME
BLACK PINK

PAINTED 25"


YELLOW
GREEN
RED

VX RISER

PROFESSIONAL GRADE RISER WITH EXCEPTIONAL VALUE

VX 25" RISER **HVX2525**

High quality mid tier riser /
Superfine full CNC milling /
Adjustable limb alignment with a 5mm wrench without removing limbs /
Stable & steady geometry / TSG grip /
Deep anodized and fresh painted finish



| | |
|------------|--------------------|
| PROCESSING | Full CNC |
| WEIGHT | 1,100g(25") |
| MATERIAL | AL 6061 |
| TYPE | RH / LH |
| GRIP | TSG Grip |
| COLOR | ANODIZED / PAINTED |
| LENGTHS | 25" |

| | |
|------------------------------|----------|
| Stabilizer Mount Thread | 5/16"-24 |
| Upstabilizer Mount Thread | 5/16"-24 |
| Cushion Plunger Mount Thread | 5/16"-24 |
| Clicker Mount Thread | 6/32" |

ANODIZED 25"

BLACK
RED
BLUE

PAINTED 25"


LIME
TURQUOISE
ORANGE

SIRASONI RISER

SPECIAL COMPACT DESIGN

SIRASONI 17" RISER **HS0117**

Superfine full CNC milling /
Adjustable limb alignment with an 4mm and
5mm wrench without removing limbs /
Stable & steady geometry /
Tight & secure wooden grip /
Deep color from anodizing



PROCESSING Full CNC

WEIGHT 1,030g / 2.27 lbs

MATERIAL AL 6061

TYPE RH / LH

GRIP Wood Grip

COLOR ANODIZED

LENGTH 17"

Stabilizer Mount Thread 5/16"-24

Cushion Plunger Mount Thread 5/16"-24




Brown Green Khaki Black

SIRASONI LIMBS

SPECIAL COMPACT DESIGN

SIRASONI HUNTING LIMBS **LSW01**

CWP240 carbon material /
45° carbon technology /
AR tech CNC processing




FIVICS limbs follow the
international limb fitting
system (ILF) and are
guaranteed to fit in all FIVICS
risers and other ILF risers.

| | |
|--------------------------|-------------------------|
| MATERIAL | CWP240 3K Full Carbon |
| BOW LENGTH | Medium 60" / Long 62" |
| DRAW WEIGHT(lbs.) | 30#~55# (5# increments) |



CWP240

3K FULL CARBON
WOOD CORE



Bakelite/315
Bakelite (315) is a thermoset with
excellent flexion intensity.

CWP Double Angled 3K Full Carbon
Natural UD Carbon
High Quality Wood Core
High Quality Wood Core
Natural UD Carbon
CWP Double Angled 3K Full Carbon



WOOD CORE



TECHNOLOGY OF FIVICS

ARROWS

FIVE-X
TENPRO
GOLDRO
ARROW ACCESSORIES
TUNGSTEN POINTS




High Level Arrow Made of
MC 46ton Carbon



THE WORLD'S BEST GROUPING ARROW FIVICS' FIVE-X


Through tomographic imaging on arrows used in competitions around the world, FIVICS has confirmed that many arrows have internal cracks in their carbon which archers are not aware of. The FIVE-X arrows are constructed of MC 46ton carbon with strict quality control. They are managed with 6 times greater precision than the existing world's highest level of spine deviation, and have a 0% internal crack rate.



Cross section crack test




Straightness test




Spine test

FIVE-X vs Other brand Arrows

Arrow flight can be effected by carbon cracks inside the arrow. FIVE-X reduces the chance of any cracks with a special high quality carbon material, allowing for the best arrow flight.





FIVE-X



Other brand

GROUPING TEST WITH SHOOTING MACHINE

The FIVE-X's special carbon material and strict quality control have been proven through excellent arrow grouping. By using a shooting machine, we have formed groupings that are superior to those of other brands.



FIVE-X



FIVE-X CARBON ARROW SHAFT **ARFX**

Highest quality 46ton carbon / Advanced Technology / Extreme Accuracy / The FIVE-X is the perfect competition arrow made with the latest carbon technology.

STRAIGHTNESS ± 0.001" **WEIGHT TOLERANCE** ± 1.0 grains **SPINE SELECTION TOLERANCE** ± 0.002"

FIVE-X TUNGSTEN POINT **FXTPO**



 **WEIGHT** 120gr 1X/2X/3X

FIVE-X ALUMINUM INSERT PIN **FXIN**

 0 Line  1 Line

FIVE-X STAINLESS STEEL POINT **FXSPO**

 **WEIGHT** 120gr

| Size | X-10 Comparison | Length (inch) | Weight (Grain) | Weight (GPI) | Outside Diameter (inch) | Qty | Recommended Point Weight Range | | Pin Nock Adapter | Out Nock |
|------|-----------------|---------------|----------------|--------------|-------------------------|--------|--------------------------------|----------|---|----------|
| | | | | | | | Steel | Tungsten | | |
| 350 | 325 | 33.0 | 288.66 | 8.75 | 0.2126 | 12pack | 1X | 1X |  | 5.0 |
| 400 | 325~350 | | 273.02 | 8.27 | 0.2072 | | | | | |
| 450 | 350~380 | | 252.66 | 7.66 | 0.2021 | | | | | |
| 500 | 410~450 | | 239.78 | 7.27 | 0.1985 | | | | | |
| 550 | 450~500 | 31.0 | 210.66 | 6.80 | 0.1952 | | 2X | 2X | 1 Line | 4.7 |
| 600 | 500~550 | | 199.74 | 6.44 | 0.1922 | | | | | |
| 650 | 550~600 | | 191.04 | 6.16 | 0.1895 | | | | | |
| 700 | 600~650 | 29.0 | 169.22 | 5.84 | 0.1860 | | 3X | 3X |  | 4.5 |
| 750 | 650~700 | | 160.11 | 5.52 | 0.1841 | | | | | |
| 800 | 700~750 | | 156.68 | 5.40 | 0.1824 | | | | | |
| 850 | 750~800 | 28.0 | 147.97 | 5.28 | 0.1812 | | 3X | 3X | 0 Line | 4.5 |
| 900 | 830 | | 139.28 | 4.97 | 0.1788 | | | | | |
| 1000 | 900 | | 133.20 | 4.76 | 0.1765 | | | | | |

TENPRO



TENPRO CARBON ARROW SHAFT **TPROS**

30ton carbon allows for extreme speed, strength, and consistency in flight.

STRAIGHTNESS ± 0.002" **WEIGHT TOLERANCE** ± 1.0 grains **SPINE SELECTION TOLERANCE** ± 0.002"

TENPRO STAINLESS STEEL POINT **TPSP**

 **WEIGHT** 120gr

TENPRO ALUMINUM INSERT PIN **TPPIN**

 0 Line
 1 Line

| Size | Length (inch) | Weight (Grain) | Weight (GPI) | Outside Diameter (inch) | Qty | Recommended Point Weight Range | Pin Nock Adapter | Out Nock |
|------|---------------|----------------|--------------|-------------------------|--------|--------------------------------|---|----------|
| 400 | 32.0 | 298.71 | 9.33 | 0.2293 | 12pack | 1T/120gr |  | 5.48 |
| 450 | | 283.72 | 8.87 | 0.2248 | | | | |
| 500 | 31.0 | 259.08 | 8.36 | 0.2202 | | 2T/120gr | 1 Line | 5.2 |
| 550 | | 245.37 | 7.92 | 0.2161 | | | | |
| 600 | | 225.31 | 7.27 | 0.2125 | | | | |
| 650 | 30.0 | 217.03 | 7.00 | 0.2100 | | 3T/120gr |  | 4.92 |
| 700 | | 201.59 | 6.72 | 0.2072 | | | | |
| 800 | | 184.31 | 6.14 | 0.2019 | | | | |
| 900 | 29.0 | 161.31 | 5.56 | 0.1982 | | 3T/120gr | 0 Line | 4.92 |
| 1000 | | 151.35 | 5.22 | 0.1953 | | | | |
| 1100 | 28.0 | 140.47 | 5.02 | 0.1930 | | 3T/120gr | 0 Line | 4.92 |
| 1200 | | 132.77 | 4.74 | 0.1904 | | | | |

GOLDRO





GOLDRO CARBON ARROW SHAFT GDRA


GOLDRO is the perfect target arrow for youth archers / Advanced Technology / Extreme Accuracy / Pre-marked for precise fletching placement / 24ton Carbon

STRAIGHTNESS ± 0.002" **WEIGHT TOLERANCE** ± 1.0 grains **SPINE SELECTION TOLERANCE** ± 0.0025"

GOLDRO STAINLESS STEEL POINT GRPO

**WEIGHT** 110gr/2G

**WEIGHT** 120gr/1G

**WEIGHT** 120gr/G

IN NOCK NMNOK



| Size | Length (inch) | Weight (Grain) | Weight (GPI) | Outside Diameter (inch) | Qty | Recommended Point Weight Range | Out Nock |
|------|---------------|----------------|--------------|-------------------------|--------|--------------------------------|----------|
| 600 | 30.0 | 247.84 | 8.26 | 0.2326 | 12pack | 120gr/G | 2300 |
| 700 | | 221.45 | 7.38 | 0.2264 | | | |
| 800 | 29.0 | 194.06 | 6.69 | 0.2231 | | 120gr/1G | 5.48 |
| 900 | | 181.05 | 6.24 | 0.2191 | | | |
| 1000 | 28.0 | 163.71 | 5.85 | 0.2155 | | | 2100 |
| 1100 | | 156.53 | 5.59 | 0.2144 | | | |
| 1200 | | 151.16 | 5.40 | 0.2125 | | 110gr/2G | 5.2 |
| 1300 | | 144.42 | 5.16 | 0.2104 | | | |
| 1400 | | 135.15 | 4.83 | 0.2083 | | | |
| 1500 | | 124.21 | 4.44 | 0.2062 | | | |
| 1600 | | 121.46 | 4.34 | 0.2053 | | | |

ARROW ACCESSORIES

X-NET STAINLESS STEEL POINT TO FIT EASTON X10 ARROWS XNET10

**WEIGHT** 110gr

**WEIGHT** 120gr

* Fivics X-net Stainless Steel Points are not an official licensed product of Easton Technical Products, Inc. X10 is a registered trademark of Easton Technical Products, Inc.




PIN NOCK(S) NC001S

PIN NOCK(L) NC001L







This universal pinnock fits all standard pinnock adapters. It is made from a durable polycarbonate material that performs shot after shot.

AVAILABLE IN TWO SIZE S fits 12-18 strand strings / L fits 20-24 strand strings

Opaque

**Pink****Yellow****White**

Clear



**Red****Orange****Green****Blue****Purple****Pink**



FINEST PRECISION
TUNGSTEN POINT

FIVICS has developed the finest precision tungsten point with the world's best precision processing technology. More precise points make better groupings.




FIVICS Tungsten Point vs Other brand

| |  |  |
|------------------|--|---|
| | VS | |
| Contents | Other brand | FIVICS Tungsten Point |
| Weigh | 118.8 ~ 121.5gr | 120.2 ~ 120.8gr |
| Length | 47.27mm~47.84mm | ± 0.1 |
| Diameter | 3.13mm~3.20mm | No difference |
| Price | Expensive | Cheaper than other brands |
| More information | Rough Surface Hardness is too high making it is easily broken. | Smooth Surface has moderate hardness, so it doesn't break easily. |








TUNGSTEN POINTS

FIVE-X TUNGSTEN POINT FXTPO

-  WEIGHT 120gr/1X/2X/3X
-  WEIGHT 130gr/1X
-  WEIGHT 140gr/1X



FIVICS TUNGSTEN POINT TO FIT EASTON X10 ARROWS X10TPO

-  WEIGHT 110gr
-  WEIGHT 120gr
-  WEIGHT 125gr
-  WEIGHT 130gr
-  WEIGHT 140gr



* Fivics Tungsten Points are not an official licensed product of Easton Technical Products, Inc. X10 is a registered trademark of Easton Technical Products, Inc.

FIVICS ARROWS SELECTION GUIDE

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSSEN

| Total Arrow Length | 16 ~lbs. | 18 ~lbs. | 20 ~lbs. | 22 ~lbs. | 24 ~lbs. | 26 ~lbs. | 28 ~lbs. | 30 ~lbs. | 32 ~lbs. | 34 ~lbs. |
|--------------------------|-------------|-------------|-------------|------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| 24" | GR1600 | GR1600 | GR1600 | GR1600 | GR1500 | GR1400 | GR1300 | GR1200 | TP1200 GR1100 | TP1100 GR1000 |
| 25" | GR1600 | GR1600 | GR1600 | GR1500 | GR1400 | GR1300 | GR1200 | TP1200 GR1100 | TP1100 GR1000 | FX1000 TP1000 GR900 |
| 26" | GR1600 | GR1600 | GR1500 | GR1400 | GR1300 | GR1200 | TP1200 GR1100 | TP1100 GR1000 | FX1000 TP1000 GR900 | FX1000 TP900 GR900 |
| 27" | GR1600 | GR1500 | GR1400 | GR1300 | GR1200 | TP1200 GR1100 | TP1100 GR1000 | FX1000 TP1000 GR900 | FX1000 TP900 GR900 | FX900 TP800 GR800 |
| 28" | GR1500 | GR1400 | GR1300 | GR1200 | TP1200 GR1100 | TP1100 GR1000 | FX1000 TP1000 GR900 | FX1000 TP900 GR900 | FX900 TP800 GR800 | FX900 TP800 GR800 |
| 29" | GR1400 | GR1300 | GR1200 | TP1200 GR1100 | TP1100 GR1000 | FX1000 TP1000 GR900 | FX1000 TP900 GR900 | FX900 TP800 GR800 | FX900 TP800 GR800 | FX850 TP700 |
| 30" | | | | | FX1000 TP1000 GR900 | FX1000 TP900 GR900 | FX900 TP800 GR800 | FX900 TP800 GR800 | FX850 TP700 GR700 | FX800 TP700 GR700 |
| 31" | | | | | TP900 GR900 | TP800 GR800 | TP800 GR800 | TP700 GR700 | TP700 GR700 | TP650 GR600 |
| 32" | | | | | | | | TP700 GR700 | TP650 GR600 | TP600 |
| 33" | | | | | | | | | | |

FX : FIVE-X TP : TENPRO GR : GOLDRO

| 36 ~lbs. | 38 ~lbs. | 40 ~lbs. | 42 ~lbs. | 44 ~lbs. | 46 ~lbs. | 48 ~lbs. | 50 ~lbs. | 52 ~lbs. | 54 ~lbs. | 56 ~lbs. |
|---------------------------|--------------------------|-------------------------|-------------------------|-------------------------|-------------------------|----------------|----------------|----------------|----------------|----------------|
| FX1000 TP1000 GR900 | FX1000 TP900 GR900 | FX900 TP800 GR800 | FX900 TP800 GR800 | FX850 TP700 GR700 | FX800 TP700 GR600 | FX750 TP650 | FX700 TP600 | FX650 TP550 | FX600 TP500 | FX550 TP450 |
| FX1000 TP900 GR900 | FX900 TP800 GR800 | FX900 TP800 GR800 | FX850 TP700 GR700 | FX800 TP700 GR600 | FX750 TP650 | FX700 TP600 | FX650 TP550 | FX600 TP500 | FX550 TP450 | FX500 TP400 |
| FX900 TP800 GR800 | FX900 TP800 GR800 | FX850 TP700 GR700 | FX800 TP700 GR600 | FX750 TP650 GR600 | FX700 TP600 | FX650 TP550 | FX600 TP500 | FX550 TP450 | FX500 TP400 | FX450 |
| FX900 TP800 GR800 | FX850 TP700 GR700 | FX800 TP700 GR600 | FX750 TP650 GR600 | FX700 TP600 | FX650 TP550 | FX600 TP500 | FX550 TP450 | FX500 TP400 | FX450 | FX400 |
| FX850 TP700 GR700 | FX800 TP700 GR600 | FX750 TP650 GR600 | FX700 TP600 | FX650 TP550 | FX600 TP500 | FX550 TP450 | FX500 TP400 | FX450 | FX400 | FX350 |
| FX800 TP700 GR600 | FX750 TP650 GR600 | FX700 TP600 | FX650 TP550 | FX600 TP500 | FX550 TP450 | FX500 TP400 | FX450 | FX400 | FX350 | |
| FX750 TP650 GR600 | FX700 TP600 | FX650 TP550 | FX600 TP500 | FX550 FX450 | FX500 TP400 | FX450 | FX400 | FX350 | | |
| TP600 | FX650 TP550 | FX600 TP500 | FX550 TP450 | FX500 TP400 | FX450 | FX400 | FX350 | | | |
| TP550 | TP500 | FX550 TP450 | FX500 TP400 | FX450 | FX400 | FX350 | | | | |
| | TP450 | TP400 | FX450 | FX400 | FX350 | | | | | |

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSSEN



TECHNOLOGY OF FIVICS

STABILIZERS

SKADI-CX STABILIZER LONG · SIDE · EXTENDER

SKADI-BX STABILIZER LONG · SIDE · EXTENDER

VELLATOR STABILIZER LONG · SIDE · EXTENDER



DAMPERS

STABILIZER ACCESSORIES

UPSTABILIZER · CLICKER · ARROW REST


CARBON STABILIZERS CRAFTED WITH BLOW MOLDING TECHNOLOGY

SUPER GRAPHENE has improved stability and accuracy compared to other carbon fiber limbs. To improve the stability and accuracy of the SKADI limb, a new material, SUPER GRAPHENE, was integrated. SUPER GRAPHENE maintains the high elasticity of carbon with reduced torsion to decrease excess vibration and offers a satisfying shooting sensation.



SUPER GRAPHENE TECHNOLOGY

SUPER GRAPHENE is a carbon prepreg material that has evolved further from graphene, a next-generation new material, featuring a greatly improved the vibration absorption rate compared to previous stabilizer technology. SUPER GRAPHENE is a micrometer-sized carbon material developed as the core technology of standard graphene.



Graphene is a new material with a two-dimensional planar structure made of carbon atoms. Each carbon atom forms a hexagonal lattice in the shape of a honeycomb.

- Hardness**
50 times stronger than steel
- Flexibility**
Excellent elasticity with a tensile strength of 20 GPa
- Light Weight**
3.2g of SUPER GRAPHENE can cover an area of a soccer field

SKADI-CX

Unwavering Precision, The Choice for Your Ace Shot.




- SKADI-CX STABILIZER LONG SKCXRL NEW
- SKADI-CX STABILIZER SIDE SKCXRS NEW
- SKADI-CX STABILIZER EXTENDER SKCXRE NEW

Vibrational dampening is optimized for archers using heavier stabilizer weights.

| | |
|----------|---|
| MATERIAL | Super graphene carbon prepreg |
| DIAMETER | 13.5mm |
| LENGTH | Long : 26", 28", 30" Side : 10", 11", 12", 13", 15" Extender : 3", 4", 5" |
| WEIGHT | 176g(28"), 110g(12") |

- * The end thread is removable and can be adapted to either 5/16"-24 or 1/4"-20.
- * Core-A Damper and G-Weights included.



All New SKADI Design

SKADI-BX

SUPERIOR AIMING STABILITY AND
VIBRATIONAL DAMPENING

SKADI-BX STABILIZER LONG **SKBXRCL** **BEST**

SKADI-BX STABILIZER SIDE **SKBXRCS** **BEST**

SKADI-BX STABILIZER EXTENDER **SKBXRCE** **BEST**


The SKADI-BX stabilizers are manufactured with an advanced blow method to highlight the strengths of the carbon shaft.

This method of construction increases the specific gravity of the carbon fiber rather than that of the resin, which greatly strengthens the physical properties of the stabilizer while also allowing for more energy to be absorbed.

The crosswind zero design enables stable aiming even in unpredictable winds, and the tip of the stabilizer has a thicker diameter to increase vibration reduction.

| | |
|----------|--|
| MATERIAL | Super graphene carbon prepreg |
| DIAMETER | 13.5mm |
| LENGTH | Long : 26", 28", 30" Side : 10", 11", 12", 15" Extender : 3", 4", 5" |
| WEIGHT | 172g(28"), 98g(12") |

* DC1500S Damper and PX1500 Weights included.



VELLATOR

VELLATOR STABILIZER LONG **STV02L**

VELLATOR STABILIZER SIDE **STV02S**

VELLATOR STABILIZER EXTENDER **STV02E**

The VELLATOR STABILIZER orients and builds General Modulus Carbon into the ideal stabilizer for intermediate archers.

In addition to high elasticity and strong spine per weight, the VELLATOR STABILIZERS also come in multiple vibrant color saturations.

Damper and weight head included.

| | |
|----------|---|
| MATERIAL | 24ton Carbon |
| DIAMETER | 18mm |
| LENGTH | Long : 26", 28", 30" Side : 9", 10", 12" Extender : 3", 4" (Aluminum) |
| WEIGHT | 134g(28"), 84g(12") |



DAMPERS

DP2502 **NEW**

TUNE-A DAMPER

THREAD 1/4"-20
WEIGHT 45g
OPTIMIZATION 1-8oz



DP2501 **NEW**

TUNE-B DAMPER

THREAD 1/4"-20
WEIGHT 45g
OPTIMIZATION 1-8oz



DP2503 **NEW**

CORE-A DAMPER

THREAD 5/16"-24
WEIGHT 55g
OPTIMIZATION 4+ oz



DP2504 **NEW**

CORE-B DAMPER

THREAD 5/16"-24
WEIGHT 45g
OPTIMIZATION 4+ oz



DC1500S

DC1500S DAMPER

Specialized rubber material enhances contact to effectively dampen vibration

THREAD 1/4"-20
WEIGHT 35g
OPTIMIZATION 4-8oz



DC1500

DC1500 DAMPER

THREAD 1/4"-20
WEIGHT 40g
OPTIMIZATION 8+ oz



VZEROL

V-ZERO DAMPER

THREAD 1/4"-20
WEIGHT 30g
OPTIMIZATION 1-4oz



VZEROM

V-ZERO MINI DAMPER

THREAD 1/4"-20
WEIGHT 22g
OPTIMIZATION 2-5oz



STABILIZE ACCESSORIES

VBLOK02R

LOK V-BAR

Locked on Kinetics! This new V-Bar has a reduced vibration with stable performance.

ANGLE 35° / 40° / 45° **MATERIAL** AL 6061



VBC0CBK

COM CONNECTING BOLT

Quick disconnection

ANGLE 10° **MATERIAL** SUS 304



WT15001W **WT15002W** **WT15003W**

PX1500 WEIGHT

MATERIAL SUS304
DIAMETER 29mm
WEIGHT 1oz / 2oz / 4oz
THREAD 1/4"-20



GW251 **GW252** **GW254** **NEW**

G-WEIGHT

A counterweight designed with geometry for rapid vibration dispersion and bidirectional mounting.

MATERIAL SUS304
DIAMETER 31.5mm
THREAD 5/16"-24
WEIGHT 1oz / 2oz / 4oz



1S45C16S **1S45C16L**

CONVERTER SCREW

Applicable for all dampers

Short 2.0cm **Long** 2.6cm



WT5HSV **WT5FSV**

WT5 WEIGHT

MATERIAL SUS304
DIAMETER 23mm
THREAD 1/4"-20
WEIGHT Head 2oz / Flat 1.5oz



UPSTABILIZER

TNV2300

TNV2300 UPSTABILIZER

Reduces vibrations within the riser.

WEIGHT 86g
THREAD 5/16"-24




UPST2505 **NEW**

V-UPSTABILIZER

A new balance system for vibration suppression

WEIGHT 160g(45g + 4oz)
THREAD 5/16"-24



CLICKER

CRSCLK

CRYSTAL CLICKER

Designed to provide the best visualization of the tip of the arrow through the clicker during expansion. It's polycarbonate design allows the archer to better feel when the clicker activates instead of waiting for an audible queue that can be missed in tournament settings.

MATERIAL Polycarbonate
LENGTH 101mm
THICKNESS 1.5mm



ARROW REST

OUT-NOCK REST **RS03**

This arrow rest is optimized for out-nock arrows to stay on the rest without concerns for nock contact. The out-nock arrow rest gives maximum clearance for all nock types.

SIZE 26x15mm **TYPE** RH only



RS REST **RS02**

Compatible with all nock types.

SIZE 27x15mm
TYPE Adjustable to right or left hand



TECHNOLOGY OF FIVICS

FINGER TABS

SKADI
SAKER SERIES
TENFIX
FINGER SPACERS





SKADI

FINGER TAB

SKFT01

SKADI FINGER TAB

SIZE L / M / S / XS (RH / LH)

LEATHER Cordovan

COLOR

L Blue

M Red

S Gold

XS Pink



INTRODUCING THE LATEST INNOVATION FROM THE SAKER FAMILY : THE SKADI FINGER TAB.

Experience the next level of ergonomic perfection with the Skadi Finger Tab, renowned for its cutting-edge design and unparalleled comfort.

Softer, Streamlined Design

Featuring a gentler body contour than previous models, the Skadi Finger Tab reduces hand pressure and enhances your natural hook for a more comfortable shooting experience.

Distinctive Two-Tone Color


Available in a striking two-tone color trim, the Skadi Finger Tab is uniquely styled to complement your gear.

Improved Pinky Hook

The pinky hook is sized to match the finger tab, ensuring a perfect fit and maximum comfort.

XS/S : S Size pinky hook

M / L : L Size pinky hook



Length of Leather increased

The leather at the fingertips has been extended by 1 cm, allowing archers to achieve better finger protection without needing a larger plate.

Enhanced Rotational Fit

Achieve unrivaled stability with the adjustable thumb ledge and pinky hook, tailored to enhance your draw hand's stability.

SAKER

FINGER TABS



SFT01A

SAKER 1 FINGER TAB

The ergonomic triangle palm plate offers superior stability, while the deeper grip support of the ring finger ensures a secure and confident hold.


SIZE XL / L / M / S / XS / XXS (RH / LH)

LEATHER Cordovan

COLOR

- | | | |
|---------------------|------------------|-----------------------|
| XL Dark Blue | L Blue | M Red |
| S Yellow | XS Purple | XXS Dark Green |

force distribution chart



Ergonomic design

Adjustable ledge Replaceable face and backing Finger spacer included

SIZE GUIDE (SAKER FINGER TAB)



| | |
|--------------------|---------------------|
| XL 210mm ~ | S 175~185mm |
| L 195~210mm | XS 165~175mm |
| M 185~195mm | XXS ~165mm |

SFT02A

SAKER 2 FINGER TAB

A more streamlined design which appeals to a wide range of users.


SIZE XL / L / M / S / XS / XXS (RH / LH)

LEATHER Cordovan

COLOR

- | | | |
|---------------------|------------------|-----------------------|
| XL Dark Blue | L Blue | M Red |
| S Yellow | XS Purple | XXS Dark Green |

force distribution chart



SFT03A

SAKER 3 FINGER TAB

A compact body design allows for more power to be delivered to your hook, with a structure that places more emphasis on the index finger than the ring finger. Recommended for athletes with stronger ring fingers.


SIZE L / M / S (RH / LH)

LEATHER Cordovan



COLOR

- | | | |
|---------------|--------------|-----------------|
| L Blue | M Red | S Yellow |
|---------------|--------------|-----------------|


force distribution chart



ADJUSTABLE IN THREE AXIS AND SIX DIRECTIONS




Thumb rest can be raised, lowered, and pivoted left and right




Chin rest can be raised, lowered, and pivoted left and right



Chin / thumb rest can be pivoted up and down





Pinky rest can be adjusted forwards and backwards



Pinky rest can be pivoted left and right



Fingertab strap can be adjust fit only the middle finger or both the ring and middle finger



TENFIX LOCK-IN ON THE 10

SFT05A

TENFIX FINGER TAB


The world's most customizable finger tab.

The TENFIX finger tab is designed in collaboration with the nationally renowned coach, Kwon Yong-Hak. Coach Kwon is praised as one of the best coaches in China due to the amazing results of his athletes. The TENFIX finger tab's body is a smooth design which incorporates the function of the Saker Finger Tab series' EP system.

SIZE L / M / S / XS (RH / LH)

WEIGHT M 90g

LEATHER Cordovan



PATENTED

FIVICS

The 9mm thick aluminum plate provides the best adhesion to the draw hand. The thumb and little finger supporter is adjustable in 3 axis and 6 directions.

FINGER TABS

BFT01A

BRASS SAKER 1 FINGER TAB

Designed to correct an outward-flaring release at the execution of the shot, the heavier brass finger tab provides increased stability and control.

SIZE L / M / S (RH / LH)

WEIGHT L 162g, M 152g, S 144g

LEATHER Cordovan



EP001

SAKER 1 FINGER TAB EP FRAME

The EP FRAME offers top shooters another reference for their hooking direction to allow for the most comfort and balance. This component enhances the Saker Finger Tab's Ergonomic design.

SIZE

Saker 1 XL, L = EP (L size)

Saker 1 M, S = EP (M size)

Saker 1 XS, XXS = EP (S size)

WA RULES Book3, Chapter 11, Article 11.18

The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal. World Archery C&R Committee, 22 September 2014



BFT02A

BRASS SAKER 2 FINGER TAB

Designed to correct an outward-flaring release at the execution of the shot, the heavier brass finger tab provides increased stability and control.

SIZE L / M / S (RH / LH)

WEIGHT L 150g, M 140g, S 136g

LEATHER Cordovan



SFT04AN


SAKER PLUS FINGER TAB

The Saker Plus finger tab features a 4mm thick plate with an adjustable 3 weight control system and a 5 angle EP adjustment system. This adjustably allows the Saker Plus to fit the archer's hand perfectly to create a more stable hooking position, making it the perfect tab for any competitive archer.


SIZE L / M / S (RH)



1. Angle Adjustment



2. Adjustable Ledge



3. Weight Control



4. Balance Control



FINGER TABS

NEWPFT02

POLITE 2 FINGER TAB

This innovative design provides a more secure and stable release by removing the ring finger leather and allowing the archer to wrap their finger directly around the body of the tab, offering greater draw hand support.

SIZE L / M / S (RH / LH)
COLOR Champagne Gold
LEATHER Cordovan



reddot award 2014
winner



Emphasizes the sense of unity in your hands / Absolute stability and hooking accuracy / Promotes optimal distribution and support of the draw hand / Ergonomic 3D design

NEWPFT03

POLITE 3 FINGER TAB

Designed with a wrap-around pinky finger rest to enhance grip security and prevent finger slippage.

SIZE L / M / S (RH / LH)
COLOR Champagne Gold
LEATHER Cordovan



reddot award 2014
winner

FLFT01

FALCON FINGER TAB

Laser-etched markings on the Falcon Finger tab ensure precise crawl measurements. The thin finger spacer keeps it secured in place, allowing for repeatable positioning while measuring crawl distance. The finger tab strap comfortably fits the middle and ring finger together.

SIZE L / S (RH / LH)
COLOR BLACK
LEATHER CORDOVAN



FINGER SPACERS

FS007D FS007O

PRO SPACER / PRO SPACER(Ovarl)

MATERIAL Rubber

SIZE 46 x 28.6 x 13mm / 41 x 26 x 13.4mm



FS005B

BRASS SPACER

MATERIAL Brass

SIZE 37 x 28 x 10mm



FS004T

THIN SPACER

MATERIAL Rubber

SIZE 32 x 28 x 12.4mm



FS001P

PLASTIC SPACER

MATERIAL Plastic

SIZE 36 x 28.3 x 12.3mm



FS004D

THICK SPACER

MATERIAL Rubber

SIZE 39.8 x 29.3 x 16.2mm

Previous style still
in circulation.



Red



Yellow



Green



Blue



Purple



Black

FINGER-TAB LINE HISTORY

2002

Established FIVICS



2005

SAKER SERIES Released



2013

BRASS SAKER



2014

POLITE 3



2015

SAKER PLUS



2017

POLITE 2



2020

TENFIX



2023

FALCON




2024

SKADI



FINGER-TAB SIZE GUIDE

1. Turn this PDF file on your I-Pad or tablet PC or your computer and if you need, you can print this paper out.
2. Adjust 100% magnification and put your hand from the bottom to top.
3. You can check what size of Fivics top finger tab would be matched on your hand.
- ※ Measurements are taken from the tip of the middle finger to the base of your hand before the wrist.
- ※ If your hand is between two sizes, we recommend using the smaller size.



TECHNOLOGY OF FIVICS

ACCESSORIES

CUSHION PLUNGERS

FV-300S SIGHT

BOW STANDS

PROTECTORS

UNICO QUIVER SERIES

ACCENDO QUIVER SERIES

AEGIS HARD CASES

FIVICS BACKPACK

OTHER

NEW MATERIAL HASTELLOY

HASTELLOY PRESSURE POINT

What is Hastelloy?

Hastelloy offers exceptional resistance to strong oxidizing solutions, strong durability in reducing environments, and a low carbon content that provides minimization of grain-boundary carbide precipitation.

What is Corrosion resistance?

Corrosion resistance refers to the resistance a material offers against a reaction with adverse elements that can corrode the material. Various materials have this property intrinsically, depending upon their corrosion resistance rate. Hastelloy minimizes corrosion when the arrow shaft touches the cushion plunger during arrow flight and makes the arrow fly more stable with greater grouping. We apply this high-end material to the new cushion plunger "Airex".


6000 TIMES SHOT ABRASION TEST

After installing on the cushion plunger test equipment, measurements of the friction were taken 3 times for each material, repeated 2,000 times. Measurements of the abrasion of the arrow surface and abrasion of the pressure point per number of time were also collected.

- Material 1** Hastelloy Pressure Point
- Material 2** Aluminum Pressure Point


HASTELLOY Pressure point

Arrow Shaft Surface / Pressure Point :
6000 times shot abrasion test
- Arrow Shaft Surface Abrasion : Almost None.
- Pressure Point Abrasion : Almost None.



ALUMINUM Pressure point

Arrow Shaft Surface / Pressure Point :
2000 times shot abrasion test
- Arrow Shaft Surface Abrasion : High
- Pressure Point Abrasion : High



CUSHION PLUNGER

AIREX CUSHION PLUNGER AACP

Incredibly smooth action
Dial checking Pressure point material : Hastelloy
THREAD 5/16"-24
ADJUSTABLE LENGTH Min 19.5mm, Max 26.5mm



SM540 CUSHION PLUNGER SM540

Compact size for easy setting
THREAD 5/16"-24
ADJUSTABLE LENGTH Min 19.5mm, Max 26.5mm



FV-300S SIGHT

FV-300S SIGHT **FV300S**

Specially designed for recurve bows / Dampers included and available separately / VTS (Variable Tension System) / Elevation travel tension adjustment

SIZE Extention 9" **TYPE** RH **MATERIAL** Aluminum, Carbon



Micro Fiber Optic

SIGHT DAMPERS

Specially designed weight and damper included

SIZE 4mm



FVW502

FVW501

SIGHT PIN(SQUARE) **SGP01S**

SIZE 81mm



SIGHT PIN(ROUND) **SGP01R**

Designed for Olympic style recurve bows / Bright microfiber-optic pin for rapid visual acquisition / fits all recurve sights

SIZE 80mm



BOW STAND

STD25006

DELTA BOW STAND

HEIGHT 45.7cm

WEIGHT 512g

MATERIAL Aluminum



ST001S **ST001L**

AUTOMATIC BOW STAND

(SHORT)

HEIGHT 44cm

WEIGHT 573g

MATERIAL Aluminum

(LONG)

HEIGHT 65cm

WEIGHT 680g

MATERIAL Aluminum



AC05CT

CARBON T-GAUGE BOW SQUARE

MATERIAL Carbon



PROTECTORS

WIND CHEST GUARD CG02BP

Ergonomic chest guard made of hard mesh and high quality Velcro.

SIZE XL, L, M, S TYPE RH



A2 CHEST GUARD CG001A2


Adjustable shoulder band / The secure Velcro strap can be adjusted to size

SIZE L(From XL to M), M(From L to S), S(From M to XS)
TYPE RH / LH



CHEST-GUARD PROTECTOR FILM CG003ST

SIZE 230x340mm



How to Apply

1. Clean surface of the chest guard.
2. Sew protector to the surface of the chest guard.
3. Cut excess protector off of the chest guard to fit it into shape


ORGANIC X ARMGUARD AMX01

Lightweight and comfortable design.
Durable plastic provides better protection.



ORGANIC WEB ARMGUARD AM001

Lightweight and durable plastic armguard



SILICONE JELLY ARMGUARD AMH01

String contact with the SILICONE Jelly Armguard minimizes unwanted vibration and repulsion during the shot while protecting the bow arm.



LIMB PROTECTOR AC21LP

Protects the tip of your shoes while holding the bow at rest.

SIZE 56 x 97mm MATERIAL Rubber



LUCCA LIMB PROTECTOR AC24LP

Protects the tip of your shoes while holding the bow at rest.

SIZE 70 x 77mm MATERIAL Rubber



UNICO SERIES

UNICO BACK QUIVER QV01UNB

Elegantly crafted quiver made with artificial leather.
Includes specialized HK holder.

WEIGHT 380g TYPE RH



ACCENDO SERIES

ACCENDO BACK QUIVER QV02AB

Lightweight / Large pocket for accessories

WEIGHT 260g TYPE RH



UNICO TOURNAMENT QUIVER QV01UNS QV01UNL

Elegantly crafted quiver made with artificial leather.
Includes specialized HK holder.

SIZE Small, Large WEIGHT 418g, 502g TYPE RH



ACCENDO TOURNAMENT QUIVER QV02AT

Lightweight / Large pocket for accessories

WEIGHT 630g TYPE RH



AEGIS SERIES

AEGIS TWO BOW HARD CASE BCH01

Lightweight / Strong against rough handling /
Specially designed wheels / Showy colors /
This model can hold up to two recurve bows and its accessories.

SIZE 40 x 29 x 92cm **MATERIAL** ABS+PC **WEIGHT** 8.2kg

※ Recommended maximum weight : 23kg



GREEN MINT PINK RED BLUE BLACK WHITE

Case belt /
Rain cover included



AEGIS ONE BOW HARD CASE BCH02

Lightweight / Strong against rough handling /
Specially designed wheels / Showy colors /
This model can hold up to one recurve bow and its accessories.

SIZE 35 x 25 x 84.5cm **MATERIAL** ABS+PC **WEIGHT** 6.5kg

※ Recommended maximum weight : 23kg



GREEN MINT PINK RED BLUE BLACK WHITE

Case belt /
Rain cover included



OTHER

FIVICS BACKPACK **BCB25FB**

Riser & Limbs case included / Arrow tube included

SIZE 11.8 x 7.8 x 26.7" **POCKET** 1pcs **WEIGHT** 2.4kg **COLOR** BLACK, RED, BLUE



ARROW TUBE



RISER & LIMBS CASE



Inner Pockets

Fully Open

FOLDING CASE (2 LEVEL) **BC2L01**

Compact size / Includes compartments for risers, limbs, and accessories

SIZE 28.5 x 10.5 x 1.5" **WEIGHT** 900g



RISER & LIMBS CASE **RLC01**

SIZE 27 x 7.5 x 3" **WEIGHT** 800g



PRO HAND POCKET **STPR01**

SIZE 5 x 2.5 x 6" **WEIGHT** 80g



FIVICS ARROW TUBE

EC04ATA



RECURVE RISER PROTECTOR **RAC22RP**

RAC22RP

Dual Zippers / Velcro strap to fully secure around the riser.

SIZE 24.8 x 4.1"

MATERIAL NEOPRENE

WEIGHT 200g



TOOL BOX **EC03**

SIZE 8.5 x 7 x 7"




ARROW PULLER **AC24PUS**

Non-slip pattern ensures a strong grip



EC04AKB



NEW SPORTS

The world's safest archery equipment
for beginners and recreational play.



Introducing ARROVEL

- Meticulously researched and engineered, ARROVEL allows people of **all ages** to safely enjoy the essence of archery - **anytime, anywhere**.

check point 01.


Velcro-based stability



ARROVEL's unique Velcro-tipped arrows adhere securely to specialized targets, providing a safe and fun archery experience.

check point 02.

High similarity to real archery



ARROVEL is an educational tool designed to provide beginners with a safe and realistic archery experience. It simulates the real postures, aiming, and shooting process of archery.

check point 03.

Compact design



Enjoy the freedom of archery with our lightweight, portable bag.




ARROVEL

ARV24

ARROVEL

Exciting and easy-to-use archery
dart made for pure fun!

SIZE 1040x1265mm



Arrovel SET

Velcro Target Face, Bow, Velcro Dart x 6, Arm Guard, Carrying Bag



TECHNOLOGY OF FIVICS

APPAREL

APPAREL
GEAR

APPAREL

AC24FTJK **NEW**

FIVICS TEAM JUMPER

SIZE L / XL / 2XL



FRONT

BACK

AC22HT **NEW**

FIVICS HOODIE

SIZE XL / 2XL / 3XL



FRONT

BACK

AC25SJNV **NEW**

2025 FIVICS TEAM JERSEY

SIZE S / M / L / XL / 2XL / 3XL



FRONT

BACK

AC25TE **NEW**

2025 FIVICS LOGO TEE

SIZE S / M / L / XL / 2XL



FRONT

BACK

AC24SJRBJ **NEW**

TEAM FIVICS TWO TONE TEE

SIZE M / L / XL / 2XL / 3XL



FRONT

BACK

AC22SJBL

TEAM FIVICS SHOOTER JERSEY

SIZE S / M / L / XL / 2XL / 3XL



FRONT

BACK

AC22TE

FIVICS LOGO TEE

SIZE S / M / L / XL / 2XL / 3XL



FRONT

BACK

AC25FWBK **NEW**

2025 FIVICS WINDBREAKER

SIZE S / M / L / XL / 2XL / 3XL / 4XL / 5XL



FRONT

BACK

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSEN

BOWS

ARROWS

STABILIZERS

FINGER TABS

ACCESSORIES

NEW SPORTS

APPAREL & GEAR

TARGET FACE

KROSSEN

APPAREL

AC26CSWT

COOLING ARM SLEEVE

Increases the surface area on the skin for a rapid cooling effect.



AC17SOMN

AC17SOWN

FIVICS LOGO SOCKS



AC12CANV

FIVICS LOGO CAP NAVY



AC14CAWT

FIVICS LOGO CAP WHITE



AC03SL

STRETCH BAND LIGHT (YELLOW)

Quality, natural rubber latex construction

THICKNESS 0.3mm



AC03SH

STRETCH BAND HEAVY (BLUE)

Quality, natural rubber latex construction

THICKNESS 0.4mm



AC14HAT

FIVICS BUCKET HAT

SIZE S/M/L



GEAR

UMBL01

TARGET UMBRELLA LONG

LENGTH 95.5cm OPENED SIZE 1m 40cm



UMBL03

AUTOMATIC 3-FOLD UMBRELLA

LENGTH 29cm OPENED SIZE 1m 10cm



AC25LCNT NEW

LUNA LUGGAGE TAG

SIZE 70x110mm



AC25TFNT NEW

TARGET FACE LUGGAGE TAG

SIZE 72x72mm



AC24TGRG

TARGET FACE FLOOR MAT

SIZE 800x400mm WEIGHT 260g



AC24GF-4 NEW

FIVICS GOLF BALL & BALL MARKER SET (2 PIECES)

SIZE 143x143x45mm WEIGHT 260g



ARV24ADKR NEW

ARROVEL KEYRING

SIZE 28x84x28mm



PAG001

TARGET SCORE BOOK

SIZE 85 x 130mm PAGE 120p COVER Hard



AC04CL

CLOCK

SIZE 260 x 260 x 47mm BATTERY AA 1ea



ARV24ADKR

ARROW DOCKING FRAME

SIZE 500x180mm WEIGHT 1200g LEATHER Acryl



TECHNOLOGY OF FIVICS

PERFECT TARGET FACES

OUTDOOR
INDOOR
TRAINING · FIELD

World Famous Craftsmanship

Researched and tested to be the perfect target faces for competitions.
Asia's first World Archery-approved target face



Official World Archery Target Face World Archery Target License #9




MATERIAL Polyester **THICKNESS** 0.29mm **TENSILE STRENGTH(kg/cm²)** L-40.0 / W-17.0
TEMPERATURE RANGE -32 ~ 260°C **PRINTING ERROR RANGE** 99.9%(Best "quality")

PERFECT TARGET FACE

OUTDOOR




IN/OUTDOOR




122cm 10-Ring
TARGET FACE **PT001F**

RANGE 90m / 70m / 60m
MARK DIMENSION 122cm x 122cm
TOTAL DIMENSION 125cm x 125cm
(width / length)



80cm 10-Ring
TARGET FACE **PT002F**


RANGE 50m / 30m
MARK DIMENSION 80cm x 80cm
TOTAL DIMENSION 83cm x 83cm
(width / length)



60cm 10-Ring
TARGET FACE **PT003F**

RANGE 25m
MARK DIMENSION 60cm x 60cm
TOTAL DIMENSION 63cm x 63cm
(width / length)

IN/OUTDOOR




40cm 10-Ring
TARGET FACE **PT004F**

RANGE 18m
MARK DIMENSION 40cm x 40cm
TOTAL DIMENSION 43cm x 43cm
(width / length)



48cm 6-Ring
TARGET FACE **PT007A**

RANGE 50m
MARK DIMENSION 48cm x 48cm
TOTAL DIMENSION 51cm x 51cm
(width / length)



48cm 6-Ring Triple
TARGET FACE **PT007A3**

RANGE 50m
MARK DIMENSION 48cm x 3spot
TOTAL DIMENSION 99cm x 98.5cm
(width / length)




40cm 10-Ring
TARGET FACE **PT007A4**


RANGE 50m
MARK DIMENSION 48cm x 4spot
TOTAL DIMENSION 102cm x 105cm
(width / length)

PERFECT TARGET FACE


INDOOR

**20cm Vertical Recurve**TARGET FACE **PT008F**


RANGE 18m
MARK DIMENSION 20cm x 3spot
TOTAL DIMENSION 23cm x 67cm
 (width / length)

**20cm Vertical Compound**TARGET FACE **PT008C**


RANGE 18m
MARK DIMENSION 20cm x 3spot
TOTAL DIMENSION 23cm x 67cm
 (width / length)

**40cm 10-Ring Quadruple**TARGET FACE **PT009F**

RANGE 18m
MARK DIMENSION 40cm x 4spot
TOTAL DIMENSION 93cm x 85cm (width / length)

**20cm Triangular 3-Spot Quadruple**TARGET FACE **PT011F**


RANGE 18m
MARK DIMENSION 20cm x 12spot
TOTAL DIMENSION 97cm x 85cm (width / length)

**20cm Vertical 3-Spot Quadruple**TARGET FACE **PT010F**


RANGE 18m
MARK DIMENSION 20cm x 12spot
TOTAL DIMENSION 103cm x 67cm (width / length)

PERFECT TARGET FACE


TRAINING-FIELD

**Center-Spot (3ring)**TARGET FACE **PT012F**

RANGE 50m / 30m / 20m
MARK DIMENSION 24cm x 24cm
TOTAL DIMENSION 32cm x 32cm
 (width / length)

**Center-Spot (4ring)**TARGET FACE **PT013F**

RANGE 90m / 70m / 60m
MARK DIMENSION 48.8cm x 48.8cm
TOTAL DIMENSION 61cm x 61cm
 (width / length)

**TRAINING (12ring)**TARGET FACE **PT020F**


RANGE 50m / 30m / 20m
MARK DIMENSION 52mm x 52mm
TOTAL DIMENSION 282mm x 238mm
 (width / length)

**FIELD 80cm**TARGET FACE **PT014F**

MARK DIMENSION 80cm x 80cm
TOTAL DIMENSION 83cm x 83cm
 (width / length)

**FIELD 40cm Quadruple**TARGET FACE **PT015F**

MARK DIMENSION 60cm x 60cm
TOTAL DIMENSION 63cm x 63cm
 (width / length)

**TRAINING (12ring)**TARGET FACE **PT021F**

MARK DIMENSION 48mm x 48mm
TOTAL DIMENSION 250mm x 231mm
 (width / length)

**FIELD 40cm Quadruple** TARGET FACE **PT016F**

MARK DIMENSION 40cm x 4spot
TOTAL DIMENSION 93cm x 85cm (width / length)



KROSSEN

EVERYONE CAN ENJOY ARCHERY

In April 2015, the FIVICS archery center was launched with a dream to allow anyone, including non-athletic people, to enjoy archery. Now, we are making that dream a reality. The new Krossen line allows us to say "Everyone can enjoy archery with top quality and beautifully designed equipment!". In the past, beginners or intermediate archers did not much choice. But now, that has changed. We at FIVICS thrive to make more options for everyone who loves archery as we do.



Featured in archery competitions for the Korean TV entertainment program Idol Sports Festival

Sights, Plunger, Clicker, and Rest

XENIA

SG03XE

SCORPION SIGHT

Simple design with all the functionality required for a beginner archer

SIZE Extension 7"

TYPE RH

MATERIAL Aluminum

WEIGHT 220g



SG03XESB

SCORPION SIGHT BLOCK



SG02XE

XENIA SIGHT

One model suitable for left-handed and right-handed archers

SIZE Extension 4"

MATERIAL Aluminum

WEIGHT 180g



SG02XESB

XENIA SIGHT BLOCK



XENCP02

XENIA 2 CUSHION PLUNGER

Stable performance with upgraded internal components.

MATERIAL Aluminum

THREAD 5/16"-24

SIZE 61.5mm



XECL001

XENIA CLICKER

MATERIAL Stainless Steel

SIZE 100mm

THICKNESS 0.3 / 0.4mm



KP001

KP REST

Simple design with strong material

MATERIAL Plastic

SIZE 30 x 20mm

TYPE RH / LH



BS001

BOW STRING BUCKLE

Suitable for many bow strings. The inner layer is composed of anti-skid nylon to reduce wear on the bow string

- 1set is including 2pcs



Hand, arm, and chest protectors

XENIA

JMF01A

XENIA JM1 FINGER TAB

SIZE L / M / S (RH)
LEATHER Cowhide



JMF02A

XENIA JM2 FINGER TAB

SIZE L / M / S (RH)
LEATHER Cowhide



LFTC02

CLOVER FINGER TAB

SIZE L / M / S (RH)
LEATHER Cowhide




FR001

FINGER PROTECTOR

The positioning can be adjusted to any finger thickness.

MATERIAL Rubber



AMF01L

AMF01M

FABRIC ARMGUARD

SIZE L, M



AC19HKSV

HK HOLDER

Hooks onto the quiver belt to hold the finger tab.



CG06XE

XENIA CHEST GUARD

Easy fit adjustment

SIZE L, M, S TYPE RH / LH



Red



Yellow



Blue



Pink



White

HYPER SERIES

XEQV02

HYPER BACK QUIVER

420D & 600D combination of high quality material and fabric

WEIGHT 380g



XEQV01

HYPER TOURNAMENT QUIVER

420D & 600D combination of high quality material and fabric

WEIGHT 460g



XEB01BB

HYPER RECURVE BACKPACK

Affordable recurve backpack with a modern sophisticated design.

Increased stability from external shock with the application of thicker foam material.

SIZE 13.4 x 29.5 x 5.9" **WEIGHT** 920g



RISER & LIMBS CASE / ARROW TUBE

SPECIFICATIONS

RISER

| PRODUCT | LENGTH | WEIGHT | MATERIAL | PROCESSING | COLOR |
|---------------------|--------|--------|----------------------|------------|---|
| SKADI-TX (p.14) | 25" | 1,282g | AL 6061, Tungsten | Full CNC | Anodized Blue, Sky, Red, Black Painted White, Sand, Viva Magenta |
| | 27" | 1,340g | | | |
| TITAN-NXT (p.16) | 25" | 1,238g | AL 6061 | | Anodized Red, Blue, Black Painted Green,White |
| ARGON-X (p.18) | 25" | 1,330g | | | Anodized Blue, Red, Black Painted Aqua Amethyst, Deep purple, Frost blue, Spring green, White |
| | 27" | 1,380g | | | |
| ONIX (p.20) | 25" | 1,200g | | | Anodized Black Lime, Black Pink Painted Yellow, Green, Red |

| PRODUCT | LENGTH | WEIGHT | MATERIAL | PROCESSING | COLOR |
|---------------------------|--------|--------|--------------------|-------------|--|
| VX (p.21) | 25" | 1,100g | AL 6061 | Full CNC | Anodized Black, Red, Blue Painted Lime, Turquoise, Orange |
| VELLATOR -V3 (p.22) | 23" | 1,100g | | | Anodized Blue, Red, Black Painted Dreamy Sunset, Golden sky, Misty Moonlight |
| | 25" | 1,210g | | | |
| SIRASONI (p.24) | 17" | 1,030g | | | Anodized Brown, Green, Khaki, Black |
| XENIA (p.92) | 23" | 766g | Alloy Magnesium | Die Casting | Painted Red, Blue, Black, White, Fluorescent Green, Pink |
| | 25" | 800g | | | |



SPECIFICATIONS

LIMBS

| PRODUCT | CORE | MATERIAL | DRAW WEIGHT (lbs.) | LENGTH |
|-----------------|------|------------------------|--------------------|---------------|
| SKADI (p.15) | WOOD | Super Graphite | 32# ~ 50# | 66", 68", 70" |
| | FOAM | | | |
| TITAN-NX (p.17) | WOOD | CWP240 3K Full Carbon | | |
| | FOAM | | | |
| ARGON-X (p.19) | WOOD | CWP3024 1K Full Carbon | | |
| | FOAM | | | |

| PRODUCT | CORE | MATERIAL | DRAW WEIGHT (lbs.) | LENGTH |
|--------------------|------|-----------------------|--------------------|---------------|
| VELLATOR-V3 (p.23) | WOOD | CUP240 UD Carbon | 22# ~ 38# | 66", 68", 70" |
| | FOAM | | | |
| SIRASONI (p.25) | WOOD | CWP240 3K Full Carbon | 30# ~ 55# | 60", 62" |
| XENIA (p.92) | WOOD | Fiber Glass | 12# ~ 28# | 66", 68", 70" |
| | FOAM | | | |

FIVICS RECURVE BOW BRACE HEIGHT RANGE CHART

23" RISER - LONG LIMBS 22.5~23cm | MEDIUM LIMBS 22~22.5cm | SHORT LIMBS 21.5~22cm

25" RISER - LONG LIMBS 23~23.5cm | MEDIUM LIMBS 22.5~23cm | SHORT LIMBS 22~22.5cm

27" RISER - LONG LIMBS 23.5~24cm | MEDIUM LIMBS 23~23.5cm | SHORT LIMBS 22.5~23cm

✱ TILLER HEIGHT : The distance from the base of the top limbto the string should be set 2-4mm greater than the bottom.






Successful SPOEX Debut for SPONEER's Archery Simulator 'Target X'

SPONEER, a subsidiary of FIVICS made a successful debut at the 2025 Seoul International Sports & Leisure Industry Show (SPOEX) held at COEX, Seoul. The company unveiled its self-developed archery simulator Target X, drawing over 5,000 visitors during the 4-day event. Through hands-on experiences, giveaways, and live consultations, SPONEER introduced archery in a fun and approachable way to a wide audience. Powered by advanced sensors and simulation technology, Target X reduces the traditional spatial and financial barriers of archery and shooting training. Already adopted nationwide, the simulator is easily scalable to schools, resorts, shopping malls, and sports centers. CEO Jongdae Baek stated, "As times change, so must sports. We hope Target X marks a meaningful first step in bringing archery into the digital era."





FIVICS CUP

The Second Annual Fivics Indoor Cup in Nagoya, Aichi Prefecture, Japan!

Driven by a passion for nurturing future generations of archers and coaches, the FIVICS INDOOR CUP is a space for both passionate competitors and curious beginners to engage with the exhilarating world of archery. FIVICS is committed to continually elevating the tournament's quality and welcoming even more participants each year. We strive to build a vibrant community around archery, fostering excellence and igniting enthusiasm for the sport.

Join us at the next FIVICS competition and become part of something truly special!



TEAM FIVICS



ITALY
MAURO NESPOLI



FRANCE
THOMAS CHIRAULT




JAPAN
WAKA SONODA



GREAT BRITAIN
PENNY HEALEY




ITALY
VINCENZA PETRILLI




FRANCE
DAVID JACKSON



SPAIN
DAVID GARCIA



SPAIN
CESAR VERA
BRINGAS



ITALY
ALESSANDRO PAOLI



COLOMBIA
SANTIAGO ARCILA



GREAT BRITAIN
TOM HALL



GREAT BRITAIN
CONOR HALL



ITALY
ROBERTA DI
FRANCESCO



JAPAN
MAO WATANABE



JAPAN
SHIORI NISHIJIMA



GREAT BRITAIN
MAX OAKLEY



VIETNAM
LE QUOC PHONG



ITALY
MARCO GALIAZZO



TAIWAN
TAN YA TING



ITALY
VANESSA LANDI




PORTUGAL
NUNO CARNEIRO




SLOVAKIA
KRISTINA DRUSKOVA



FRANCE
MAIA TINCU



FRANCE
GAUBIL MELANIE



ISRAEL
MIKAELLA MOSHE



AUSTRIA
ANDREAS GSTOTTNER



GREAT BRITAIN
MONTY ORTON



AUSTRALIA
TAYMON KENTON-
SMITH




TAIWAN
LEE CHIN TANG




TAIWAN
LUO ZHENG WEI



TAIWAN
YU GUAN LIN



TAIWAN
LIU SHIH LING




MEXICO
JORGE NEVAREZ




BELGIUM
FEEL STINKENS



SPAIN
CASANDRA CAMPO TELLEZ



AUSTRALIA
CASEY ISLES



FRANCE
WILLIAM PIKE



GREAT BRITAIN
YULIA HINCKLEY



GREAT BRITAIN
EMMA DAVIS




GREAT BRITAIN
EMELIA HUGHES



GREAT BRITAIN
EDWARD GRAY



CHAD
ISRAEL MADAYE



CUBA
HUGO FRANCO




FRANCE
LEO DEFEVRE



PHILIPPINES
GABRIELLE MONICA BIDAURE



PHILIPPINES
PIA BIDAURE



CHILE
ANDRES GALLARDO



MEXICO
Francisco Padilla



Great Britain
Imogen Sullivan-Bell



SWITZERLAND
LAURA AMATO



www.fivics.com



FIVICS KOREA
(HEAD OFFICE)

Address 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566
Tel +82-31-245-6388 **Fax** +82-31-245-6386 **E-mail** info@fivics.com

FIVICS CHINA
(FACTORY)

Address INDUSTRIAL PARK HOUGUZHEN ROAD XIAZHUANG CHENGYANG DIST QINGDAO CHINA
Tel +86-532-8788-6455 **E-mail** info@fivics.com

FIVICS USA
(BRANCH)

Address Los Angeles, CA, US
E-mail teamusa@fivics.com **www.fivics-usa.com**

fivickorea fivicsarcherykorea fivickorea



FIVICS BOW LIMITED LIFETIME WARRANTY

FIVICS recurve handles are guaranteed against manufacturing defects in materials and workmanship to the original owner for the life of the product. For more information visit us online at www.fivics.com

Note: At the time of production of our 2025 Product Guide, the bows, limbs, color options, and all other accessories shown, and the information contained, had been thoroughly checked for accuracy. However, in the event an error was made, FIVICS reserves the right to notify our dealers and customers at its discretion. Additionally, FIVICS reserves the rights to modify, change or discontinue products shown in this publication without notice.



FIVICS KOREA

Address 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566

Tel +82-31-245-6388 **Fax** +82-31-245-6386 **E-mail** info@fivics.com **www.fivics.com**